



MOD : G65/GGF7T-N

Production code : F65/70GRGG/T

CE

04/2024

EU type examination certificate
EU-Baumusterprüfbescheinigung

CE-0085CN0298
 Product Identification No.
 Produkt-Identnummer

| | |
|---|--|
| Field of Application <i>Anwendungsbereich</i> | EU Gas Appliances Regulation (EU/2016/426) <i>EU-Gasgeräteverordnung (EU/2016/426)</i> |
| Owner of Certificate <i>Zertifikatinhaber</i> | MODULAR Professional S.r.l. Via Palù, 93, I-31020 San Vendemiano (TV) |
| Distributor <i>Vertreiber</i> | MODULAR Professional S.r.l. Via Palù, 93, I-31020 San Vendemiano (TV) |
| Product Category <i>Produktart</i> | Catering appliances: grill (2119) |
| Product Description <i>Produktbezeichnung</i> | Chargrill optional with lava stones |
| Model <i>Modell</i> | Serie 600/650, /.../FU.../CL.../GM.../FS... |
| Countries of Destination <i>Bestimmungsländer</i> | AL, AT, BA, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, TR, UA |
| Test Reports <i>Prüfberichte</i> | type testing: 705CL1800100 from 04.03.2019 (FGL) |
| Test Basis <i>Prüfgrundlagen</i> | EU/2016/426 A III B (09.03.2016) DIN EN 203-1 (01.07.2014) DIN EN 203-2/10 (01.07.2007) |
| Date of Expiry / File No. <i>Ablaufdatum / AZ</i> | 24.04.2029 / 18-0112-GEA |



70228-04-A-DE

24.04.2019 Rie A-1/2

Date, Issued by, Sheet, Head of Certification Body
 Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle

DVGW CERT GmbH is an accredited body by DAkkS according to DIN EN ISO/IEC 17065:2013 and notified by the government of the Federal Republic of Germany for certification of gas appliances under EU Regulation



Deutsche
 Akkreditierungsstelle
 D-ZE-16028-01-01

DVGW CERT GmbH
 Zertifizierungsstelle

Josef-Wirmer-Str. 1-3
 53123 Bonn

Tel. +49 228 91 88 - 888
 Fax +49 228 91 88 - 993

www.dvgw-cert.com
 info@dvgw-cert.com

DVGW CERT GmbH ist von der DAkkS nach DIN EN ISO/IEC 17065:2013 akkreditierte und von der Deutschen Bundesregierung benannte Stelle für die Zertifizierung von Gasgeräten gemäß EU-Verordnung EU/2016/426.

| Appliance Categories <i>Gerätekategorien</i> | Supply Pressures <i>Versorgungsdrücke</i> | Countries of Destination <i>Bestimmungsländer</i> | Remarks <i>Bemerkungen</i> |
|--|---|---|--------------------------------------|
| I2E | 20 mbar | LU, PL | |
| I2EK | 20/25 mbar | NL | |
| I2H | 20 mbar | NO | |
| I3+ | 28-30/37 mbar | CY, LU | |
| I3B/P | 28-30 mbar | CY, HU, IS, MT, NL, NO | |
| I3B/P | 37 mbar | PL | |
| II1a2H | 8, 20 mbar | CH, IT | |
| II2E+3+ | 20/25, 28-30/37 mbar | BE, FR | |
| II2E3+ | 20, 28-30/37 mbar | LU | |
| II2EK3B/P | 20/25, 28-30 mbar | NL | |
| II2ELL3B/P | 20, 50 mbar | DE | |
| II2H3+ | 20, 28-30/37 mbar | CH, ES, GB, GR, IE, IT, PT, SK | |
| II2H3B/P | 20, 28-30 mbar | CZ, DK, EE, FI, HR, LT, LV, NO, RO, SE, SI, TR | |
| II2H3B/P | 20, 50 mbar | AT, CH | |
| II2HS3B/P | 25, 28-30 mbar | HU | |
| II2HS3B/P | 25, 50 mbar | HU | |
| III1a2H3B/P | 8, 20, 28-30 mbar | DK, IT | |
| III1ab2H3B/P | 8, 20, 28-30 mbar | SE | |

| Installation Codes <i>Installationsarten</i> | Countries of Destination <i>Bestimmungsländer</i> | Remarks <i>Bemerkungen</i> |
|--|--|--------------------------------------|
| A1 | AL, AT, BA, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, TR, UA | |

| Type <i>Typ</i> | Technical Data <i>Technische Daten</i> | Remarks <i>Bemerkungen</i> |
|---------------------------|--|--------------------------------------|
| 60/30 GRL; 65/40GRL | nominal heat input (Hi): 5,5 kW | |
| 60/60 GRL; 65/70GRL | nominal heat input (Hi): 11,0 kW | |
| 65/40 GRG | nominal heat input (Hi): 7,5 kW | |
| 65/70 GRG | nominal heat input (Hi): 15,0 kW | |

| Type Variation <i>Ausführungsvariante</i> | Explanations <i>Erläuterungen</i> |
|---|---|
| ...GRL | with lava stones |
| ...GRG | without lava stones |

Hints of Utilization /Remarks

Verwendungshinweise / Bemerkungen

Additionally tested appliance categories, supply pressures and countries of destination:

AL, BA, BG, MK, UA: II2H3B/P (20, 28-30 mbar)

In the non-EU countries the conformity approval will be accepted if the Gas Appliance Regulation EU/2016/426 is transferred into national law by this countries.