







12/2017


# **Mod: DFN125/25-TS**


**Production code: F12DDG2NSJXXA**





**Diamond**  
catering equipment



**1****3****5****2****4****6**






| <a href="#">INDEX</a>                                                                | rif. | ITALIANO                                  | ENGLISH                          | CODICE<br>CODE |
|--------------------------------------------------------------------------------------|------|-------------------------------------------|----------------------------------|----------------|
| <a href="#">ICON1</a>                                                                | 5    | PIEDINO REGOLABILE NERO                   | BLACK RUBBER FEET                | 4 x 4980760X   |
|    |      |                                           |                                  |                |
| <a href="#">ICON1</a>                                                                | 10   | CONTRO FILTRO INFERIORE                   | BOTTOM COUNTER FILTER<br>FI-MC/A | 2 x 2051201X   |
|   |      |                                           |                                  |                |
| <a href="#">ICON1</a>                                                                | 15   | FILTRO PORTA MANGANI FI<br>/25 /33 - MC/A | BOTTOM FILTER FI/25/33 -<br>MC/A | 2 x 2051204A   |
|  |      |                                           |                                  |                |


| INDEX                                                                                | rif. | ITALIANO                                | ENGLISH                            | CODICE<br>CODE   |
|--------------------------------------------------------------------------------------|------|-----------------------------------------|------------------------------------|------------------|
| ICON1                                                                                | 20   | FIANCO MC/A + M25/33 FI                 | SIDE PANEL MC/A +<br>M25/33 FI     | 2 x 2051108X     |
|    |      |                                         |                                    |                  |
| ICON1                                                                                | 25   | CHIUSURA BOX 1019<br>TRIANGOLO 6.5 20SC | LOCK BOX 1019 TRIANGLE<br>6,5 20SC | 2 x 2950BOXTR6P5 |
|                                                                                      |      | LINGUETTA DRITTA 46mm<br>X CHIUSURA     | 46MM LEVER FOR CLOSING             | 2 x 0000LELDR46  |
|  |      |                                         |                                    |                  |


| <a href="#">INDEX</a>                                                                | rif. | ITALIANO                                    | ENGLISH                                 | CODICE<br>CODE   |
|--------------------------------------------------------------------------------------|------|---------------------------------------------|-----------------------------------------|------------------|
| <a href="#">ICON1</a>                                                                | 30   | MAGNETE M302NCCANC32<br>x SENSORE E510      | MAGNET M302NCCANC32<br>FOR SENSOR E510  | 2 x 2950MAGNM302 |
|                                                                                      |      | SENSORE MAGN. E510<br>1VDA 0146 N.A. +      | MAGNETIC SENSOR E510<br>1VDA 0146 N.A.+ | 2 x 2950SENSM510 |
|    |      |                                             |                                         |                  |
| <a href="#">ICON1</a>                                                                | 35   | FIANCO SUPERIORE DX<br>MANGANI FI - MC/A    | UPPER RIGTH SIDE PANEL<br>FI - MC/A     | 2051106A         |
|  |      |                                             |                                         |                  |
| <a href="#">ICON1</a>                                                                | 40   | FILTRO FIANCO SUPERIORE<br>FI/25 /33 - MC/A | TOP FILTER FI/25/33 -<br>MC/A           | 2 x 2080970X     |
|  |      |                                             |                                         |                  |


| <a href="#">INDEX</a>                                                                | rif. | ITALIANO                               | ENGLISH                                    | CODICE<br>CODE |
|--------------------------------------------------------------------------------------|------|----------------------------------------|--------------------------------------------|----------------|
| <a href="#">ICON1</a>                                                                | 45   | CONTROFILTRO SUPERIORE<br>DX FI - MC/A | TOP RIGHT SIDE COUNTER<br>FILTER FI - MC/A | 2080947X       |
|    |      |                                        |                                            |                |
| <a href="#">ICON1</a>                                                                | 50   | CONTATTO PULSANTE<br>EMERERGENZA       | CONTACT EMERGENCY<br>BOTTOM                | 2950PULEM494   |
|  |      |                                        |                                            |                |
| <a href="#">ICON1</a>                                                                | 55   | PULSANTE EMERGENZA<br>ROSSO            | EMERGENCY STOP-PUSH<br>BUTTON              | 2950PULEM248   |
|  |      |                                        |                                            |                |










| <a href="#">INDEX</a> | rif.                                                                                 | ITALIANO                                | ENGLISH                              | CODICE<br>CODE   |
|-----------------------|--------------------------------------------------------------------------------------|-----------------------------------------|--------------------------------------|------------------|
| <a href="#">ICON2</a> | 60                                                                                   | MOLLA A TRAZIONE TRZ<br>136             | EXTENSIONS SPRING TRZ<br>136         | 2 x 3940mo781046 |
|                       |    |                                         |                                      |                  |
| <a href="#">ICON2</a> | 65                                                                                   | ATTUATORE LA31.3-CORSA<br>100mm - 24VDC | ACTUATOR LA31.3 CUT -<br>THROUGH     | 2953ATTULA31     |
|                       |   |                                         |                                      |                  |
| <a href="#">ICON2</a> | 70                                                                                   | PERNO BASE ATTUATORE<br>MANGANI FI      | ACTUATOR LA31.3 CUT<br>BOTTOM PIN FI | 2080923X         |
|                       |  |                                         |                                      |                  |
| <a href="#">ICON2</a> | 75                                                                                   | VITE TE 8.8 TF PG 8X20 ZN               | SCREW TE 8.8 TF PG 8X20<br>ZN        | 2 x 4936VIZ08X20 |
|                       |  |                                         |                                      |                  |


| <a href="#">INDEX</a>                                                               | rif. | ITALIANO                                   | ENGLISH                                     | RULLO | CODICE<br>CODE |
|-------------------------------------------------------------------------------------|------|--------------------------------------------|---------------------------------------------|-------|----------------|
| <a href="#">ICON2</a>                                                               | 80   | RONDELLA UNI 6593 MT<br>HV100 M 8x24x2 ZN  | WASHER 8x24x2 ZN                            | /25   | 4936RPZ2408M   |
|                                                                                     |      | RONDELLA GREMBIALINA<br>ZN 8x32            | WASHER ZN 8x32                              | /33   | 4936RGZ08X32   |
|    |      |                                            |                                             |       |                |
| <a href="#">ICON2</a>                                                               | 85   | MOTORID. MNRV040 100,0<br>19 U MV + TS63B4 | GEARMOTOR MNRV040<br>100,0 19 U MV + TS63B4 | /25   | 2955MR4123037  |
|                                                                                     |      | MOTORID. MNRV050 100,0<br>24 U MV + TS71B4 | GEARMOTOR MNRV050<br>100,0 24 U MV + TS71B4 | /33   | 2955MR4123288  |
|   |      |                                            |                                             |       |                |
| <a href="#">ICON2</a>                                                               | 90   | CHIAVETTA 6X6X20                           | SMALL KEY 6X6X20                            | /25   | 0936CH060620   |
|                                                                                     |      | LINGUETTA UNI6604-A 6.8<br>8X7X20          | KEY UNI6604-A 6.8 8X7X20                    | /33   | 0936CH080720   |
|  |      |                                            |                                             |       |                |


| <a href="#">INDEX</a>                                                               | rif. | ITALIANO                                   | ENGLISH                                 | RULLO | CODICE<br>CODE |
|-------------------------------------------------------------------------------------|------|--------------------------------------------|-----------------------------------------|-------|----------------|
| <a href="#">ICON2</a>                                                               | 95   | ALBERO PER RIDUTTORE<br>MANGANI SERIE M/25 | REDUCTION GEAR SHAFT<br>M/25            | /25   | 2030604X       |
|                                                                                     |      | ALBERO PER RIDUTTORE<br>MANGANI SERIE M/33 | REDUCTION GEAR SHAFT<br>M/33            | /33   | 2030707X       |
|    |      |                                            |                                         |       |                |
| <a href="#">ICON2</a>                                                               | 100  | CHIAVETTA 6X6X40                           | SMALL KEY 6X6X40                        | /25   | 0936CH060640   |
|                                                                                     |      | LINGUETTA UNI6604-A 6.8<br>8X7X40          | KEY UNI6604-A 6.8 8X7X40                | /33   | 0936CH080740   |
|   |      |                                            |                                         |       |                |
| <a href="#">ICON2</a>                                                               | 105  | PIGNONE Z17 MANGANI FI<br>1000-1250 /25    | PINION Z17                              | /25   | 2080916X       |
|                                                                                     |      | PIGNONE Z17 06-B PASSO<br>3/8" (9,525mm)   | PINION Z17 06-B PASSO<br>3/8" (9,525mm) | /33   | 2030516X       |
|  |      |                                            |                                         |       |                |


| <a href="#">INDEX</a>                                                                | rif. | ITALIANO                          | ENGLISH                 | CODICE<br>CODE |
|--------------------------------------------------------------------------------------|------|-----------------------------------|-------------------------|----------------|
| <a href="#">ICON2</a>                                                                | 110  | TAPPO GPN 300 F 27<br>NATURALE    | PLUG GPN 300 F 27       | 3940TAGPN300   |
|    |      |                                   |                         |                |
| <a href="#">ICON2</a>                                                                | 115  | CATENA 82 PASSI - CHIUSA          | 82 STEPS CHAIN - CLOSED | 1943CAP082C0   |
|   |      |                                   |                         |                |
| <a href="#">ICON2</a>                                                                | 120  | CORONA COMPLETA Z52<br>MANGANI FI | RING Z52 FOR FI         | 2080914X       |
|  |      |                                   |                         |                |

| <a href="#">INDEX</a>                                                                | rif. | ITALIANO                                    | ENGLISH                         | CODICE<br>CODE    |
|--------------------------------------------------------------------------------------|------|---------------------------------------------|---------------------------------|-------------------|
| <a href="#">ICON2</a>                                                                | 125  | VITE TCCEI 12.9 - M6 8X50 -<br>GAMBO RETT.  | SCREW TCCEI 12.9 - M6<br>8X50   | 4936VIT60850      |
|    |      |                                             |                                 |                   |
| <a href="#">ICON2</a>                                                                | 130  | MOLLA A TRAZIONE TRZ<br>155                 | SPRING TRZ 155                  | 4 x 3940MO1410115 |
|   |      |                                             |                                 |                   |
| <a href="#">ICON2</a>                                                                | 135  | GUIDA CONTA IMPULSI<br>MANGANO FI           | FI GUIDE FOR IMPULSE<br>COUNTER | 2080919X          |
|  |      |                                             |                                 |                   |
| <a href="#">ICON2</a>                                                                | 140  | PERNO TESTA ATTUATORE<br>LINEARE MANGANI FI | ACTUATOR LA31.3 CUT PIN<br>FI   | 2080922X          |
|  |      |                                             |                                 |                   |

| <a href="#">INDEX</a>                                                                | rif. | ITALIANO                                 | ENGLISH                                        | CODICE<br>CODE   |
|--------------------------------------------------------------------------------------|------|------------------------------------------|------------------------------------------------|------------------|
| <a href="#">ICON2</a>                                                                | 145  | ROSETTA Fe 8 ZINB                        | WASHER Fe 8 ZINB                               | 4936RPZ0008M     |
|    |      |                                          |                                                |                  |
| <a href="#">ICON2</a>                                                                | 150  | MICROINTERRUTTORE<br>83.161.1            | MICROSWITCH 83.161.1                           | 2 x 2950MICIN316 |
|                                                                                      |      | LEVA A ROTELLA 161E<br>R24,1             | MICROSWITCH FOR<br>IRONING PLATE               | 2 x 2950MIMOC316 |
|   |      |                                          |                                                |                  |
| <a href="#">ICON2</a>                                                                | 155  | PERNO MOLLA A GAS<br>MANGANI FI          | GAS SPRING PIN FI                              | 2080921X         |
|  |      |                                          |                                                |                  |
| <a href="#">ICON2</a>                                                                | 160  | STAFFA MICRO CONTA<br>IMPULSI MANGANO FI | PULSE COUNTER<br>MICROSWITCH<br>SUPPORTING BAR | 2080918X         |
|  |      |                                          |                                                |                  |
| <a href="#">ICON2</a>                                                                | 165  | LINGUETTA 6X6X25                         | KEY 6X6X25                                     | 4936LIN06625     |
|  |      |                                          |                                                |                  |



| <a href="#">INDEX</a>                                                              | rif. | ITALIANO                            | ENGLISH                            | RULLO                        | CODICE CODE   |
|------------------------------------------------------------------------------------|------|-------------------------------------|------------------------------------|------------------------------|---------------|
| <a href="#">ICON2</a>                                                              | 170  | MOLLA A GAS "FI" - RS2 - Ø10 - FC/2 | GAS SPRING "FI" - RS2 - Ø10 - FC/2 | 1000 - 1250/25               | 3940MO2210045 |
|                                                                                    |      | MOLLA A GAS "FI" - RS2 - Ø10 - FC/2 | GAS SPRING "FI" - RS2 - Ø10 - FC/2 | 1500/25<br>1500-1750-2000/33 | 3940MO2210100 |
|  |      |                                     |                                    |                              |               |


| <a href="#">INDEX</a>                                                               | rif. | ITALIANO                       | ENGLISH                                | CODICE CODE      |  |
|-------------------------------------------------------------------------------------|------|--------------------------------|----------------------------------------|------------------|--|
| <a href="#">ICON2</a>                                                               | 175  | CUSCINETTO SBPFL204 CON FLANGE | COMPLETE BEARING WITH FLANGES SBPFL204 | 2 x 1937CUPFT204 |  |
|  |      |                                |                                        |                  |  |




|                                                                                      |     |                                        |                             |          |  |
|--------------------------------------------------------------------------------------|-----|----------------------------------------|-----------------------------|----------|--|
| <a href="#">ICON2</a>                                                                | 180 | BIELLA COMPLETA AZIONAMENTO MANGANI FI | CONNECTING ROD FOR FLATWORK | 2080929A |  |
|  |     |                                        |                             |          |  |

|                                                                                      |     |                                 |                              |              |  |
|--------------------------------------------------------------------------------------|-----|---------------------------------|------------------------------|--------------|--|
| <a href="#">ICON2</a>                                                                | 185 | ANELLO SEEGER EST.20 PER ALBERI | SEEGER RING EST.20 FOR SHAFT | 4939ANELSSP2 |  |
|  |     |                                 |                              |              |  |

| <a href="#">INDEX</a>                                                              | rif. | ITALIANO                                  | ENGLISH                               | CODICE<br>CODE |
|------------------------------------------------------------------------------------|------|-------------------------------------------|---------------------------------------|----------------|
| <a href="#">ICON2</a>                                                              | 190  | GUIDA DI SCORRIMENTO<br>MANGANI M /25 /33 | SLIDING GUIDE FOR<br>FLATWORK IRONERS | 2 x 4020301X   |
|  |      |                                           |                                       |                |

| <a href="#">ICON2</a>                                                                                                                                                            | 195 | FLANGIA PF 208        | FLANGE PF 208      | 0000FLACU208      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------------------|--------------------|-------------------|
|                                                                                                                                                                                  |     | CUSCINETTO CTZ SB 208 | BEARING CTZ SB 208 | 2 x 1937CUSZB2008 |
| <div></div> |     |                       |                    |                   |




| <a href="#">INDEX</a> | rif. | ITALIANO                                                                             | ENGLISH                             | CODICE CODE    |
|-----------------------|------|--------------------------------------------------------------------------------------|-------------------------------------|----------------|
| <a href="#">ICON3</a> | 200  | MANIGLIA RED/YEL OHY S2RJ PER SEZ.                                                   | DISCONNECTING SWITCH ANDLE OHY S2RJ | 2950SEZOH156   |
|                       |      |    |                                     |                |
| <a href="#">ICON3</a> | 205  | PULSANTE DT3LR ROSSO 800FMLF9 + 800FALF4                                             | BUTTON DT3LR RED 800FM-LF4          | 2950PURRFD3    |
|                       |      |   |                                     |                |
| <a href="#">ICON3</a> | 210  | LOGICA IM10 GRIGIO RAL9007                                                           | LOGIC BOARD IM10 GREY RAL9007       | ASAC31IM10LO01 |
|                       |      | LOGICA IM10 ROSSO RAL3020                                                            | LOGIC BOARD IM10 RED RAL3020        | ASAC31IM10LO02 |
|                       |      | LOGICA IM10 NERO RAL9005                                                             | LOGIC BOARD IM10 BLACK RAL9005      | ASAC31IM10LO03 |
|                       |      | LOGICA IM10 VERDE RAL6026                                                            | LOGIC BOARD IM10 GREEN RAL6026      | ASAC31IM10LO04 |
|                       |      | LOGICA IM10 BLU RAL5012                                                              | LOGIC BOARD IM10 BLUE RAL5012       | ASAC31IM10LO05 |
|                       |      | LOGICA IM10 BIANCO RAL9010                                                           | LOGIC BOARD IM10 WHITE RAL9010      | ASAC31IM10LO06 |
|                       |      |  |                                     |                |


| INDEX                  | rif.                                               |              |              |              |              |
|------------------------|----------------------------------------------------|--------------|--------------|--------------|--------------|
|                        | 220                                                |              |              |              |              |
| ICON3                  | SEZIONATORE / SWITCH CODICE / CODE <i>OPTIONAL</i> |              |              |              |              |
|                        | TAGLIA / SIZE                                      |              |              |              |              |
| TENSIONE / VOLTAGE     | 1000                                               | 1250         | 1500         | 1750         | 2000         |
| A, L, O, P (3ph400V+N) | 2950SEZ16794                                       | 2950SEZ16794 | 2950SEZ16794 | 2950SEZ16794 | 2950SEZ16794 |
| C, F (3ph230V)         |                                                    |              |              |              | 2950SEZ40810 |
| G, H, R, S (3ph400)    |                                                    |              |              |              | 2950SEZ16794 |
| E (440)                |                                                    |              |              |              |              |
| B, I (1ph230V)         | 2950SEZ25802                                       | 2950SEZ25802 | 2950SEZ40810 | 2950SEZ63828 | 2950SEZ63828 |






| INDEX | rif. | ITALIANO                            | ENGLISH                                 | CODICE CODE |
|-------|------|-------------------------------------|-----------------------------------------|-------------|
| ICON3 | 225  | CONTROFILTRO SUPERIORE SX FI - MC/A | TOP LEFT SIDER COUNTER FILTER FI - MC/A | 2080948X    |






|       |     |                                       |                                 |          |
|-------|-----|---------------------------------------|---------------------------------|----------|
| ICON3 | 235 | FIANCO SUPERIORE SX MANGANI FI - MC/A | UPPER LEFT SIDE PANEL FI - MC/A | 2051107A |
|-------|-----|---------------------------------------|---------------------------------|----------|






| <a href="#">INDEX</a>                                                                | rif. | ITALIANO                                    | ENGLISH                                      | CODICE CODE      |
|--------------------------------------------------------------------------------------|------|---------------------------------------------|----------------------------------------------|------------------|
| <a href="#">ICON4</a>                                                                | 240  | PRESSACAVO IN PLASTICA<br>PG 21 DIAM. 21mm. | PLASTIC CABLE OLDER PG<br>21                 | 2950PG021        |
|    |      |                                             |                                              |                  |
| <a href="#">ICON4</a>                                                                | 245  | MICROINTERRUTTORE<br>83.161.1               | MICROSWITCH 83.161.1                         | 3 x 2950MICIN316 |
|                                                                                      |      | LEVA PIATTA 161A R25,4                      | FLAT LEVER 161A R25,4                        | 3 x 2950MISAL316 |
|   |      |                                             |                                              |                  |
| <a href="#">ICON4</a>                                                                | 260  | VENTILATORE CENTRIF.<br>MAP160 LG0          | FAN MAP 160                                  | 1732VENTO160     |
|  |      |                                             |                                              |                  |
| <a href="#">ICON4</a>                                                                | 265  | COLLETORE ASP.<br>MANGANI FI /25 /33        | SUCTION FAN<br>CONNECTION HOSE<br>FI /25 /33 | 2080973X         |
|  |      |                                             |                                              |                  |



| <a href="#">INDEX</a>                                                                | rif. | ITALIANO                                  | ENGLISH                          | CODICE<br>CODE   |
|--------------------------------------------------------------------------------------|------|-------------------------------------------|----------------------------------|------------------|
| <a href="#">ICON5</a>                                                                | 275  | FERMO MORSETTO 3835.6<br>EW35             | RETAINER HOLDFAST 3835.6<br>EW35 | 4 x 2950FERMOREW |
|    |      |                                           |                                  |                  |
| <a href="#">ICON5</a>                                                                | 285  | SUPPORTO IMPIANTO<br>ELETTRICO MANGANI FI | ELECTRIC PLANT SUPPORT FI        | 2081003A         |
|  |      |                                           |                                  |                  |
| <a href="#">ICON5</a>                                                                | 290  | GUIDA OMEGA 35X7,5<br>BASSA FORATA L=375  | OMEGA GUIDE 35X7,5 L=375         | 2950GUIWF357_375 |
|  |      |                                           |                                  |                  |

| INDEX | rif. | TENSIONE / VOLTAGE        | TAGLIA / SIZE                  | MORSETTI / CLAMPS                     |                   |                   |
|-------|------|---------------------------|--------------------------------|---------------------------------------|-------------------|-------------------|
|       |      |                           |                                | FASE / PHASE                          | NEUTRO / NEUTRAL  | TERRA / GROUND    |
| ICON5 | 280  | A, L, O, P<br>(3ph400V+N) | 1000 1250<br>1500 1750<br>2000 | 3 x 2950MORM6WEI<br>1 x 2950PIATE     | 1 x 2950MORB6WEI  | 1 x 2950MORG6WEI  |
|       |      | C, F<br>(3ph230V)         | 1000 1250<br>1500 1750         | 3 x 2950MORMOMA<br>1 x 2950PIAMAR10   | NO                | 1 x 2950MOWGV010  |
|       |      |                           | 2000                           | 3 x 2950MORMOMA<br>1 x 2950PIAMAR10   | NO                | 1 x 2950MORG16WEI |
|       |      | G, H, R, S<br>(3ph400)    | 1000 1250<br>1500 1750<br>2000 | 3 x 2950MORM6WEI<br>1 x 2950PIATE     | NO                | 1 x 2950MORG6WEI  |
|       |      | E<br>(440)                | 1000 1250<br>1500 1750<br>2000 | 3 x 2950MORM6WEI<br>1 x 2950PIATE     | NO                | 1 x 2950MORG6WEI  |
|       |      | B, I<br>(1ph230V)         | 1000 1250                      | 1 x 2950MORMOMA<br>1 x 2950PIAMAR10   | 1 x 2950MOMMOBL   | 1 x 2950MOWGV010  |
|       |      |                           | 1500 1750<br>2000              | 1 x 2950MORM16WEI<br>1 x 2950PIAMAR10 | 1 x 2950MORB16WEI | 1 x 2950MORG16WEI |



| INDEX | rif. | ITALIANO                                  | ENGLISH                                  | CODICE<br>CODE |
|-------|------|-------------------------------------------|------------------------------------------|----------------|
| ICON5 | 295  | CONTATTORI AS 09-30-01<br>230V50/60HZ 4kW | CONTACTOR AS 09-30-01<br>230V50/60HZ 4kW | 2950CONEAS09   |




|       |     |                                        |                                                  |              |
|-------|-----|----------------------------------------|--------------------------------------------------|--------------|
| ICON5 | 300 | MINICONTATTORE B6-30-01 220-240/40-450 | REMOTE CONTROL SWITCH<br>B6-30-01 220-240/40-450 | 2950MINMO408 |
|       |     | CONTATTO AUX NO PER B6<br>CAF6 - 20E   | AUXILIARY CONTACT N.O.<br>FOR B6 CAF6 - 20E      | 2950CONEL954 |



| <a href="#">INDEX</a> | rif. | ITALIANO                          | ENGLISH                        | CODICE<br>CODE |
|-----------------------|------|-----------------------------------|--------------------------------|----------------|
| <a href="#">ICON5</a> | 305  | MODULO SICUREZZA CS AR-<br>41V024 | SAFETY MODULE CS AR-<br>41V024 | 2950MSCSAR41   |



|                       |     |                                                |                                               |              |
|-----------------------|-----|------------------------------------------------|-----------------------------------------------|--------------|
| <a href="#">ICON5</a> | 310 | PORTAFUSIBILE<br>WEIDMULLER WSI6<br>1011000000 | FUSE HOLDER WEIDMULLER<br>WSI6 1011           | 2950PORT1011 |
|                       |     | FUSIBILE RAPIDO 1,6 A<br>5x20                  | FUSE 1,6 A 5x20                               | 2950FUSIR160 |
|                       |     | FUSIBILE VETRO RAP.5X20F<br>4A                 | FUSE 5X20F 4A                                 | 2950FUSIB524 |
| <a href="#">ICON5</a> | 315 | ZOCCOLO ES15/4 PER<br>RELE'MINI ZG450730       | RELAY SUPORT FOR ES15/4<br>MINI ZG450730      | 2950ZOCES154 |
|                       |     | RELE' FINDER<br>55.34.8.230.040 4<br>CONTATTI  | RELAY FINDER<br>55.34.8.230.040 4<br>CONTACTS | 2950RELMIZG4 |



| <a href="#">INDEX</a> | rif. | ITALIANO                                    | ENGLISH                                     | CODICE<br>CODE |
|-----------------------|------|---------------------------------------------|---------------------------------------------|----------------|
| <a href="#">ICON5</a> | 320  | INVERTER MITSUBISHI 1,4A<br>FR-D720S-014-EC | INVERTER MITSUBISHI 1,4A<br>FR-D720S-014-EC | 2955FRD72S002K |



|                       |     |                     |                  |                  |
|-----------------------|-----|---------------------|------------------|------------------|
| <a href="#">ICON5</a> | 325 | SCHEDA POTENZA IM10 | POWER BOARD IM10 | ASAC31IM10ESIC00 |
|-----------------------|-----|---------------------|------------------|------------------|



|                       |     |                                            |                                 |              |
|-----------------------|-----|--------------------------------------------|---------------------------------|--------------|
| <a href="#">ICON5</a> | 330 | TRASFORMATORE 230V -<br>24V 100VA MONOFASE | TRANSFORMER 230V - 24V<br>100VA | 2950TR100400 |
|-----------------------|-----|--------------------------------------------|---------------------------------|--------------|






| <a href="#">INDEX</a> | rif. | ITALIANO                         | ENGLISH                          | CODICE<br>CODE |
|-----------------------|------|----------------------------------|----------------------------------|----------------|
| <a href="#">ICON5</a> | 335  | PONTE A DIODI SB2508<br>25A 800V | GRAETZ BRIDGE SB2508 25A<br>800V | 2950POND2508   |




| <a href="#">INDEX</a> | rif. | TENSIONE / VOLTAGE        | TAGLIA / SIZE            | CODICE<br>CODE |
|-----------------------|------|---------------------------|--------------------------|----------------|
| <a href="#">ICON5</a> | 340  | A, L, O, P<br>(3ph400V+N) | 1000 1250 1500 1750 2000 | NO             |
|                       |      | C, F<br>(3ph230V)         | 1000 1250 1500 1750 2000 | NO             |
|                       |      | G, H, R, S<br>(3ph400)    | 1000 1250 1500 1750 2000 | 2950TRAS600    |
|                       |      | E<br>(440)                | 1000 1250 1500 1750 2000 | 2950TRAS600    |
|                       |      | B, I<br>(1ph230V)         | 1000 1250 1500 1750 2000 | NO             |





| INDEX                                                                                | rif. | ITALIANO                           | ENGLISH                      | CODICE<br>CODE   |
|--------------------------------------------------------------------------------------|------|------------------------------------|------------------------------|------------------|
| ICON6                                                                                | 350  | VOLANTINO A SEI LOBI<br>LB/30      | LB/30 SIX ARMS HAND<br>WHEEL | 2 x 3940VOLVB030 |
|    |      |                                    |                              |                  |
| ICON6                                                                                | 360  | SCIVOLO COMPLETO FI<br>1000/25     | SLIDE FOR FI 1000/25         | 2030765D         |
|                                                                                      |      | SCIVOLO COMPLETO FI<br>1250/25     | SLIDE FOR FI 1250/25         | 2030764D         |
|                                                                                      |      | SCIVOLO COMPLETO FI<br>1500/25 /33 | SLIDE FOR FI 1500/25 /33     | 2030766D         |
|                                                                                      |      | SCIVOLO COMPLETO FI<br>1750/33     | SLIDE FOR FI 1750 /33        | 2030811D         |
|                                                                                      |      | SCIVOLO COMPLETO FI<br>2000/33     | SLIDE FOR FI 2000 /33        | 2030772D         |
|  |      |                                    |                              |                  |


| <a href="#">INDEX</a> | rif. | ITALIANO                                | ENGLISH                             | TAGLIA / SIZE                   | CODICE CODE  |
|-----------------------|------|-----------------------------------------|-------------------------------------|---------------------------------|--------------|
| <a href="#">ICON6</a> | 345  | PEDALIERA MANGANO FI 1000               | PEDAL BAR FI 1000                   | 1000                            | 2040202A     |
|                       |      | PEDALIERA MANGANO FI 1250               | PEDAL BAR FI 1250                   | 1250                            | 2040207A     |
|                       |      | PEDALIERA MANGANO FI 1500               | PEDAL BAR FI 1500                   | 1500                            | 2040209A     |
|                       |      | PEDALIERA MANGANO FI 1750               | PEDAL BAR FI 1750                   | 1750                            | 2040211A     |
|                       |      | PEDALIERA MANGANO FI 2000               | PEDAL BAR FI 2000                   | 2000                            | 2040213A     |
|                       |      | PERNO PEDALIERA MANGANI FI (LATO BRONZ) | PEDAL BAR PIN (BRASS SIDE) FI       | 1000 1250 1500 1750 2000 /25/33 | 2 x 2040506A |
|                       |      | PERNO PEDALIERA MANGANI FI (LATO MICRO) | PEDAL BAR PIN (MICROSWITCH SIDE) FI | 1000 1250 1500 1750 2000 /25/33 | 2 x 2040507A |




| <a href="#">INDEX</a> | rif. | ITALIANO                | ENGLISH              | TAGLIA / SIZE                | CODICE CODE      |
|-----------------------|------|-------------------------|----------------------|------------------------------|------------------|
| <a href="#">ICON6</a> | 355  | BULLONE ZN TT M5X35 4.8 | BOLT ZN TT M5X35 4.8 | 1000 1250 1500 1750 2000 /25 | 2 x 4936BULTT535 |
|                       |      | BULLONE ZN TT M5X40 4.8 | BOLT ZN TT M5X40 4.8 | 1000 1250 1500 1750 2000 /33 | 2 x 4936BULTT540 |




| <a href="#">INDEX</a> | rif. | ITALIANO                     | ENGLISH                              | CODICE<br>CODE |
|-----------------------|------|------------------------------|--------------------------------------|----------------|
| <a href="#">ICON6</a> | 365  | CONCA COMPLETA FI<br>1000/25 | COMPLETE IRONING PLATE<br>FI 1000/25 | 2020323C       |
|                       |      | CONCA COMPLETA FI<br>1250/25 | COMPLETE IRONING PLATE<br>FI 1250/25 | 2030301C       |
|                       |      | CONCA COMPLETA FI<br>1500/25 | COMPLETE IRONING PLATE<br>FI 1500/25 | 2030302C       |
|                       |      | CONCA COMPLETA FI<br>1500/33 | COMPLETE IRONING PLATE<br>FI 1500/33 | 2030345C       |
|                       |      | CONCA COMPLETA FI<br>1750/33 | COMPLETE IRONING PLATE<br>FI 1750/33 | 2030810C       |
|                       |      | CONCA COMPLETA FI<br>2000/33 | COMPLETE IRONING PLATE<br>FI 2000/33 | 2030346C       |



|                       |     |                                 |                       |          |
|-----------------------|-----|---------------------------------|-----------------------|----------|
| <a href="#">ICON6</a> | 370 | SCHIENALE MANGANO FI<br>1000/25 | REAR PANEL FI 1000/25 | 2030780A |
|                       |     | SCHIENALE MANGANO FI<br>1250/25 | REAR PANEL FI 1250/25 | 20307A5A |
|                       |     | SCHIENALE MANGANO FI<br>1500/25 | REAR PANEL FI 1500/25 | 2030781A |
|                       |     | SCHIENALE MANGANO FI<br>1500/33 | REAR PANEL FI 1500/33 | 20307A7A |
|                       |     | SCHIENALE MANGANO FI<br>1750/33 | REAR PANEL FI 1750/33 | 2030815A |
|                       |     | SCHIENALE MANGANO FI<br>2000/33 | REAR PANEL FI 2000/33 | 2030782A |



| <a href="#">INDEX</a> | rif. | ITALIANO                     | ENGLISH                       | CODICE<br>CODE |
|-----------------------|------|------------------------------|-------------------------------|----------------|
| <a href="#">ICON6</a> | 375  | RULLO COMPLETO FI<br>1000/25 | COMPLETE ROLLER FI<br>1000/25 | 2051035B       |
|                       |      | RULLO COMPLETO FI<br>1250/25 | COMPLETE ROLLER FI<br>1250/25 | 2051101B       |
|                       |      | RULLO COMPLETO FI<br>1500/25 | COMPLETE ROLLER FI<br>1500/25 | 2051102B       |
|                       |      | RULLO COMPLETO FI<br>1500/33 | COMPLETE ROLLER FI<br>1500/33 | 2051103B       |
|                       |      | RULLO COMPLETO FI<br>1750/33 | COMPLETE ROLLER FI<br>1750/33 | 2051104B       |
|                       |      | RULLO COMPLETO FI<br>2000/33 | COMPLETE ROLLER FI<br>2000/33 | 2051105B       |



|                       |     |                                  |                                    |              |
|-----------------------|-----|----------------------------------|------------------------------------|--------------|
| <a href="#">ICON6</a> | 385 | MOLLETTONE 1600X1040<br>M1000/25 | PADDED CLOTH 1600X1040<br>M1000/25 | 3941MOLL1610 |
|                       |     | MOLLETTONE 1600X1290<br>M1250/25 | PADDED CLOTH 1600X1290<br>M1250/25 | 3941MOLL1612 |
|                       |     | MOLLETTONE 1600X1540<br>M1500/25 | PADDED CLOTH 1600X1540<br>M1500/25 | 3941MOLL1615 |
|                       |     | MOLLETTONE 2100X1540<br>M1500/33 | PADDED CLOTH 2100X1540<br>M1500/33 | 3941MOLL2115 |
|                       |     | MOLLETTONE 2100X1790<br>M1750/33 | PADDED CLOTH 2100X1790<br>M1750/33 | 3941MOLL2117 |
|                       |     | MOLLETTONE 2100X2020<br>M2000/33 | PADDED CLOTH 2100X2020<br>M2000/33 | 3941MOLL2120 |




| <a href="#">INDEX</a> | rif. | ITALIANO                          | ENGLISH                            | TAGLIA / SIZE | CODICE<br>CODE |
|-----------------------|------|-----------------------------------|------------------------------------|---------------|----------------|
| <a href="#">ICON6</a> | 390  | TELO COTONE 1600x1070<br>M1000/25 | COTTON COVER<br>1600x1070 M1000/25 | 1000/25       | 3941TECO1611   |
|                       |      | TELO NOMEX 1600X1070<br>M1000/25  | NOMEX COVER 1600X1070<br>M1000/25  |               | 3941TENO1611   |
|                       |      | TELO COTONE 1600x1320<br>M1250/25 | COTTON COVER<br>1600x1320 M1250/25 | 1250/25       | 3941TECO1614   |
|                       |      | TELO NOMEX 1600X1320<br>M1250/25  | NOMEX COVER 1600X1320<br>M1250/25  |               | 3941TENO1614   |
|                       |      | TELO COTONE 1600X1570<br>M1500/25 | COTTON COVER<br>1600X1570 M1500/25 | 1500/25       | 3941TECO1616   |
|                       |      | TELO NOMEX 1600X1570<br>M1500/25  | NOMEX COVER 1600X1570<br>M1500/25  |               | 3941TENO1616   |
|                       |      | TELO COTONE 2100X1620<br>M1500/33 | COTTON COVER<br>2100X1620 M1500/33 | 1500/33       | 3941TECO2117   |
|                       |      | TELO NOMEX 2100X1620<br>M1500/33  | NOMEX COVER 2100X1620<br>M1500/33  |               | 3941TENO2117   |
|                       |      | TELO COTONE 2100X1870<br>M1750/33 | COTTON COVER<br>2100X1870 M1750/33 | 1750/33       | 3941TECO2119   |
|                       |      | TELO NOMEX 2100X1870<br>M1750/33  | NOMEX COVER 2100X1870<br>M1750/33  |               | 3941TENO2119   |
|                       |      | TELO COTONE 2100X2120<br>M2000/33 | COTTON COVER<br>2100X2120 M2000/33 | 2000/33       | 3941TECO2122   |
|                       |      | TELO NOMEX 2100X2120<br>M2000/33  | NOMEX COVER 2100X2120<br>M2000/33  |               | 3941TENO2122   |



| <a href="#">INDEX</a> | rif. | ITALIANO                                    | ENGLISH                                      | TAGLIA / SIZE                              | Q.TA' / MORE | CODICE<br>CODE |
|-----------------------|------|---------------------------------------------|----------------------------------------------|--------------------------------------------|--------------|----------------|
| <a href="#">ICON6</a> | 380  | LANA ACCIAIO MANGANI                        | STEEL WOOL FOR<br>FLATWORK IRONER            | 1000 1250 1500 / 25<br>1500 1750 2000 / 33 | Kg 10        | 3935LANACMAN   |
|                       |      | MAX-PRESS GALVANIZZATA<br>H. 10mm - L. 21mm | GALVANIZED<br>MAX-PRESS<br>H. 10mm - L. 21mm | 1500 / 33                                  | ml. 72       | 3940NOMAXROT   |
|                       |      |                                             |                                              | 1750 / 33                                  | ml. 83       |                |
|                       |      |                                             |                                              | 2000 / 33                                  | ml. 95       |                |
|                       |      |                                             |                                              |                                            |              |                |




| <a href="#">INDEX</a> | rif. | ITALIANO                        | ENGLISH                             | CODICE<br>CODE |
|-----------------------|------|---------------------------------|-------------------------------------|----------------|
| <a href="#">ICON6</a> | 395  | COPERCHIO MANGANI FI<br>1000/25 | FLATWORK IRONER COVER<br>FI 1000/25 | 2030774B       |
|                       |      | COPERCHIO MANGANI FI<br>1250/25 | FLATWORK IRONER COVER<br>FI 1250/25 | 20307A4B       |
|                       |      | COPERCHIO MANGANI FI<br>1500/25 | FLATWORK IRONER COVER<br>FI 1500/25 | 2030783B       |
|                       |      | COPERCHIO MANGANI FI<br>1500/33 | FLATWORK IRONER COVER<br>FI 1500/33 | 20307A6B       |
|                       |      | COPERCHIO MANGANI FI<br>1750/33 | FLATWORK IRONER COVER<br>FI 1750/33 | 2030814B       |
|                       |      | COPERCHIO MANGANI FI<br>2000/33 | FLATWORK IRONER COVER<br>FI 2000/33 | 2030784B       |




|                       |     |                      |                   |              |
|-----------------------|-----|----------------------|-------------------|--------------|
| <a href="#">ICON6</a> | 396 | SONDA DI TEMPERATURA | TEMPERATURE PROBE | 2950SENS2PT1 |
|-----------------------|-----|----------------------|-------------------|--------------|






| <a href="#">INDEX</a>                                                                | rif. | ITALIANO                                       | ENGLISH                                | CODICE<br>CODE |
|--------------------------------------------------------------------------------------|------|------------------------------------------------|----------------------------------------|----------------|
| <a href="#">ICON6</a>                                                                | 397  | TERMOSTATO DI MASSIMA                          | MAX TEMP BULB                          | 2950TERSI746   |
|    |      |                                                |                                        |                |
| <a href="#">ICON6</a>                                                                | 405  | BARRA SALVA MANI<br>COMPLETA<br>FI 1000/25     | COMPLETE HAND-SAFETY<br>FI 1000/25     | 2030403B       |
|                                                                                      |      | BARRA SALVA MANI<br>COMPLETA<br>FI 1250/25     | COMPLETE HAND-SAFETY<br>FI 1250/25     | 2030614B       |
|                                                                                      |      | BARRA SALVA MANI<br>COMPLETA<br>FI 1500/25 /33 | COMPLETE HAND-SAFETY<br>FI 1500/25 /33 | 2030407B       |
|                                                                                      |      | BARRA SALVA MANI<br>COMPLETA<br>FI 1750/33     | COMPLETE HAND-SAFETY<br>FI 1750/33     | 2030813B       |
|                                                                                      |      | BARRA SALVA MANI<br>COMPLETA<br>FI 2000/33     | COMPLETE HAND-SAFETY<br>FI 2000/33     | 2030420B       |
|  |      |                                                |                                        |                |

| <a href="#">INDEX</a> | rif. | ITALIANO                               | ENGLISH                                    | TAGLIA / SIZE | CODICE<br>CODE    |
|-----------------------|------|----------------------------------------|--------------------------------------------|---------------|-------------------|
| <a href="#">ICON6</a> | 400  | RESISTENZA 1500W 240V<br>CON OCCHIELLI | HEATING ELEMENT 1500W<br>240V WITH EYELETS | 1000/25       | 3 x 2950RM150X24  |
|                       |      | RESISTENZA 1800W 230V<br>CON OCCHIELLI | HEATING ELEMENT 1800W<br>230V WITH EYELETS | 1250/25       | 3 x 2950RM180X23A |
|                       |      | RESISTENZA 2500W                       | HEATING ELEMENT 2500W                      | 1500/25 /33   | 3 x 2950RM250140  |
|                       |      | RESISTENZA 3500W 230V<br>CON OCCHIELLI | HEATING ELEMENT 3500W<br>230V WITH EYELETS | 1750/33       | 3 x 2950RM350X24  |
|                       |      | RESISTENZA 4500W 220V<br>M2000/33      | HEATING ELEMENT 220V<br>M2000/33           | 2000/33       | 3 x 2950RM450X22  |



|                       |     |                                             |                                               |                                     |              |
|-----------------------|-----|---------------------------------------------|-----------------------------------------------|-------------------------------------|--------------|
| <a href="#">ICON6</a> | 420 | PULSANTE DI SICUREZZA<br>L=834mm            | SAFETY BUTTON<br>L=834mm                      | 1000/25                             | 2950PS6001NR |
|                       |     | PULSANTE DI SICUREZZA<br>L=1164mm           | SAFETY BUTTON<br>L=1164mm                     | 1250/25                             | 2950PS6002NR |
|                       |     | PULSANTE DI SICUREZZA<br>L=1294mm           | SAFETY BUTTON<br>L=1294mm                     | 1500 1750 2000/25 /33               | 2950PS6003NR |
|                       |     | STAFFA BLOCCO LEVA<br>ANTIPANICO MANGANI FI | SAFETY BUTTON SUPPORT<br>PLATE FI             | 1000 1250 1500 1750 2000<br>/25 /33 | 2081028X     |
|                       |     | STAFFA SUPP. MICRO<br>BARRA ANTIPANICO FI   | SAFETY BUTTON<br>MICROSWITCH SUPPORT<br>PLATE | 1000 1250 1500 1750 2000<br>/25 /33 | 2081026X     |



| INDEX                                                                                | rif. | ITALIANO                                                                           | ENGLISH                                    | CODICE<br>CODE |
|--------------------------------------------------------------------------------------|------|------------------------------------------------------------------------------------|--------------------------------------------|----------------|
| ICON6                                                                                | 410  | STAFFA DX SUP TAVOLA<br>INTRODUZIONE FI /25                                        | RIGHT SIDE WOODEN<br>TABLE BRACKET FI/25   | 2080967X       |
|                                                                                      |      | STAFFA SX SUP TAVOLA<br>INTRODUZIONE FI /25                                        | LEFT SIDE WOODEN TABLE<br>BRACKET FI/25    | 2080966X       |
|                                                                                      |      | STAFFA DX SUP TAVOLA<br>INTRODUZIONE FI /33                                        | RIGHT SIDE WOODEN<br>TABLE BRACKET FI/33   | 2080940X       |
|                                                                                      |      | STAFFA SX SUP TAVOLA<br>INTRODUZIONE FI /33                                        | LEFT SIDE WOODEN TABLE<br>BRACKET FI/33    | 2080941X       |
|     |      |  |                                            |                |
| ICON6                                                                                | 405  | TAVOLA IN LEGNO<br>FI 1000/25                                                      | INTRODUCTION WOODEN<br>TABLE FI<br>1000/25 | 4020315A       |
|                                                                                      |      | TAVOLA IN LEGNO PER<br>M1250/25                                                    | INTRODUCTION WOODEN<br>TABLE<br>M1250/25   | 4030304X       |
|                                                                                      |      | TAVOLA IN LEGNO PER<br>M1500/25                                                    | INTRODUCTION WOODEN<br>TABLE<br>M1500/25   | 4030305X       |
|                                                                                      |      | TAVOLA IN LEGNO PER<br>M1500/33                                                    | INTRODUCTION WOODEN<br>TABLE<br>M1500/33   | 4030306X       |
|                                                                                      |      | TAVOLA IN LEGNO PER<br>M1750/33                                                    | INTRODUCTION WOODEN<br>TABLE<br>M1750/33   | 4030307X       |
|                                                                                      |      | TAVOLA IN LEGNO PER<br>M2000/33                                                    | INTRODUCTION WOODEN<br>TABLE<br>M2000/33   | 4030308X       |
|  |      |                                                                                    |                                            |                |
| ICON6                                                                                | 425  | PISTONE A MOLLA                                                                    | PISTON SPRING                              | 2950PISGN607   |