


04/2019

# **Mod: NT53AL/T2V(230/3)**

**Production code: P01IR02031**

# EXPLODED VIEW and SPARE PARTS LIST RISING TOP and EXTRACTIBLE BOWL



| POS.  | NT22ALT/T  | Description                             | NT33ALT/T  | Description                             |
|-------|------------|-----------------------------------------|------------|-----------------------------------------|
| 1     | A96ZE00008 | Safety guard IF/IR 22                   | A96ZE00009 | Safety guard IF/IR 33                   |
| 2     | A96ZV00016 | Bowl IF/IR 22                           | A96ZV00017 | Bowl IF/IR 33                           |
| 3     | A96ZV00020 | Bowl flange IR                          | A96ZV00020 | Bowl flange IR                          |
| 4     | A96ZV00026 | Plate block bowl IR 22                  | A96ZV00022 | Plate block bowl IR 33                  |
| 5     | A96ZD00001 | Snap ring diam. 25 IF/IR                | A96ZD00001 | Snap ring diam. 25 IF/IR                |
| 6     | A89CK00010 | Bearing 6205-2RS TF÷TR                  | A89CK00010 | Bearing 6205-2RS TF÷TR                  |
| 7     | A96ZV00025 | Support bowl base IF/IR 17/22/33/42/53  | A96ZV00025 | Support bowl base IF/IR 17/22/33/42/53  |
| 8     | S14MT67007 | Bowl chain 06B/126 IF÷IR 17÷22          | S14MT67008 | Bowl spiral 06B/144 TF÷TR 33÷42÷53      |
| 9     | A96ZR00004 | Crown z=72 06B IF/IR 17/22              | A96ZR00005 | Crown z=85 06B IF/IR 33/42/53           |
| 10    | A96ZI00013 | Bowl support axle IF/IR 17/22/33/42/53  | A96ZI00013 | Bowl support axle IF/IR 17/22/33/42/53  |
| 11    | A86ME24121 | Screw M8x60 TF                          | A86ME24121 | Screw M8x60 TF                          |
| 12    | A96ZE00013 | Guard ring IR                           | A96ZE00013 | Guard ring IR                           |
| 13    | A96ZI00014 | Safety guard pin IF/IR 17/22            | S63FS67001 | Safety guard pin TF/TR 33/42/53         |
| 14    | A96ZE00014 | Cam for safety guard IR                 | A96ZE00014 | Cam for safety guard IR                 |
| 15    | A86ME32013 | Screw M8x10 TF÷TR                       | A86ME32013 | Screw M8x10 TF÷TR                       |
| 16    | A86ME24116 | Screw M8x25 TF÷TR                       | A86ME24116 | Screw M8x25 TF÷TR                       |
| 17    | A86ME26024 | S.steel washer grover Ø 8,5 TF÷TR       | A86ME26024 | S.steel washer grover Ø 8,5 TF÷TR       |
| 18    | A86ME26025 | S.Steel washer Ø8 TF÷TR                 | A86ME26025 | S.Steel washer Ø8 TF÷TR                 |
| 19    | A96ZH00006 | Pinion gear z=15 06B IF/IR 17/22        | A96ZH00007 | Pinion gear z=15 08B IF/IR 33/42/53     |
| 20    | A96ZS00006 | Spiral support IF/IF 17/22              | A96ZS00007 | Spiral support IF/IR 33/42/53           |
| 21    | A86ME24114 | Screw M8x30                             | A86ME24114 | Screw M8x30                             |
| 22    | A89CK00010 | Bearing 6205-2RS TF÷TR                  | A89CK00010 | Bearing 6205-2RS TF÷TR                  |
| 22.01 | A89CK00010 | Bearing 6205-2RS TF÷TR                  | A89CK00011 | Bearing 6006-2RS IF÷IR 33÷42÷53         |
| 23    | A86ME36008 | Key 6x6x20 TF÷TR 17÷22                  | A86ME36009 | Key 6x6x35 TF÷TR 33÷42÷53               |
| 24    | A96ZI00015 | Axle for spiral base IF/IR 17/22        | A96ZI00016 | Axle for spiral base IF/IR 33/42/53     |
| 25    | A96ZS00004 | Spiral IF/IR 17/22                      | A96ZS00005 | Spiral IF/IR 33/42                      |
| 26    | A96ZN00024 | Distance sensor with two cables "NO"    | A96ZN00024 | Distance sensor with two cables "NO"    |
| 27    | A96ZN00025 | Wire clip IF/IR                         | A96ZN00025 | Wire clip IF/IR                         |
| 28    | A87CX63038 | Supply cable 5x1,5                      | A87CX63038 | Supply cable 5x1,5                      |
| 31    | A96ZF00003 | Pivot for fixing spring IR              | A96ZF00004 | Pivot for fixing spring IR 33/42/53     |
| 32    | A86ME30008 | Spring diam. 1,2 x diam. 8,5 x 20/13 IR | A86ME30008 | Spring diam. 1,2 x diam. 8,5 x 20/13 IR |
| 33    | A96ZA00001 | Dough breaking rod IF/IR 17             | A96ZA00002 | Rod breaking dough IF/IR 33             |
| 34    | A86ME24117 | Screw M10x25 TF÷TR                      | A86ME24117 | Screw M10x25 TF÷TR                      |
| 35    | A96ZF00008 | Head closing knob IR                    | A96ZF00008 | Head closing knob IR                    |
| 36    | A96ZI00028 | Head closing shaft IR 17/22             | A96ZI00029 | Closing handle axle IR 33/42/53         |
| 37    | A96ZN00036 | Spring Ø 1,5 x Ø 14 x 30/6 IR           | A96ZN00036 | Spring Ø 1,5 x Ø 14 x 30/6 IR           |
| 38    | A96ZF00009 | Pin diam. 3,2 IR                        | A96ZF00009 | Pin diam. 3,2 IR                        |
| 39    | A96ZB00008 | Side safety panel IR 22                 | A96ZB00002 | Side safety panel IR 33                 |
| 41    | A96ZF00011 | Steel Foot M12 IF/IR                    | A96ZF00011 | Steel Foot M12 IF/IR                    |
| 42    | A96ZF00019 | Insert for plastic foot IF/IR           | A96ZF00019 | Insert for plastic foot IF/IR           |
| 43    | A96ZG00003 | Wheel with brake M12 IF/IR              | A96ZG00003 | Wheel with brake M12 IF/IR              |
| 44    | A87MR56010 | Motor 400 V - 0,75 kW - 50 Hz 80 B14    | A87MR56009 | Motor 400 V – 1,1 kW - 50 Hz 80 B14     |
| 45    | A96ZC00017 | Upper grey panel IF/IR 17/22            | A96ZC00019 | Upper grey panel IF/IR 33/42/53         |
| 47    | A96ZD00002 | Ring in nylon IF/IR                     | A96ZD00002 | Ring in nylon IF/IR                     |
| 48    | A86ME24119 | Screw M4x30 TF÷TR                       | A86ME24119 | Screw M4x30 TF÷TR                       |
| 49    | A96ZF00018 | Gas spring IR                           | A96ZF00018 | Gas spring IR                           |
| 50    | A96ZN00042 | Micro-switch IR                         | A96ZN00042 | Micro-switch IR                         |
| 51    | A96ZI00026 | Head rotation shaft IR 17/22            | A96ZI00026 | Head rotation shaft IR 17/22            |
| 52    | A96ZF00007 | Axis cover IR                           | A96ZF00007 | Axis cover IR                           |
| 54    | A96ZG00004 | Wheel without brake M12 IF/IR           | A96ZG00004 | Wheel without brake M12 IF/IR           |
| 55    | A96ZN00064 | Contacteur CN-6/4A 24 V IF/IR - SA300   | A96ZN00064 | Contacteur CN-6/4A 24 V IF/IR - SA300   |
| 57    | A96ZN00103 | Black/White Button KJD17B-4 230V 50HZ   | A96ZN00103 | Black/White Button KJD17B-4 230V 50HZ   |
| 58    | A96ZL00010 | Reduction gear fixing ring IF/IR 17/22  | A96ZL00018 | Flange fixing gear box TF÷TR 33         |
| 60    | A86ME32014 | Screw M8x40 TF÷TR                       | A86ME32014 | Screw M8x40 TF÷TR                       |
| 61    | A96ZL00008 | Gear box CM050 80 B14 1/28              | A96ZL00027 | Gear box CM063 80 B14 1/28              |
| 62    | A86ME24118 | Screw M5x10 TF÷TR                       | A86ME24118 | Screw M5x10 TF÷TR                       |
| 63    | A96ZC00021 | Back grey panel IR 17/22                | A96ZC00022 | Back grey panel IR 33/42/53             |
| 65    | A96ZN00038 | Selector 2 speed 1-0-2                  | A96ZN00038 | Selector 2 speed 1-0-2                  |
| 66    |            |                                         |            |                                         |
| 67    | A93AD00063 | White label 50x50                       | A93AD00063 | White label 50x50                       |

|      |             |                                                     |             |                                                           |
|------|-------------|-----------------------------------------------------|-------------|-----------------------------------------------------------|
| 68   | A96ZM00002  | Timer 0-30 min. IF/IR                               | A96ZM00002  | Timer 0-30 min. IF/IR                                     |
| 69   | S14MT67001  | Chain for Spiral 06B/84 TF÷TR 17                    | S14MT67002  | Chain 06B/73 TF÷TR 33                                     |
| 70   | A96ZH00010  | Chain pinion gear z=29 06B IF/IR 17/22              | A96ZH00011  | Chain pinion gear z=29 08B IF/IR 33/42/53                 |
| 71   | A96ZN00028  | Ball bearing base IR 17/22                          | A96ZN00029  | Ball bearing base IR 33/42/53                             |
| 72   | A86ME26027  | S.steel washer Ø 10 TF÷TR                           | A86ME26027  | S.steel washer Ø 10 TF÷TR                                 |
| 73   | A86ME26026  | S.steel washer spring Ø 10 TF÷TR                    | A86ME26026  | S.steel washer spring Ø 10 TF÷TR                          |
| 74   | A86ME24125  | Screw TE M10x35 INOX TF÷TR                          | A86ME24125  | Screw TE M10x35 INOX TF÷TR                                |
| 75   | A96ZI00020  | Connecting shaft IR 17/22                           | A96ZI00021  | Connecting shaft IR 33/42/53                              |
| 76   | A86ME36006  | Key 6X6X30                                          | A86ME36006  | Key 6X6X30                                                |
| 77   | A96ZN00027  | Connecting pin Ø 10x50 IR                           | A96ZN00027  | Connecting pin Ø 10x50 IR                                 |
| 78   | A96ZT00001  | Transmission coupling IR 17/22                      | A96ZT00002  | Transmission joint IR 33/42/53                            |
| 79   | A86ME25024  | Nut M10 ZN                                          | A86ME25024  | Nut M10 ZN                                                |
| 80   | A96ZI00024  | Transmission shaft base UCF 204 IF 17/22 - IR 17/22 | A96ZI00025  | Transmission shaft base UCF 205 IF 33/42/53 - IR 33/42/53 |
| 81   | A96ZH00008  | Chain pinion gear z=14 06B TF/TR 17/22              | A96ZH00009  | Chain pinion gear z=16 06B IF/IR 33/42/53 + VS            |
| 82   | A86ME36006  | Key 6X6X30                                          | A86ME36006  | Key 6X6X30                                                |
| 83   | A96ZI00017  | Transmission shaft IR 17/22                         | A96ZI00018  | Transmission shaft IR 33                                  |
| 84   | A86ME36007  | Key 8x7x35 TF÷TR                                    | A86ME36007  | Key 8x7x35 TF÷TR                                          |
| 92   | S69IV67001  | Bowls peg TR                                        | S69IV67001  | Bowls peg TR                                              |
| 93   | S42PL00002  | Spiral plate TF÷TR 17÷22                            | A96ZS00009  | Spiral plate TF÷TR 33÷42÷53                               |
| 94   | A96ZD00003  | O-ring diam. 20x2,5 IR                              | A96ZD00003  | O-ring diam. 20x2,5 IR                                    |
| 95   | A96ZN00057  | Proximity micro L=45 mm TR 17÷22                    | A96ZN00058  | Proximity micro L=75 mm IR 17/22/33/42/53                 |
| 96   | A86ME25026  | Nut M12 ZN                                          | A86ME25026  | Nut M12 ZN                                                |
| 97   | A96ZN00053  | Nylon block base IF/IR                              | A96ZN00053  | Nylon block base IF/IR                                    |
| 98   | A86ME25018  | Nut M5 ZN                                           | A86ME25018  | Nut M5 ZN                                                 |
| 99   | A96ZN00052  | Tensioner base IF/IR                                | A96ZN00052  | Tensioner base IF/IR                                      |
| 100  | A86ME24122  | Screw TCEI M5x30 TF÷TR                              | A86ME24122  | Screw TCEI M5x30 TF÷TR                                    |
| 101  | A96ZN00054  | Nylon block                                         | A96ZN00054  | Nylon block                                               |
| 102  | A86ME24124  | Screw TCEI M10x25 TR                                | A86ME24124  | Screw TCEI M10x25 TR                                      |
| 103  | A96ZF00012  | Head closing hook                                   | A96ZF00012  | Head closing hook                                         |
| 104  | A86ME25019  | Nut M8 ZN                                           | A86ME25019  | Nut M8 ZN                                                 |
| 105  | A96ZV00027  | Bowl chain tensioner part IF/IR 17/22               | A96ZV00027  | Bowl chain tensioner part IF/IR 17/22                     |
| 123  | A96ZF00015  | White frame IF/IR 17/22                             | A96ZF00016  | White frame IF/IR 33/42/53                                |
|      |             |                                                     |             |                                                           |
| POS. | NT22ALT/M1  | Description                                         | NT33ALT/M1  | Description                                               |
| 28   | A96ZN00106  | Supply cable 3x1,5                                  | A96ZN00106  | Supply cable 3x1,5                                        |
| 44   | A96ZJ00030  | Motor 230 V - 0,75 kW - 50 Hz 80 B14                | A96ZJ00051  | Motor 230 V – 1,1 kW - 50 Hz 80 B14                       |
|      |             |                                                     |             |                                                           |
| POS. | NT22ALT/T2V | Description                                         | NT33ALT/T2V |                                                           |
| 28   | A87CX63038  | Supply cable 4x1,5                                  | A87CX63038  | Supply cable 4x1,5                                        |
| 44   | A87MR55031  | Motor 400V 0,75÷1,1 kW - 50 Hz 80 B14               | A87MR55032  | Motor 400V 1,3÷1,8 kW - 50 Hz 90 B14                      |
| 61   | A96ZL00023  | Gear box CM050 80 B14 1/20                          | A96ZL00024  | Gear box CM063 90 B14 1/20                                |

| POS.  | NT42ALT/T  | Description                             | NT53ALT/T  | Description                               |
|-------|------------|-----------------------------------------|------------|-------------------------------------------|
| 1     | A96ZE00010 | Safety guard IF/IR 42                   | A96ZE00011 | Safety guard IF/IR 53                     |
| 2     | A96ZV00018 | Bowl IF/IR 42                           | A96ZV00019 | Bowl IF/IR 53                             |
| 3     | A96ZV00020 | Bowl flange IR                          | A96ZV00020 | Bowl flange IR                            |
| 4     | A96ZV00023 | Bowl blocking plate IR 42               | A96ZV00024 | Bowl blocking plate IR 53                 |
| 5     | A96ZD00001 | Snap ring diam. 25 IF/IR                | A96ZD00001 | Snap ring diam. 25 IF/IR                  |
| 6     | A89CK00010 | Bearing 6205-2RS TF÷TR                  | A89CK00010 | Bearing 6205-2RS TF÷TR                    |
| 7     | A96ZV00025 | Support bowl base IF/IR 17/22/33/42/53  | A96ZV00025 | Support bowl base IF/IR 17/22/33/42/53    |
| 8     | S14MT67008 | Bowl spiral 06B/144 TF÷TR 33÷42÷53      | S14MT67008 | Bowl spiral 06B/144 TF÷TR 33÷42÷53        |
| 9     | A96ZR00005 | Crown z=85 06B IF/IR 33/42/53           | A96ZR00005 | Crown z=85 06B IF/IR 33/42/53             |
| 10    | A96ZI00013 | Bowl support axle IF/IR 17/22/33/42/53  | A96ZI00013 | Bowl support axle IF/IR 17/22/33/42/53    |
| 11    | A86ME24121 | Screw M8x60 TF                          | A86ME24121 | Screw M8x60 TF                            |
| 12    | A96ZE00013 | Guard ring IR                           | A96ZE00013 | Guard ring IR                             |
| 13    | S63FS67001 | Safety guard pin TF/TR 33/42/53         | S63FS67001 | Safety guard pin TF/TR 33/42/53           |
| 14    | A96ZE00014 | Cam for safety guard IR                 | A96ZE00014 | Cam for safety guard IR                   |
| 15    | A86ME32013 | Screw M8x10 TF÷TR                       | A86ME32013 | Screw M8x10 TF÷TR                         |
| 16    | A86ME24116 | Screw M8x25 TF÷TR                       | A86ME24116 | Screw M8x25 TF÷TR                         |
| 17    | A86ME26024 | S.steel washer grover Ø 8,5 TF÷TR       | A86ME26024 | S.steel washer grover Ø 8,5 TF÷TR         |
| 18    | A86ME26025 | S.Steel washer Ø8 TF÷TR                 | A86ME26025 | S.Steel washer Ø8 TF÷TR                   |
| 19    | A96ZH00007 | Pinion gear z=15 08B IF/IR 33/42/53     | A96ZH00007 | Pinion gear z=15 08B IF/IR 33/42/53       |
| 20    | A96ZS00007 | Spiral support IF/IR 33/42/53           | A96ZS00007 | Spiral support IF/IR 33/42/53             |
| 21    | A86ME24114 | Screw M8x30                             | A86ME24114 | Screw M8x30                               |
| 22    | A89CK00010 | Bearing 6205-2RS TF÷TR                  | A89CK00010 | Bearing 6205-2RS TF÷TR                    |
| 22.01 | A89CK00011 | Bearing 6006-2RS IF÷IR 33÷42÷53         | A89CK00011 | Bearing 6006-2RS IF÷IR 33÷42÷53           |
| 23    | A86ME36009 | Key 6x6x35 TF÷TR 33÷42÷53               | A86ME36009 | Key 6x6x35 TF÷TR 33÷42÷53                 |
| 24    | A96ZI00016 | Axle for spiral base IF/IR 33/42/53     | A96ZI00016 | Axle for spiral base IF/IR 33/42/53       |
| 25    | A96ZS00005 | Spiral IF/IR 33/42                      | A96ZS00017 | Spiral IF/IR 53                           |
| 26    | A96ZN00024 | Distance sensor with two cables "NO"    | A96ZN00024 | Distance sensor with two cables "NO"      |
| 27    | A96ZN00025 | Wire clip IF/IR                         | A96ZN00025 | Wire clip IF/IR                           |
| 28    | A87CX63038 | Supply cable 5x1,5                      | A87CX63038 | Supply cable 5x1,5                        |
| 31    | A96ZF00004 | Pivot for fixing spring IR 33/42/53     | A96ZF00004 | Pivot for fixing spring IR 33/42/53       |
| 32    | A86ME30008 | Spring diam. 1,2 x diam. 8,5 x 20/13 IR | A86ME30008 | Spring diam. 1,2 x diam. 8,5 x 20/13 IR   |
| 33    | A96ZA00003 | Rod breaking dough IF/IR 42             | A96ZA00004 | Rod breaking dough IF/IR 53               |
| 34    | A86ME24117 | Screw M10x25 TF÷TR                      | A86ME24117 | Screw M10x25 TF÷TR                        |
| 35    | A96ZF00008 | Head closing knob IR                    | A96ZF00008 | Head closing knob IR                      |
| 36    | A96ZI00029 | Closing handle axle IR 33/42/53         | A96ZI00029 | Closing handle axle IR 33/42/53           |
| 37    | A96ZN00036 | Spring Ø 1,5 x Ø 14 x 30/6 IR           | A96ZN00036 | Spring Ø 1,5 x Ø 14 x 30/6 IR             |
| 38    | A96ZF00009 | Pin diam. 3,2 IR                        | A96ZF00009 | Pin diam. 3,2 IR                          |
| 39    | A96ZB00003 | Side safety panel IR 42                 | A96ZB00004 | Side safety panel IR 53                   |
| 41    | A96ZF00011 | Steel Foot M12 IF/IR                    | A96ZF00011 | Steel Foot M12 IF/IR                      |
| 42    | A96ZF00019 | Insert for plastic foot IF/IR           | A96ZF00019 | Insert for plastic foot IF/IR             |
| 43    | A96ZG00003 | Wheel with brake M12 IF/IR              | A96ZG00003 | Wheel with brake M12 IF/IR                |
| 44    | A96ZJ00050 | Motor 400 V - 1,5 kW - 50 Hz 80 B14     | A96ZJ00050 | Motor 400 V - 1,5 kW - 50 Hz 80 B14       |
| 45    | A96ZC00019 | Upper grey panel IF/IR 33/42/53         | A96ZC00019 | Upper grey panel IF/IR 33/42/53           |
| 47    | A96ZD00002 | Ring in nylon IF/IR                     | A96ZD00002 | Ring in nylon IF/IR                       |
| 48    | A86ME24119 | Screw M4x30 TF÷TR                       | A86ME24119 | Screw M4x30 TF÷TR                         |
| 49    | A96ZF00018 | Gas spring IR                           | A96ZF00018 | Gas spring IR                             |
| 50    | A96ZN00042 | Micro-switch IR                         | A96ZN00042 | Micro-switch IR                           |
| 51    | A96ZI00026 | Head rotation shaft IR 17/22            | A96ZI00026 | Head rotation shaft IR 17/22              |
| 52    | A96ZF00007 | Axis cover IR                           | A96ZF00007 | Axis cover IR                             |
| 54    | A96ZG00004 | Wheel without brake M12 IF/IR           | A96ZG00004 | Wheel without brake M12 IF/IR             |
| 55    | A96ZN00064 | Contactore CN-6/4A 24 V IF/IR - SA300   | A96ZN00064 | Contactore CN-6/4A 24 V IF/IR - SA300     |
| 57    | A96ZN00103 | Black/White Button KJD17B-4 230V 50HZ   | A96ZN00103 | Black/White Button KJD17B-4 230V 50HZ     |
| 58    | A96ZL00018 | Flange fixing gear box TF÷TR 33         | A96ZL00011 | Ring fixing reduction gear IF/IR 33/42/53 |
| 60    | A86ME32014 | Screw M8x40 TF÷TR                       | A86ME32014 | Screw M8x40 TF÷TR                         |
| 61    | A96ZL00008 | Gear box CM050 80 B14 1/28              | A96ZL00027 | Gear box CM063 80 B14 1/28                |
| 62    | A86ME24118 | Screw M5x10 TF÷TR                       | A86ME24118 | Screw M5x10 TF÷TR                         |
| 63    | A96ZC00022 | Back grey panel IR 33/42/53             | A96ZC00022 | Back grey panel IR 33/42/53               |
| 65    | A96ZN00038 | Selector 2 speed 1-0-2                  | A96ZN00038 | Selector 2 speed 1-0-2                    |
| 66    |            |                                         |            |                                           |
| 67    | A93AD00063 | White label 50x50                       | A93AD00063 | White label 50x50                         |

|      |                |                                                           |                |                                                           |
|------|----------------|-----------------------------------------------------------|----------------|-----------------------------------------------------------|
| 68   | A96ZM00002     | Timer 0-30 min. IF/IR                                     | A96ZM00002     | Timer 0-30 min. IF/IR                                     |
| 69   | S14MT67003     | Spiral chain 08B/69 TF÷TR 42                              | S14MT67018     | Spiral chain 08B/76 IF÷IR 53 VS 2013                      |
| 70   | A96ZH00011     | Chain pinion gear z=29 08B IF/IR 33/42/53                 | A96ZH00011     | Chain pinion gear z=29 08B IF/IR 33/42/53                 |
| 71   | A96ZN00029     | Ball bearing base IR 33/42/53                             | A96ZN00029     | Ball bearing base IR 33/42/53                             |
| 72   | A86ME26027     | S.steel washer Ø 10 TF÷TR                                 | A86ME26027     | S.steel washer Ø 10 TF÷TR                                 |
| 73   | A86ME26026     | S.steel washer spring Ø 10 TF÷TR                          | A86ME26026     | S.steel washer spring Ø 10 TF÷TR                          |
| 74   | A86ME24125     | Screw TE M10x35 INOX TF÷TR                                | A86ME24125     | Screw TE M10x35 INOX TF÷TR                                |
| 75   | A96ZI00021     | Connecting shaft IR 33/42/53                              | A96ZI00021     | Connecting shaft IR 33/42/53                              |
| 76   | A86ME36006     | Key 6X6X30                                                | A86ME36006     | Key 6X6X30                                                |
| 77   | A96ZN00027     | Connecting pin Ø 10x50 IR                                 | A96ZN00027     | Connecting pin Ø 10x50 IR                                 |
| 78   | A96ZT00002     | Transmission joint IR 33/42/53                            | A96ZT00002     | Transmission joint IR 33/42/53                            |
| 79   | A86ME25024     | Nut M10 ZN                                                | A86ME25024     | Nut M10 ZN                                                |
| 80   | A96ZI00025     | Transmission shaft base UCF 205 IF 33/42/53 - IR 33/42/53 | A96ZI00025     | Transmission shaft base UCF 205 IF 33/42/53 - IR 33/42/53 |
| 81   | A96ZH00009     | Chain pinion gear z=16 06B IF/IR 33/42/53                 | A96ZH00009     | Chain pinion gear z=16 06B IF/IR 33/42/53                 |
| 82   | A86ME36006     | Key 6X6X30                                                | A86ME36006     | Key 6X6X30                                                |
| 83   | A96ZI00033     | Transmission shaft IR 42/53                               | A96ZI00033     | Transmission shaft IR 42/53                               |
| 84   | A86ME36007     | Key 8x7x35 TF÷TR                                          | A86ME36007     | Key 8x7x35 TF÷TR                                          |
| 92   | S69IV67001     | Bowls peg TR                                              | S69IV67001     | Bowls peg TR                                              |
| 93   | A96ZS00009     | SPIRAL PLATE TF÷TR 33÷42÷53                               | A96ZS00009     | SPIRAL PLATE TF÷TR 33÷42÷53                               |
| 94   | A96ZD00003     | O-ring diam. 20x2,5 IR                                    | A96ZD00003     | O-ring diam. 20x2,5 IR                                    |
| 95   | A96ZN00058     | Proximity micro L=75 mm IR 17/22/33/42/53                 | A96ZN00058     | Proximity micro L=75 mm IR 17/22/33/42/53                 |
| 96   | A86ME25026     | Nut M12 ZN                                                | A86ME25026     | Nut M12 ZN                                                |
| 97   | A96ZN00053     | Nylon block base IF/IR                                    | A96ZN00053     | Nylon block base IF/IR                                    |
| 98   | A86ME25018     | Nut M5 ZN                                                 | A86ME25018     | Nut M5 ZN                                                 |
| 99   | A96ZN00052     | Tensioner base IF/IR                                      | A96ZN00052     | Tensioner base IF/IR                                      |
| 100  | A86ME24122     | Screw TCEI M5x30 TF÷TR                                    | A86ME24122     | Screw TCEI M5x30 TF÷TR                                    |
| 101  | A96ZN00054     | Nylon block                                               | A96ZN00054     | Nylon block                                               |
| 102  | A86ME24124     | Screw TCEI M10x25 TR                                      | A86ME24124     | Screw TCEI M10x25 TR                                      |
| 103  | A96ZF00012     | Head closing hook                                         | A96ZF00012     | Head closing hook                                         |
| 104  | A86ME25019     | Nut M8 ZN                                                 | A86ME25019     | Nut M8 ZN                                                 |
| 105  | A96ZV00028     | Bowl chain tensioner part IF/IR 33/42/53                  | A96ZV00028     | Bowl chain tensioner part IF/IR 33/42/53                  |
| 123  | A96ZF00016     | White frame IF/IR 33/42/53                                | A96ZF00016     | White frame IF/IR 33/42/53                                |
|      |                |                                                           |                |                                                           |
| POS. | NT42/M1        | Description                                               | NT53/M1        | Description                                               |
| 28   | A96ZN00106     | Supply cable 3x1,5                                        | A96ZN00106     | Supply cable 3x1,5                                        |
| 44   | A96ZJ00049     | Motor 230 V – 1,5 kW - 50 Hz 80 B14                       | A96ZJ00049     | Motor 230 V – 1,5 kW - 50 Hz 80 B14                       |
|      |                |                                                           |                |                                                           |
| POS. | NT42/T2V       | Description                                               | NT53/T2V       |                                                           |
| 28   | A87CX63038     | Supply cable 4x1,5                                        | A87CX63038     | Supply cable 4x1,5                                        |
| 44   | A87MR55014     | Motor 400V 1,5÷2 kW - 50 Hz 80 B14                        | A87MR55014     | Motor 400V 1,5÷2 kW - 50 Hz 80 B14                        |
| 61   | A96ZL00024     | Gear box CM063 90 B14 1/20                                | A96ZL00024     | Gear box CM063 90 B14 1/20                                |
|      |                |                                                           |                |                                                           |
| POS. | NT42/T2V 230/3 | Description                                               | NT53/T2V 230/3 |                                                           |
| 28   | A87CX63038     | Supply cable 4x1,5                                        | A87CX63038     | Supply cable 4x1,5                                        |
| 44   | A87MR55039     | Motor 230V 1,5÷2 kW - 50 Hz 80 B14                        | A87MR55039     | Motor 230V 1,5÷2 kW - 50 Hz 80 B14                        |
| 61   | A96ZL00024     | Gear box CM063 90 B14 1/20                                | A96ZL00024     | Gear box CM063 90 B14 1/20                                |