

02/2009

Mod:TM-5H

Production code:TM-5H





TOAST-MAX[®]

Electric Conveyor Toasters

TM Series

TM-5H

TM-10H




REPLACEMENT PARTS LIST

HATCO TOAST-MAX MODEL

TM-5H, TM-10H Series

Model Designation

T M - X H
 Toast-Max ——— High Opening
 5 = One Slice Width
 10 = Two Slice Width



Use of replacement parts other than those supplied by Hatco Corporation may result in damage to the unit or injury to personnel and will void all warranties.

PARTS COMMON TO ALL TM-5, -10H MODELS

Item	Description	Part No.	Qty.	Item	Description	Part No.	Qty.
1	Terminal Block — 3 Pole	X02.15.052.00	1	7	Thumb Screw	X05.04.488.00	2
2	Side Panel (LH)	X04.05.436.00	1	8	Bearing Assembly	X05.02.024.00	4
3	Diode	X02.40.046.00	1	9	Retaining Ring	X05.03.043.00	1
4	Control Knob	X05.30.093.00	2	10	Leg, 10 cm (4")	X05.30.092.00	4
5	Selector Switch	X02.19.174.00	1	11	Side Panel (RH)	X04.05.437.00	1
6	Cord Grip	X02.20.322.00	1	12	Bracket, Heating Element	X04.05.449.00	2

NOTE: The last four digits in a ten digit numerical serial number are the manufacturing date code.

Example: Serial number 9625060007 has a date code of "0007" which indicates the following: 0007

Month Seven (July)
Year 2000

Please note also, effective January 2001 the serial number date code was changed to indicate the week of manufacture.

Example: XXXXXX0131

Week Thirty-One
Year 2001

PARTS SPECIFIC TO MODEL TM-5H				
Item	Description	100V 50 Hz	120V 60 Hz	220–240 (CE) 50 Hz
13	Top Cover with Insulation	X04.05.435.00	---	X04.05.435.00
14	Reflector, Upper Element	X04.05.525.00	---	X04.05.525.00
15	Wire Feed Ramp	X04.05.447.00	---	X04.05.447.00
16	Speed Control, Rheostat	X02.13.331.00	---	X02.13.330.00
17	Indicator Light, Green	X02.19.185.00	---	X02.19.175.00
	Indicator Light, Red (not shown)	X02.19.184.00	---	X02.19.176.00
18	Crumb Tray	X04.05.445.00	---	X04.05.445.00
19	Decal, Control	X07.03.465.00	---	X07.03.465.00
20	Fan, Circulating	X02.12.085.00	---	X02.12.082.00
21	Fan Guard	X02.12.084.00	---	X02.12.084.00
22	Cover, Cooling Fan	---	---	---
23	Discharge Chute	X04.05.443.00	---	X04.05.443.00
24	Shaft Assembly (Qty. 2)	X05.07.025.00	---	X05.07.025.00
25	Rear Discharge Tray	X04.05.439.00	---	X04.05.439.00
26	Discharge Vane	X04.05.440.00	---	X04.05.440.00
27	Wire Belt	X05.03.041.00	---	X05.03.041.00
28	Sprocket, Conveyor	X05.09.055.00	---	X05.09.055.00
29	Drive Chain†*	05.03.056.00	---	05.03.056.00
30	Sprocket, Motor*	X05.09.056.00	---	X05.09.056.00
31	Gear Motor	02.12.081.00	---	02.12.096.00
32	Heating Element, Upper, 700 Watt	X02.09.276.00	---	X02.09.258.00
33	Heating Element, Lower, 600 Watt	X02.09.277.00	---	X02.09.259.00
34	Reflector, Lower Element	X04.05.526.00	---	X04.05.526.00
35	Power Cord — Nema 5-15 Plug	02.18.154.00	---	---
	Power Cord — No Plug	---	---	X02.18.166.00
	Power Cord — BS1363 Plug*	---	---	X02.18.165.00
	Power Cord — Schuko Plug	---	---	X02.18.164.00
	Electrical Drawing	10-01-356	---	10-01-356

The shaded area contains information for **Export models only**.

† Drive Chain P/N 05.03.040.00 is used on TM-5H models manufactured before year 2005, week thirty-eight.

* Units equipped with the BS1363 plug set use Motor Sprocket P/N X05.09.057.00 (14 tooth) and Drive Chain P/N X05.03.049.00.

PARTS SPECIFIC TO MODEL TM-10H				
Item	Description	100V 50 Hz	120V 60 Hz	220–240 (CE) 50 Hz
13	Top Cover with Insulation	---	X04.05.434.00	X04.05.434.00
14	Reflector, Upper Element	---	X04.05.527.00	X04.05.527.00
15	Wire Feed Ramp	---	X04.05.488.00	X04.05.488.00
16	Speed Control, Rheostat	---	X02.13.331.00	X02.13.330.00
17	Indicator Light, Green	---	X02.19.185.00	X02.19.175.00
	Indicator Light, Red (not shown)	---	X02.19.184.00	X02.19.176.00
18	Crumb Tray	---	X04.05.444.00	X04.05.444.00
19	Decal, Control	---	X07.03.466.00	X07.03.466.00
20	Fan, Circulating	---	X02.12.085.00	X02.12.082.00
21	Fan Guard	---	---	---
22	Cover, Cooling Fan	---	X04.05.446.00	X04.05.446.00
23	Discharge Chute	---	X04.05.442.00	X04.05.442.00
24	Shaft Assembly (Qty. 2)	---	X05.07.026.00	X05.07.026.00
25	Rear Discharge Tray	---	X04.05.438.00	X04.05.438.00
26	Discharge Vane	---	X04.05.441.00	X04.05.441.00
27	Wire Belt	---	X05.03.042.00	X05.03.042.00
28	Sprocket, Conveyor	---	X05.09.055.00	X05.09.055.00
29	Drive Chain [†] *	---	05.03.056.00	05.03.056.00
30	Sprocket, Motor*	---	X05.09.056.00	X05.09.056.00
31	Gear Motor	---	02.12.081.00	02.12.096.00
32	Heating Element, Upper, 1000 Watt	---	X02.09.263.00	X02.09.260.00
33	Heating Element, Lower, 900 Watt	---	X02.09.265.00	X02.09.261.00
34	Reflector, Lower Element	---	X04.05.528.00	X04.05.528.00
35	Power Cord — Nema 5-15 Plug	---	02.18.154.00	---
	Power Cord — No Plug	---	---	X02.18.166.00
	Power Cord — BS1363 Plug*	---	---	X02.18.165.00
	Power Cord — Schuko Plug	---	---	02.18.164.00
	Electrical Drawing	---	10-01-356	10-01-356

The shaded areas contain information for **Export models only**.

† Drive Chain P/N 05.03.044.00 is used on TM-10H models manufactured before year 2005, week thirty-eight.

* Units equipped with the BS1363 plug set use Motor Sprocket P/N X05.09.057.00 (14 tooth) and Drive Chain P/N X05.03.049.00.