


**MOD : WR-GN06-1N**

Production code : QR 6




| Item Description |                                 | QR 6_QN 6                                                    |          |      |
|------------------|---------------------------------|--------------------------------------------------------------|----------|------|
| BOM Number       |                                 | 1                                                            |          |      |
| Build Quantity   |                                 | 1                                                            |          |      |
| Fixed Cost       |                                 | 0                                                            |          |      |
| Remark           |                                 |                                                              |          |      |
| Unit             | pc                              |                                                              |          |      |
| BOM Components   |                                 |                                                              |          |      |
| Lev. 0           | Item Number                     | Descr                                                        | Quantity | u.m. |
|                  | EV1CT0A61600                    | QR/QRM/QN/QNM 6_QRG/QNG 6 - EXPLODED VIEW DRAW.(Ver.A6 -S16) | 1        | pc   |
|                  | 1 S11CT00A0001                  | QR/QN 6 Ser. - ASSEMBLED FOAMED BODY - (S16)                 | 1        | pc   |
|                  | 2 Z01CT02A0003                  | QR/QN 3-6-12 Ser. - UPPER DOOR HINGE - (SOLID DOOR - S16)    | 1        | pc   |
|                  | 3 S11CK82A0005                  | STATIC/VENT. - QR/QN 3-4-6-12 - PIVOT FOR UPPER HINGE-(S16)  | 1        | pc   |
|                  | 4 Z01CT02A0004                  | QR/QN 3-6-12 Ser. - BOTTOM DOOR HINGE - (S16)                | 1        | pc   |
|                  | 5 Z01CK83A0006                  | STATIC/VENTILATED QR/QN 6-12 - CONDENSER FAN HOLDER - (S16)  | 1        | pc   |
|                  | 6 E17A1A100900                  | M4Q045-CA03-51 EBM FAN:230VAC,50/60Hz,30/40°C,1,2Kg          | 1        | pc   |
|                  | 7 E181A2002801                  | EBMPAPTS FAN BLADE D.200mm-28*; 300 M3/h                     | 1        | pc   |
|                  | 8C-CHILLER E27B2M3W0000         | FTK66 COMP.WANBAO R290-220/240V 50Hz-7/16 HP CSIR:           | 1        | pc   |
|                  | 8F-FREEZER-SOLID E27B2U4H0000   | NPY14LA COMP.HUAYI R290 - 220/240V 50Hz- 5/8 HP CSR:         | 1        | pc   |
|                  | 8C-CHILLER (60HZ) E27B2K2W0000  | FTK55X - COMP.WANBAO R290-220-240V 50/60Hz-3/8 HP RSCR:      | 1        | pc   |
|                  | 8F-FREEZER (60HZ) E27A4P3S0000  | SC12CLX.2 COMP.SECOP R404a-220-240V 50/60Hz-1 HP CSIR:       | 1        | pc   |
|                  | 9 Z01CT03A0001                  | QR/QN 6 - QR/QN 12 Ser. - ENGINE PLATE - (S16)               | 1        | pc   |
|                  | 10 C01CK86A0003                 | STATIC/VENT.-QR/QN 6-12 - DRIER FILTER Type B (25g - S16)    | 1        | pc   |
|                  | 11 E421CL9SV001                 | FDF-2A - SOLENOID VALVE                                      | 1        | pc   |
|                  | 12 C01CT08A0001                 | CONDENSER Type C: COPPER FINS - (QR/QN 4-6 and QR12 - S16)   | 1        | pc   |
|                  | 12F-FREEZER (60HZ) C01CK88A0001 | STAT/VENT (R290) - QN 6 (R404a/60Hz) - CONDENSER - (S16)     | 1        | pc   |
|                  | 13 Z01CT08A0002                 | QR/QN 4-6-12 Ser.-HOLDER FOR CONDENSER FILTER - (S16)        | 2        | pc   |
|                  | 14 Z01CT08A0003                 | QR/QN 4-6-12 Ser. - WIND GUARD FOR CONDENSER - (S16)         | 2        | pc   |
|                  | 15 N01CT08A0004                 | QR/QN 4-6 and QR 12 Ser. - CONDENSER FILTER - (S16)          | 1        | pc   |
|                  | 16 Z01CT03A0002                 | QR/QN 3-6-12 Ser. - HINGE FIXING PART - (S16)                | 4        | pc   |
|                  | 17 Z01CS81A0003                 | QR/QN Cabinet - PANEL BOTTOM HOLDER for FLAT SCREWS - (S16)  | 2        | pc   |
|                  | 18 S11CT07A0006                 | QR/QN 6 - 12 Ser. - INNER EVAPOR.LATERAL SUPPORT - (S16)     | 2        | pc   |
|                  | 19A E17A6A230700                | iQC3612-040111/A02 EBM FAN:2220-240V,50/60Hz                 | 1        | pc   |
|                  | 19B E17D1C120000                | ECM C12-10-02 ELCO FAN: 230V ;50/60Hz; CABLE LENGHT 300mm    | 1        | pc   |
|                  | 20 E181A2002801                 | EBMPAPTS FAN BLADE D.200mm-28*; 300 M3/h                     | 1        | pc   |
|                  | 20F-FREEZER (60HZ) E181A2302801 | EBMPAPTS FAN BLADE D.230mm-28*; 630 M3/h                     | 1        | pc   |
|                  | 21 Z01CL97A0008                 | VENT.Range- QR/QN 4-6-12/QN 3 - EVAPORATOR FAN HOLDER -(S16) | 1        | pc   |
|                  | 21F-FREEZER (60HZ) Z01CK83A0006 | STATIC/VENTILATED QR/QN 6-12 - CONDENSER FAN HOLDER - (S16)  | 1        | pc   |
|                  | 22 C01CT07A0013                 | QR/QN/QRG/QNG 6 - QR/QRG 12 - EVAPORATOR (From Ver.A4 - S16) | 1        | pc   |
|                  | 23 S21CT07A0011                 | QR/QN 4-6 and QR 12 Ser.- WIDER EVAPORATOR WATER TRAY -(S16) | 1        | pc   |
|                  | 24 S11CT07A0014                 | QR/QN 6 - QR 6-5A - INNER EVAPORATOR COVER (From Ver.A4-S16) | 1        | pc   |
|                  | 25 E192A2000501                 | S/S304 FAN DIAGONAL GUARD GRILLE FOR FAN D.200 mm - W=5mm    | 1        | pc   |
|                  | 26 E22BXF030030                 | LED STRIP"Continue Light"FLAT Shape/300mm/24V/2.5W/COLD Col. | 1        | pc   |
|                  | 27 E26I30240120                 | HVDC-24012A0732 AC SUPPLY (24V -12W)                         | 1        | pc   |
|                  | 28 Z01CT01A0003                 | QR/QN 3-4-6-12 Ser. - FRONT PANEL UPPER HINGE - (S16)        | 2        | pc   |
|                  | 29 S11CT01A0009                 | QR/QN 6 - FRONT PANEL Type B (Flat SCREWS/From Ver.A4 - S16) | 1        | pc   |
|                  | 30 E2318WH00001                 | PS-5-22Z-FS MAIN SWITCH (4P) WHITE Light/250V-16A            | 1        | pc   |
|                  | 31 Z01CK81A0002                 | STATIC/VENT. - QR/QN 3-4-6-12 - LOCK + N.2 Keys - (S16)      | 1        | pc   |
|                  | 32 E2306WH00001                 | HC-050K.4 FAN/LIGHT SWITCH (3P - WHITE) 250VAC-2.5A;         | 1        | pc   |
|                  | 33 E20A143F2D00                 | XR06CX-5W1T1 "FLAT" DIXELL THERM (DX-XOLIPGOXB5S2-100)       | 1        | pc   |
|                  | 34 P04AA01A0019                 | BLACK MEMBR.DIXELL FLAT THER.XR02/06 "NEUTRAL 4 BUTTON"-S50) | 1        | pc   |
|                  | 35 E212AA015B01                 | NTC PROBE - CABLE 1500 mm BLACK Color (Temperature)          | 1        | pc   |
|                  | 36 E212AA015W01                 | NTC PROBE - CABLE 1500 mm WHITE Color for EVAPORATOR         | 1        | pc   |
|                  | 37 R01CT02A0002                 | QR/QN 6 - 12 Ser. - DOOR GASKET - (S16)                      | 1        | pc   |
|                  | 38 P01CK82A0007                 | STATIC/VENT.- QR/QN 3-4-6-12 - DOOR SEAT FOR DOOR PIVOT(S16) | 1        | pc   |
|                  | 39 Z01AN22A0006                 | BY 460/688-QR/QN 3-4-6-12- SELF CLOSING SPRING (Solid-S16)   | 1        | pc   |
|                  | 40 S11CT02A1001                 | QR/QN 6 - QR/QN 12 - RIGHT DOOR SET Type B(For Ver.A1 - S16) | 1        | pc   |
|                  | 41 S11CT07A0002                 | QR/QN 6 Ser. - INNER AIR CONVEYOUR - (S16)                   | 1        | pc   |
|                  | 42 I01CL09A0001                 | QR/QN 688-GE 688-QR/QN 6-12 - SHELF GN2/1 (529x650mm-S16)    | 3        | pc   |
|                  | 43 I01CT09A0002                 | QR/QN 6 - 12 Ser. - BOTTOM SHELF - (S16)                     | 1        | pc   |
|                  | 44A E25EUB315300                | POWER CORD 3x1,5 mmq - EU PLUG - BLACK COLOR 3 Mt            | 1        | pc   |
|                  | 44B E25UKB315300                | POWER CORD 3x1,5 mmq - UK PLUG - BLACK COLOR 3 Mt            | 1        | pc   |
|                  | 44C E25AUB315300                | POWER CORD 3x1,5 mmq - AUSTRALIAN PLUG - BLACK COLOR 3.0 Mt. | 1        | pc   |

|                           |              |                                                              |   |    |
|---------------------------|--------------|--------------------------------------------------------------|---|----|
| <b>44D</b>                | E25INB315300 | POWER CORD 3x1,5 mmq - INDIAN PLUG - BLACK COLOR 3.0 Mt.     | 1 | pc |
| <b>45</b>                 | Z01CT03A0003 | QR/QN 6 - REAR ENGINE ROOM PLATE - (S16)                     | 1 | pc |
| <b>46</b>                 | C01CT06A0003 | QR/QN 4-6-12 Ser. - REAR EVAPORATION TUBE - (S16)            | 1 | pc |
| <b>47C-CHILLER</b>        | C01CT06A0002 | QR/4QR 6/QR 12 - RETURN PIPE + Capillary - (Chiller - S16)   | 1 | pc |
| <b>47F-FREEZER</b>        | C01CT36A0001 | QN 4/6 - RETURN PIPE + Capillary - (Freezer - S16)           | 1 | pc |
| <b>47F-FREEZER (60HZ)</b> | C01CT36A0002 | QN 6 - RETURN PIPE + Capillary - (Freezer/R404a/60Hz - S16)  | 1 | pc |
| <b>48C-CHILLER</b>        | P01CT07A0009 | QR 4/6 and QR 12 Ser. - DRAINAGE ELBOW - (S16)               | 1 | pc |
| <b>49</b>                 | F11CT37A0002 | SS Upright Ser.- REAR SPONGE SET (Sponge/Spacer/Screws -S16) | 1 | pc |
| <b>50</b>                 | P01CT07A0007 | QR/QN 3-6-12 Ser. - DRAIN WATER PIPE - (S16)                 | 1 | pc |
| <b>51</b>                 | P01CT07A0013 | QR/QN 3-4-6-12 Ser.- PLASTIC REAR EVAPORATOR TRAY (S16)      | 1 | pc |
| <b>52</b>                 | C01CT06A0001 | QR/QN 3-4-6-12 Ser.- ELECTROM.VALVE INFUSION TUBE-(S16)      | 1 | pc |
| <b>53</b>                 | 201AN29A0004 | UPRIGHT CABINET Ser.- REAR BODY SPACER (Black - S16)         | 2 | pc |
| <b>54F-FREEZER</b>        | P01CT33A0002 | QN 3/4/6/12 - DRAINAGE TEE + PRESSURE VALVE - (S16)          | 1 | pc |
| <b>55F-FREEZER</b>        | E24300355800 | HEATING WIRE D.1x3.0mmq-L.5800mm-35W/Mt.                     | 1 | pc |
| <b>56F-FREEZER</b>        | E24300201000 | HEATING WIRE D.1x3.0mmq-L.350mm-35W/Mt.                      | 1 | pc |
| <b>57F-FREEZER</b>        | E301CT300001 | NT90TPNCE220CB - "SOLID/GLASS DOOR" ELEC.SWITCH RELAY 30A    | 1 | pc |
| <b>58</b>                 | KITFT1CT0A00 | QR/QN 6 - 12 - FEET KIT (N.4 pc / 75mm Min - 90mm Max - S16) | 1 | pc |
| <b>59</b>                 | KITCS1CT0A00 | QR-QN 6/12 - CASTOR KIT(N.2 Brake+N.2 STD+SPACER/H 105mm)    | 1 | pc |
| <b>60</b>                 | C01CT06A0006 | R290 CHARGING VALVE - (CASTEL:8350/X03 - Core:8395/A3 - S16) | 1 | pc |
| <b>70</b>                 | S11CT11A0001 | QRG/QNG 6 - FLAT FRONT PANEL (With HOLE for SWITCH - S16)    | 1 | pc |
| <b>71</b>                 | E2306WH00003 | HC-050K.4 DOOR ALARM SWITCH (2P-WHITE) 250VAC-2.5A; (NC)     | 1 | pc |
| <b>72</b>                 | Z01CT12A0002 | QRG/QNG 6-12 - RIGHT/UPPER HINGE for GLASS DOOR - (S16)      | 1 | pc |
| <b>73</b>                 | A01AN22A0003 | BYX/BYXG/BNX 460 - DOOR HANDLE (S/S Color - S16)             | 1 | pc |
| <b>74</b>                 | A01CT12A0008 | QRG/QNG 6-12 - RIGHT GLASS DOOR SET - (From Ver.A4 - S16)    | 1 | pc |
| <b>75</b>                 | N01CT12A0003 | QRG/QNG 6-12 - DOOR BUSHING - (S16)                          | 1 | pc |
| <b>76</b>                 | Z01CT12A0005 | QRG/QNG 6-12 - SELF CLOSING for GLASS DOOR - (S16)           | 1 | pc |
| <b>77</b>                 | S11CT12A0004 | QRG 6/12 Ser. - RIGHT/LEFT REINF.BOTTOM DOOR HINGE - (S16)   | 1 | pc |
| <b>78</b>                 | Z01CT12A0007 | QRG 6-12 - RIGHT GLASS DOOR STOPPER - (S16)                  | 1 | pc |
| <b>79</b>                 | E22BXC113120 | LED STRIP"Continue Light" 90"Shape/1135mm/24V/12W/ COLD Col. | 2 | pc |
| <b>80</b>                 | E26I30240600 | POWER SUPPLY MEAN WELL LPV-60-24 (24V - 60W)                 | 1 | pc |
| <b>81F-FREEZER</b>        | E27B2P4H0000 | NPT16LA - COMP.HUAYI R290-220-240V 50Hz - 1HP CSR:           | 1 | pc |
| <b>82F-FREEZER</b>        | E20A144F2D00 | XR64CX-5W1T3 FLAT DIXELL THERMOSTAT (DX-X0LGZORXB5S0-S00)    | 1 | pc |
| <b>83F-FREEZER</b>        | P04AA01A0020 | BLACK MEMBR.DIXELL FLAT THERM.XR64 "NEUTRAL 6 BUTTON"-S50)   | 1 | pc |
| <b>84F-FREEZER</b>        | E301CT300002 | NT90TPNCE220CB - "GLASS DOOR" ELEC.SWITCH RELAY 30A          | 1 | pc |
| <b>85G-GLASS RANGE</b>    | KITFT1CT1A00 | QRG/QNG 6 - REINFORCED FEET(4 pc/82mm Min - 102mm Max -S16)  | 1 | pc |
| <b>86F-FREEZER</b>        | C01CU28A0001 | CONDENSER Type F: COPPER FINS - (QR 6-5A/QN 6-5B/QNG 6 -S16) | 1 | pc |
| <b>90</b>                 | S11CT20A0001 | QRM/QNM 6 Ser. - ASSEMBLED FOAMED BODY - (S16)               | 1 | pc |
| <b>91</b>                 | Z01CT22A0003 | QRM/QNM 6 Ser. - RIGHT MIDDLE HINGE - (S16)                  | 1 | pc |
| <b>92</b>                 | S11CT22A0004 | QRM/QNM 6-12 Ser. - RIGHT/LEFT MIDDLE HINGE PIVOT - (S16)    | 1 | pc |
| <b>93</b>                 | R01CT22A0002 | QRM/QNM 6-12 Ser. - SPLIT DOOR GASKET - (S16)                | 2 | pc |
| <b>94</b>                 | S11CT22A0001 | QRM 6-12 - RIGHT/UPPER SPLIT DOOR (Inc.Gasket+Self.- S16)    | 1 | pc |
| <b>95</b>                 | S11CT82A0001 | QRM 6-12 - LEFT/LOWER SPLIT DOOR (Inc.Gasket+Self-S16)       | 1 | pc |
| <b>96</b>                 | S11CT22A0005 | QRM/QNM 6-12 Ser. - RIGHT LOCKING STOPPER+TAB - (S16)        | 1 | pc |
| <b>97</b>                 | S11CT21A0001 | QRM/QNM 6 - DEEPER FRONT PANEL (Standard Desing - S16)       | 1 | pc |
| <b>98</b>                 | Z01CT82A0004 | QRM/QNM 6-12 Ser. - UPPER HINGE for SPLIT DOOR RANGE - (S16) | 1 | pc |
| <b>99</b>                 | Z01CT82A0005 | QRM/QNM 6-12 Ser.- BOTTOM HINGE for SPLIT DOOR RANGE - (S16) | 1 | pc |


CHILLER and FREEZER SOLID DOORS

Legend:  
xxC = Chiller Range  
xxF = Freezer Range  
60Hz = 60Hz Range




|                                                                                       |            |                                                                                     |       |       |                    |
|---------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------|-------|-------|--------------------|
| DATE:2024/01/03                                                                       | VERSION:A6 | New light 24V/New evaporator conveyor and cover + Updates                           |       |       | DESIGN BY: Alberto |
| DATE:2022/08/09                                                                       | VERSION:A5 | Add SPLIT DOOR PART (Chiller and Freezer)<br>Add 220V/60Hz (Freezer in R404a) parts |       |       | DESIGN BY: Alberto |
| DATE:2022/03/09                                                                       | VERSION:A4 | Add GLASS DOOR PART (Chiller and Freezer)                                           |       |       | DESIGN BY: Alberto |
| DATE:2021/05/12                                                                       | VERSION:A3 | New Backlit main switch/Plastic rear water tray                                     |       |       | DESIGN BY: Alberto |
| DATE:2020/12/09                                                                       | VERSION:A2 | Add:Sponge/Solenoid valve/New pressure valve switch relay for freezer               |       |       | DESIGN BY: Alberto |
| DATE:2020/08/20                                                                       | VERSION:A1 | New door/front panel design<br>New LED light                                        |       |       | DESIGN BY: Alberto |
|  |            | SCALE                                                                               | MODEL | Q.TY  | REMARKS            |
|                                                                                       |            | 1:1                                                                                 |       |       |                    |
| MATERIAL: ST1/ST2                                                                     |            | EXPLODED VIEW                                                                       |       |       |                    |
| DESIGN BY: Camilla                                                                    |            |                                                                                     |       |       |                    |
| APPROVED BY: Alberto                                                                  |            | CATEGORY                                                                            | TYPE  | GROUP | PART N°            |
| DATE:2020/08/19                                                                       |            | EV                                                                                  | 1CT0  | A6    | 1600               |

CHILLER and FREEZER GLASS DOORS



CHILLER and FREEZER SPLIT DOORS



|                                                                                       |            |                                                                                     |       |       |                    |
|---------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------|-------|-------|--------------------|
| DATE:2024/01/03                                                                       | VERSION:A6 | New light 24V/New evaporator conveyor and cover + Updates                           |       |       | DESIGN BY: Alberto |
| DATE:2022/08/09                                                                       | VERSION:A5 | Add SPLIT DOOR PART (Chiller and Freezer)<br>Add 220V/60Hz (Freezer in R404a) parts |       |       | DESIGN BY: Alberto |
| DATE:2022/03/09                                                                       | VERSION:A4 | Add GLASS DOOR PART (Chiller and Freezer)                                           |       |       | DESIGN BY: Alberto |
| DATE:2021/05/12                                                                       | VERSION:A3 | New Backlit main switch/Plastic rear water tray                                     |       |       | DESIGN BY: Alberto |
| DATE:2020/12/09                                                                       | VERSION:A2 | Add:Sponge/Solenoid valve/New pressure valve switch relay for freezer               |       |       | DESIGN BY: Alberto |
| DATE:2020/08/20                                                                       | VERSION:A1 | New door/front panel design<br>New LED light                                        |       |       | DESIGN BY: Alberto |
|  |            | SCALE                                                                               | MODEL | Q.TY  | REMARKS            |
|                                                                                       |            | 1:1                                                                                 |       |       |                    |
| MATERIAL: ST1/ST2                                                                     |            | EXPLODED VIEW                                                                       |       |       |                    |
| DESIGN BY: Camilla                                                                    |            |                                                                                     |       |       |                    |
| APPROVED BY: Alberto                                                                  |            | CATEGORY                                                                            | TYPE  | GROUP | PART N°            |
| DATE:2020/08/19                                                                       |            | EV                                                                                  | 1CT0  | A6    | 1600               |