


**MOD : WR-GTN3-3N**

**Production code : QR3100**















**04/2025**

|                  |                                       |                                                              |          |      |  |
|------------------|---------------------------------------|--------------------------------------------------------------|----------|------|--|
| Item Description | QR - QN 2100/2200/3100/3200/4100/4200 |                                                              |          |      |  |
| BOM Number       | 1                                     |                                                              |          |      |  |
| Build Quantity   | 1                                     |                                                              |          |      |  |
| Fixed Cost       | 0                                     |                                                              |          |      |  |
| Remark           |                                       |                                                              |          |      |  |
| Unit             | pc                                    |                                                              |          |      |  |
| BOM Components   |                                       |                                                              |          |      |  |
| Lev. 0           |                                       |                                                              |          |      |  |
|                  | Item Number                           | Descr                                                        | Quantity | u.m. |  |
|                  | EV2AP7A42500                          | QR/QRG/QN xxxx - EXPLODED VIEW DRAWING (Ver.A4 - S25)        | 1        | pc   |  |
|                  | 1 S12AP70A0001                        | QR-QN 2100/2200 - ASSEMBLED FOAMED BODY - (S25)              | 1        | pc   |  |
|                  | 2 S12AP71A0002                        | QR/QN 2100 - FOAMED FLAT TOP - (S25)                         | 1        | pc   |  |
|                  | 3 S12AP81A0002                        | QR/QN 2200 - FOAMED TOP WITH SPLASH BACK - (S25)             | 1        | pc   |  |
|                  | 4 Z02AP72A0006                        | QR/SR/QZ/PA Ser.- UPPER/LEFT DOOR HINGE - (S25)              | 1        | pc   |  |
|                  | 5 Z02AP72A0004                        | QR/SR/QZ/PA Ser.-UPPER/RIGHT DOOR HINGE - (S25)              | 1        | pc   |  |
|                  | 6 Z02AP72A0005                        | QR/SR/QZ/PA Ser.- BOTTOM/RIGHT DOOR HINGE - (S25)            | 1        | pc   |  |
|                  | 7 Z02AP72A0007                        | QR/SR/QZ/PA Ser.- BOTTOM/LEFT DOOR HINGE - (S25)             | 1        | pc   |  |
|                  | 8 KITFT1AI4A00                        | RC 640/RC 1390/D 7/Counter - FEET KIT-(N.4 FEET ST1/S25)     | 1        | pc   |  |
|                  | 9 KITCS1AI4A00                        | RC 640/Counter-CASTOR KIT (N.2 BRAKE+N.2 WITHOUT Diam.100mm) | 1        | pc   |  |
|                  | 10 S12AQ81A0007                       | QR-QN 3100/3200 - ASSEMBLED FOAMED BODY - (S25)              | 1        | pc   |  |
|                  | 11 S12AQ81A0006                       | QR/QN 3100 - FOAMED FLAT TOP - (S25)                         | 1        | pc   |  |
|                  | 12 S12AQ91A0002                       | QR/QN 3200 - FOAMED TOP WITH SPLASH BACK - (S25)             | 1        | pc   |  |
|                  | 13 S12AR91A0001                       | QR-QN 4100/4200 - ASSEMBLED FOAMED BODY - (S25)              | 1        | pc   |  |
|                  | 14 S12AR91A0002                       | QR/QN 4100 - FOAMED FLAT TOP - (S25)                         | 1        | pc   |  |
|                  | 15 S12AS01A0002                       | QR/QN 4200 - FOAMED TOP WITH SPLASH BACK - (S25)             | 1        | pc   |  |
|                  | 16 KITFT2AR9A00                       | QR 4100/QZ16/26/30 - FEET KIT - (N°6 BULLET FEET - S25)      | 1        | pc   |  |
|                  | 17 KITCS2AR9A00                       | QR 4100/QZ16/26/30-CASTOR KIT(N.3 BRAKE+N.3 WITHOUT Diam.100 | 1        | pc   |  |
|                  | 18 KITGD2AP7A00                       | QR/QN Ser. SHELF GUIDE SET (N.1 LEFT+N.1 RIGHT "C" Form-S25) | 1        | pc   |  |
|                  | 19A I02AP79A0001                      | QR/QN Ser.SOLID DOOR-GN1/1 SHELF(Dim.530x325-GAP 20)-(S25)   | 1        | pc   |  |
|                  | 19B I02AP79A0002                      | QR/QN Ser. GN1/1 BOTTOM SHELF(Dim.510x326mm - S25)           | 1        | pc   |  |
|                  | 20 S12AP79A0002                       | QR/SR/ Ser.-FRONT/RIGHT and LEFT VERT.GUIDE SUPPORT-(S25)    | 1        | pc   |  |
|                  | 21 S12AP79A0006                       | QR/SR/ Ser.REAR/RIGHT and LEFT VERT.GUIDE SUPP(From A4-S25)  | 1        | pc   |  |
|                  | 22 S12AP79A0007                       | QR/SR/Ser.-FRONTAL/CENTRAL VERT.GUIDE SUPP(From VerA4 - S25) | 1        | pc   |  |
|                  | 23 S12AP72A0002                       | QR/SR Ser.-LEFT DOOR-(Inc.GASKET+SELF CLOSING-S25)           | 1        | pc   |  |
|                  | 24 S12AP72A0001                       | QR/SR Ser.-RIGHT DOOR-(Inc.GASKET+SELF CLOSING-S25)          | 1        | pc   |  |
|                  | 25 R02AP72A0003                       | QR/QRG-SR/SRG Ser.- SOLID/GLASS DOOR GASKET - (S25)          | 1        | pc   |  |
|                  | 26 Z01AI42A0006                       | RC 640/COUNTER - SELF CLOSING SPRING (Solid/Glass Door-S25)  | 1        | pc   |  |
|                  | 27 E2304GR00001                       | RL2(P)-MAIN SWITCH RLEIL: TYPE RL2(P)-21/N-2-GR/BK-P1-2      | 1        | pc   |  |
|                  | 28 E20A143F2D00                       | XR06CX-5W1T1 "FLAT" DIXELL THERM (DX-XOLIPGOXB5S2-100)       | 1        | pc   |  |
|                  | 29 P04AA01A0019                       | BLACK MEMBR.DIXELL FLAT THER.XR02/06 "NEUTRAL 4 BUTTON"-S50) | 1        | pc   |  |
|                  | 30 S12AP71A0001                       | QR/SR/QZ/PA Ser.-ENGINE ROOM FRONT PANEL (SOLID DOORS-S25)   | 1        | pc   |  |
|                  | 31 S12AP70A0002                       | QR/QN Ser. - AIR CONVEYOUR - (2/3/4 Doors - S25)             | 1        | pc   |  |
|                  | 32 S12AP70A0003                       | QR/QN Ser.-INTERNAL CONVEYOUR(Connect cassette and body-S25) | 1        | pc   |  |

|                                          |               |                                                              |   |    |
|------------------------------------------|---------------|--------------------------------------------------------------|---|----|
| <b>33</b>                                | E212AA030B01  | NTC PROBE - CABLE 3000 mm BLACK Color (Temperature)          | 1 | pc |
| <b>34</b>                                | E212AA030W01  | NTC PROBE - CABLE 3000 mm WHITE Color for EVAPORATOR         | 1 | pc |
| <b>35</b>                                | C01AA86A0002  | CHARGE VALVE FOR S/S ITEMS                                   | 1 | pc |
| <b>36</b>                                | C02AP76A0004  | Counter CHILLER and FREEZER Ser. - RETURN PIPE - (S25)       | 1 | pc |
| <b>37C-2/3D/CHILLER 2/3 DOORS</b>        | E27B2J3C0000  | NUH55LA COMP.CUBIGEL R290-220/240V 50Hz-1/3 HP CSIR:         | 1 | pc |
| <b>37C-4D/CHILLER 4 DOORS UNTIL A5</b>   | E27B2H2E0000  | EM2X3125U - COMP.EMBRACO R290-220-240V 50Hz-1/4 HP RSCR:     | 1 | pc |
| <b>37C-4D/CHILLER 4 DOORS FROM A6</b>    | E27J2H6C0000  | NVT50FSC CUBIGEL COMP. R290 - 220/250V 80/225Hz-1/4 HP BPM:  | 1 | pc |
| <b>37F-2D/FREEZER 2 DOORS</b>            | E27B2U4H0000  | NPY14LA COMP.HUAYI R290 - 220/240V 50Hz- 5/8 HP CSR:         | 1 | pc |
| <b>37F-3/4D/FREEZER 3/4 DOORS</b>        | E27B2O4H0000  | NPT16LA 2 - COMP.HUAYI R290-220-240V 50Hz-3/4HP CSR:         | 1 | pc |
| <b>38</b>                                | Z02AP73A0001  | QR/QZ/PA Ser. - ENGINE PLATE - (S25)                         | 1 | pc |
| <b>39</b>                                | Z02AP78A0003  | QR/QZ/PA Ser. - FRONTAL CONDENSER CONVEYOUR - (S25)          | 1 | pc |
| <b>40</b>                                | Z02AP78A0004  | QR/QZ/PA Ser. - GUIDE FOR CONDENSER CONVEYOUR - (S25)        | 1 | pc |
| <b>41</b>                                | P02AP78A0002  | Counter Ser. - FILTER FOR CONDENSER TYPE A/B - (S25)         | 1 | pc |
| <b>42C-2/3D/CHILLER 2/3 DOORS</b>        | C02AP78A0001  | CONDENSER Type A:QR/SR 2100/3100-QZ16/20/26-PA2100 - (S25)   | 1 | pc |
| <b>42C-4D/CHILLER 4 DOORS</b>            | C01AI48A0001  | RC 640/QR 4xx/QZ30/PA 3100/Static upright - CONDENSER-(S25)  | 1 | pc |
| <b>42F/FREEZER</b>                       | C02AQ68A0001  | CONDENSER Type B:QN and SF 2100/3100/4100 -(5R10K210L - S25) | 1 | pc |
| <b>43C-2/3D/CHILLER 2/3 DOORS</b>        | E181A2002801  | EBMPAPTS FAN BLADE D.200mm-28*; 300 M3/h                     | 1 | pc |
| <b>43C-4D/CHILLER 4 DOORS</b>            | E181A2003401  | EBMPAPTS FAN BLADE D.200mm-34*; 400 M3/h                     | 1 | pc |
| <b>43F/FREEZER</b>                       | E181A2303401  | EBMPAPTS FAN BLADE D.230mm-34*; 820 M3/h                     | 1 | pc |
| <b>44C/CHILLER</b>                       | E192A2003800  | FAN DIAGONAL GUARD GRILLE FOR BLADE D.200mm D.INT=212;W=38mm | 1 | pc |
| <b>44F/FREEZER</b>                       | E192A2303800  | FAN DIAGONAL GUARD GRILLE FOR BLADE D.230mm D.INT=271;W=38mm | 1 | pc |
| <b>45C-2D/CHILLER 2 DOORS</b>            | E17A1A070800  | M4Q045-CA01-01 EBM FAN:230VAC,50/60Hz,30/40°C,1,1Kg          | 1 | pc |
| <b>45C-3D/4DCHILLER 3/4 DOORS TYPE A</b> | E17A1A150001  | EDP5220A-220-13 (EmkeElectrics) FAN: 220-240V,50/60Hz        | 1 | pc |
| <b>45C-3D/4DCHILLER 3/4 DOORS TYPE B</b> | E17A1A150000  | EM072E-EC230-14 (EmkeElectrics) FAN: 220-240V,50/60Hz        | 1 | pc |
| <b>45F/FREEZER</b>                       | E17A1A100900  | M4Q045-CA03-51 EBM FAN:230VAC,50/60Hz,30/40°C,1,2Kg          | 1 | pc |
| <b>46</b>                                | C02AP76A0002  | Counter CHILLER and FREEZER - DRIER FILTER (Single PIPE-S25) | 1 | pc |
| <b>47C-2/3D/CHILLER 2/3 DOORS</b>        | C02AP76A0001  | CAPILLARY Type A:QR/SR 2100/3100-QZ16/20/26-PA2100 - (S25)   | 1 | pc |
| <b>47C-4D/CHILLER 4 DOORS</b>            | C02AR96A0001  | CAPILLARY Type B: QR/SR 4100 - QZ30/PA 3100 - (S25)          | 1 | pc |
| <b>47F-2D/FREEZER 2 DOORS</b>            | C02AQ66A0001  | CAPILLARY Type C: QN/SF 2100 - (S25)                         | 1 | pc |
| <b>47F-3/4D/FREEZER 3/4 DOORS</b>        | C02AR76A0001  | CAPILLARY Type D: QN/SF 3100 - QN/SF 4100 - (S25)            | 1 | pc |
| <b>48</b>                                | Z02AP73A0011  | Counter - HOLDER FOR "TCO" CLIXON - (S25)                    | 1 | pc |
| <b>49</b>                                | E45NC35000000 | CLIXON TCO (WYE-320-0014) - 250VAC/16A - 350°C               | 1 | pc |
| <b>50</b>                                | Z02AP73A0010  | QR/SR/QZ/PA Ser.-PLATE FOR JUNCTION BOX - (S25)              | 1 | pc |
| <b>51</b>                                | E01A08004025  | WIRING BOX (Dim.80*mm40mm*25mm)                              | 1 | pc |
| <b>52</b>                                | C02AP76A0003  | QR and QN/QZ/PA Ser.- DISCHARGE PIPE - (S25)                 | 1 | pc |
| <b>53</b>                                | S12AP73A0009  | QR/SR/QZ/PA Ser.- EXTERNAL WATER TRAY (On engine plate-S25)  | 1 | pc |
| <b>54</b>                                | P02AP73A0006  | QR/QZ/PA Ser. - CASSETTE BASEMENT - (S25)                    | 1 | pc |
| <b>55</b>                                | S22AP77A0002  | Counter Ser. - PLATE SUPPORT FOR EVAPORATOR TYPE A/B - (S25) | 1 | pc |
| <b>56C-2/3D/CHILLER 2/3 DOORS</b>        | C02AP77A0003  | COATED EVAP.Type A: QR2100/3100-QZ16/20/26-PA2100/3100 (S25) | 1 | pc |
| <b>56C-4D/CHILLER 4 DOORS</b>            | C02AR97A0002  | COATED EVAPORATOR Type B: QR 4100/4200 - QZ30 - (S25)        | 1 | pc |
| <b>56F/FREEZER</b>                       | C02AQ67A0002  | COATED EVAPORATOR Type D:QN 2100/3100/4100 -(5R5K372L - S25) | 1 | pc |
| <b>57</b>                                | E17A2A152400  | ECM7112AAA2IA011 TANGENTIAL FAN:220/240V;50/60Hz-15/24W      | 1 | pc |

|            |               |                                                              |   |    |
|------------|---------------|--------------------------------------------------------------|---|----|
| <b>58</b>  | C02AP76A0005  | QR/QN Series - DEFROST HEATER (1385mm/500W - S25)            | 1 | pc |
| <b>59</b>  | E31A25001500  | SF-76Y THERMAL CUTOFF PROTECTOR,250VAC-15A                   | 1 | pc |
| <b>60</b>  | P02AP73A0007  | QR/QZ/PA Ser. - CASSETTE COVER - (S25)                       | 1 | pc |
| <b>61</b>  | P02AP73A0008  | QR/QZ/PA Ser.-CASSETTE COVER FIXING BLOCK - (S25)            | 1 | pc |
| <b>62</b>  | S12AP73A0003  | QR/QN Ser. RIGHT REMOVABLE PANEL - (S25)                     | 1 | pc |
| <b>63</b>  | Z02AP73A0002  | QR/SR/QZ/PA Ser.-REAR ENGINE ROOM PLATE - (S25)              | 1 | pc |
| <b>64A</b> | E25EUB315300  | POWER CORD 3x1,5 mmq - EU PLUG - BLACK COLOR 3 Mt            | 1 | pc |
| <b>64B</b> | E25UKB315300  | POWER CORD 3x1,5 mmq - UK PLUG - BLACK COLOR 3 Mt            | 1 | pc |
| <b>64C</b> | E25AUB315300  | POWER CORD 3x1,5 mmq - AUSTRALIAN PLUG - BLACK COLOR 3.0 Mt. | 1 | pc |
| <b>64D</b> | E25INB315300  | POWER CORD 3x1,5 mmq - INDIAN PLUG - BLACK COLOR 3.0 Mt.     | 1 | pc |
| <b>70</b>  | DWA5RWAA22500 | SD 27                                                        | 1 | pc |
| <b>71</b>  | DWA4RWAA22500 | SD 37                                                        | 1 | pc |
| <b>72</b>  | DWC7RWAA22500 | SD M7                                                        | 1 | pc |
| <b>73</b>  | S1DWA45A0001  | QR Counter-1/2 DRAWER(Inc.Panel+Drawer+Telesc.guide set-S25) | 1 | pc |
| <b>74</b>  | R0DWB75A0002  | QR/SR Counter - GASKET FOR 1/2 DRAWER - (S25)                | 1 | pc |
| <b>75</b>  | S1DWC75A0001  | QR Counter-2/3 DRAWER(Inc.Panel+Drawer+Telesc.guide set-S25) | 1 | pc |
| <b>76</b>  | R0DWC75A0002  | QR/SR Counter - GASKET FOR 2/3 DRAWER - (S25)                | 1 | pc |
| <b>77</b>  | S1DWA55A0001  | QR Counter-1/3 DRAWER(Inc.Panel+Drawer+Telesc.guide set-S25) | 1 | pc |
| <b>78</b>  | R0DWB85A0002  | QR/SR Counter - GASKET FOR 1/3 DRAWER - (S25)                | 1 | pc |
| <b>79</b>  | KITGDDWA4B00  | QR Counter/DWT Ser. - DRAWER GUIDE SET FURTELER (1L+1R-S25)  | 1 | pc |
| <b>80</b>  | S5DWA45A0004  | QR/SR Counter Ser. - DRAWER CENTRAL MULLION - (S25)          | 1 | pc |
| <b>90</b>  | I02AP99A0001  | QRG Ser.GLASS DOOR-GN1/1 SHELF(Dim.530x325-GAP 10)-(S25)     | 1 | pc |
| <b>91</b>  | S22AP92A0003  | QRG/SRG Ser. - CYLINDRICAL HANDLE - (S25)                    | 1 | pc |
| <b>92</b>  | E22DT1035041  | ONN-X3Q-C1-400 LED TUBE LAMP - 200/240V - 50/60Hz -4W        | 1 | pc |
| <b>93</b>  | A02AP92A0002  | QRG/SRG Ser.-LEFT DOOR (Inc.Gasket+Self Closing+Handle -S25) | 1 | pc |
| <b>94</b>  | A02AP92A0001  | QRG/SRG Ser.-RIGHT DOOR(Inc.Gasket+Self Closing+Handle -S25) | 1 | pc |
| <b>95</b>  | E20A141C0D00  | XR02CX-5W0C1 BLACK DIXELL THERM.-LICCOXB5AB (RWC)            | 1 | pc |
| <b>96</b>  | E2304BL00001  | RL2(P)-LIGHT SWITCH RLEIL: TYPE RL2(P)-21/N-2-BL/BK-P1-2     | 1 | pc |
| <b>97</b>  | S12AP91A0001  | QRG/SRG Ser.-ENGINE ROOM FRONT PANEL (GLASS DOORS-S25)       | 1 | pc |



|                                                                                       |             |                                                                          |                                  |       |                   |
|---------------------------------------------------------------------------------------|-------------|--------------------------------------------------------------------------|----------------------------------|-------|-------------------|
| DATE:2023/03/24                                                                       | VERSION: A4 | Updates for CLASS A (2/3 Doors) and CLASS B (4 Doors)+New bottom SHELVES |                                  |       | DESIGN BY:Alberto |
| DATE:2020/06/28                                                                       | VERSION: A3 | New drawer set (300mm), Unify SPARES MODELS                              |                                  |       | DESIGN BY:Alberto |
| DATE:2019/11/29                                                                       | VERSION: A2 | New FRONTAL vertical support for shelf and drawer set                    |                                  |       | DESIGN BY:Alberto |
| DATE:2019/01/25                                                                       | VERSION: A1 | Add "TCO", Protector and 1/3+2/3 drawer set part number                  |                                  |       | DESIGN BY:Alberto |
|  |             | SCALE                                                                    | MODEL                            | Q.Ty  | REMARKS:          |
|                                                                                       |             | 1:1                                                                      | QR/QRG/QN x100<br>QR/QRG/QN x200 |       |                   |
| MATERIAL: S1/S2                                                                       |             | QR/QRG/QN Ser. - EXPLODED VIEW                                           |                                  |       |                   |
| DESIGN BY:Camilla                                                                     |             |                                                                          |                                  |       |                   |
| APPROVED BY:Alberto                                                                   |             | CATEGORY                                                                 | TYPE                             | GROUP | PART N°           |
| DATE:2018/04/17                                                                       |             | EV                                                                       | 2AP7                             | A4    | 2500              |

