



**MOD : WR-SAL6-S3**

**Production code : S 903 STD**




| Item Description |                  | S 903 Range                                                  |          |            |        |
|------------------|------------------|--------------------------------------------------------------|----------|------------|--------|
| BOM Number       |                  | 1                                                            |          |            |        |
| Build Quantity   |                  | 1                                                            |          |            |        |
| Fixed Cost       |                  | 0                                                            |          |            |        |
| Remark           |                  |                                                              |          |            |        |
| Unit             | pc               |                                                              |          | Unitary    |        |
| BOM Components   |                  |                                                              |          | Sale Price |        |
| Lev. 0           | Item Number      | Descr                                                        | Quantity | u.m.       | USD    |
|                  | EV4AA1A12900     | S 903 Ser. - 3 DOORS RANGE EXPLODED VIEW DRAWING(Ver.A1-S29) | 1        | pc         | 0      |
|                  | 1 S14AA10A0002   | S 903 Ser. - ASSEMBLED FOAMED BODY - (S29)                   | 1        | pc         | 292,8  |
|                  | 2 S14AA02A0020   | S 90x Ser. - BOTTOM DOOR PIVOT FOR HINGE (Solid dooor - S29) | 3        | pc         | 2,4    |
|                  | 3 S14AA02A0019   | S 90x Ser. - RIGHT/LEFT BOTTOM HINGE - (Solid door - S29)    | 2        | pc         | 3,9    |
|                  | 4 P04AA03A0010   | S 90x Ser. - DRAIN PIPE JUNCTION (Inc. CAP + NUT - S29)      | 1        | pc         | 2,4    |
|                  | 5 S14AA11A0014   | S 903 Ser -UPPER BAR FOR FIX TOP/DOOR PIVOT(Solid door-S29)  | 1        | pc         | 16,8   |
|                  | 6 S14AA01A0015   | S 90x Ser. - UPPER/BOTTOM MULLION HOLDER - (S29)             | 4        | pc         | 2      |
|                  | 7 S14AA01A0023   | S 90x Ser. - CENTRAL MULLION (Heated By Wire/Solid Door-S29) | 2        | pc         | 0      |
|                  | 8 S14AA02A0021   | S 90x Ser. - UPPER DOOR PIVOT FOR BAR - (S29)                | 3        | pc         | 1,5    |
|                  | 9 P04AA02A0022   | S 90x Ser. - SEAT FOR DOOR PIVOT - (Upper/Bottom - S29)      | 12       | pc         | 0,6    |
|                  | 10A E25EUB307518 | POWER CORD 3x0,75 mmq - EU PLUG - BLACK COLOR 1.8 Mt         | 1        | pc         | 28,24  |
|                  | 10B E25UKB307518 | POWER CORD 3x0,75 mmq - UK PLUG - BLACK COLOR 1.8 Mt         | 1        | pc         | 20     |
|                  | 10C E25AUB307518 | POWER CORD 3x0,75 mmq - AUSTRALIAN PLUG - BLACK COLOR 1.8 Mt | 1        | pc         | 20     |
|                  | 10D E25INB307525 | POWER CORD 3x0,75 mmq - INDIA PLUG - BLACK COLOR 2.5 Mt      | 1        | pc         | 20     |
|                  | 11 KITFT4AA0B00  | S 90x Ser. - FEET and ROLLER SET - (2 feet + 2 roller - S29) | 1        | pc         | 7,5    |
|                  | 12 E27B2L3C0000  | NUH45LA COMP.CUBIGEL R290-220/240V 50Hz-2/5 HP CSIR:         | 1        | pc         | 129,28 |
|                  | 13 I06AB33A0004  | RC 300/S 90x Ser. -PLATE FOR WATER TRAY - (S29)              | 2        | pc         | 1,72   |
|                  | 14 P06AB33A0003  | RC 300/QR 350/CR 350/S 90x Ser. - WATER TRAY - (S29)         | 1        | pc         | 3,6    |
|                  | 15 C04AA06A0010  | S 90x Ser. - DISCHARGE PIPE - (S29)                          | 1        | pc         | 14     |
|                  | 16 P04AA03A0011  | S 90x Ser. - WATER TRAY PIPE - (S29)                         | 1        | pc         | 3,9    |
|                  | 17 Z04AA03A0013  | S 90x Ser. - SUPPORT FOR CONDENSER FAN - (S29)               | 1        | pc         | 3      |
|                  | 18 E17A1A400000  | ZCF200 FAN:SHEDED POLE, 220V;50/60Hz; CABLE LENGHT 300mm     | 1        | pc         | 27,2   |
|                  | 19 E181P1902801  | FAN BLADE D.190mm-28*-PLASTIC                                | 1        | pc         | 4      |
|                  | 20 S44AA18A0003  | S 903 Ser. - CONDENSER FAN CONVEYOUR - (S29)                 | 1        | pc         | 4,68   |
|                  | 21 I04AA08A0007  | S 90x Ser. - WIRE CONDENSER - (2 and 3 Doors range - S29)    | 1        | pc         | 19,8   |
|                  | 22 C06AB36A0003  | RC 300/BTL Ser./QR 350/S 90x Ser. - DRYER FILTER - (S29)     | 1        | pc         | 3,4    |
|                  | 23 C04AA06A0009  | S 90x Ser. - CAPILLARY (L.3200mm/D.Int.0.9/Ext.2.2mm-S29)    | 1        | pc         | 6      |
|                  | 24 R04AA02A0018  | S 90x Ser. / CR Ser.- SALADETTE SOLID DOOR GASKET - (S29)    | 3        | pc         | 10,8   |
|                  | 25 S14AA02A0017  | S 90x Ser. - SOLID DOOR SET (Inc.GASKET and PIVOT SEAT -S29) | 3        | pc         | 52,5   |
|                  | 26 KITGD4AA0C00  | S 90x Ser. - SHELVES GUIDE SET - (1 Left + 1 Right - S29)    | 3        | pc         | 4,8    |
|                  | 27 S14AA09A0011  | S 90x Ser. - SIDES and FRONT/CENTRAL VERTICAL SUPPORT- (S29) | 8        | pc         | 2,4    |
|                  | 28A I04AA09A0010 | S 90x Ser. - GN1/1 SHELF - (Dim. 333x560mm - S29)            | 3        | pc         | 10,5   |
|                  | 28B I04AA09A0016 | S 90x Ser. - GN1/1 BOTTOM SHELF - (Dim. 333x560x57mm - S29)  | 3        | pc         | 10,5   |
|                  | 29 S14AA09A0012  | S 90x Ser. - REAR/CENTRAL LEFT VERTICAL SUPPORT - (S29)      | 2        | pc         | 4,5    |
|                  | 30 S14AA09A0013  | S 90x Ser. - REAR/CENTRAL RIGHT VERTICAL SUPPORT - (S29)     | 2        | pc         | 4,5    |
|                  | 31 S14AA09A0014  | S 90x Ser. - UPPER COVER FOR INNER FAN - (S29)               | 2        | pc         | 4,5    |
|                  | 32A E17D1A161400 | SF1238HA2 SOTOP FAN: 230V;50/60Hz; CABLE LENGHT 280mm        | 2        | pc         | 25,6   |
|                  | 32B E17A1A010100 | SA1238A2-HBL SEADA FAN: 220/240V;50/60Hz; CABLE LENGHT 300mm | 1        | pc         | 31,86  |
|                  | 33 E212AA030B01  | NTC PROBE - CABLE 3000 mm BLACK Color (Temperature)          | 1        | pc         | 10     |
|                  | 34 Z04AA13A0002  | S 903 Ser. - ENGINE PLATE - (S29)                            | 1        | pc         | 19,5   |
|                  | 35 P02BA01A0003  | CR Count./S 901/QB Ser-BOX SET (Switch/Thermostat-S29/S10)   | 1        | pc         | 11,72  |
|                  | 36 Z04AA01A0013  | S 90x Ser. - FRONT PANEL HOLDER BAR - (S29)                  | 3        | pc         | 4      |
|                  | 37 S14AA11A0013  | S 903 Ser. - SOLID DOOR FRONT PANEL (3 DOOR Range - S29)     | 1        | pc         | 40     |
|                  | 38 S14AA01A0018  | S 90x Ser. - PLASTIC COVER FOR SCREW - (S29)                 | 4        | pc         | 0,8    |
|                  | 39 E20A121C0D01  | XR02CX-5N4C7 DIXELL THERMOSTAT (DX-XOLICCBVJ5S1-I00)         | 1        | pc         | 57     |
|                  | 40 E2304GR00001  | RL2(P)-MAIN SWITCH RLEIL: TYPE RL2(P)-21/N-2-GR/BK-P1-2      | 1        | pc         | 11,26  |
|                  | 41 Z04AA13A0003  | S 903 Ser. - REAR/BOTTOM REINFORCE BAR - (S29)               | 1        | pc         | 10,5   |
|                  | 42 S14AA12A0002  | S 903 Ser. - CENTRAL BOTTOM HINGE - (Solid door - S29)       | 1        | pc         | 6      |
|                  | 43 S14AA13A0004  | S 903 Ser. - STRUCTURE SUPPORT - (S29)                       | 4        | pc         | 3,6    |
|                  | 50 S14AA11A0015  | S 903 SS TOP / S 903-6D Ser. - S/S SOLID TOP - (S29)         | 1        | pc         | 160    |
|                  | 51 R04AA25A0006  | S 901-2D/S 901-4D Ser. - DRAWER GASKET - (S29)               | 1        | pc         | 6,6    |
|                  | 52 KITGD4AA2D00  | S 901-2D/4D Ser. - DRAWER GUIDE SET (1 Left+1 Right)         | 1        | pc         | 135    |
|                  | 53 S54AA25A0007  | S 901-2D/S 901-4D Ser. - HORIZONTAL MULLION - (S29)          | 1        | pc         | 13,5   |

|           |              |                                                              |   |    |      |
|-----------|--------------|--------------------------------------------------------------|---|----|------|
| <b>54</b> | S14AA25A0005 | S 901-2D/S 901-4D Ser. - UPPER/RIGHT-LEFT DRAWER - (S29)     | 1 | pc | 66   |
| <b>55</b> | S14AA25A0007 | S 901-2D/S 901-4D Ser. - BOTTOM/RIGHT-LEFT DRAWER - (S29)    | 1 | pc | 66   |
| <b>56</b> | S14AA25A0008 | S 901-2D/S 901-4D Ser. - FRONTAL LEFT SUPPORT DRAWER - (S29) | 1 | pc | 2,4  |
| <b>57</b> | S14AA25A0009 | S 901-2D/S 901-4D Ser.- FRONTAL RIGHT SUPPORT DRAWER - (S29) | 1 | pc | 2,4  |
| <b>58</b> | KITSP4AA4C00 | S 90x STD/PS 200/300/SH Count.- HOLDER KIT SLIDING/LID-(S29) | 1 | pc | 24   |
| <b>59</b> | S14AA81A0005 | S 903 STD - REAR FIX OPEN TOP - (S29)                        | 1 | pc | 44,8 |
| <b>60</b> | S14AA81A0006 | S 903 STD - FRONT MOVABLE OPEN TOP - (N.2 Rollers - S29)     | 1 | pc | 44   |
| <b>61</b> | N04AA81A0007 | S 903 STD/SQ/CG - FRONTAL CUTTING BOARD - (S29)              | 1 | pc | 35,2 |
| <b>62</b> | KITRL4AA4A00 | S 90x STD -ROLLER and STOPPER KIT FOR MOVABLE OPEN TOP-(S29) | 1 | pc | 15,6 |
| <b>63</b> | KITSR4AA8C00 | S 903 STD/SQ/CG - SPACER KIT FOR PANS SUPPORT- (S29)         | 1 | pc | 27   |
| <b>64</b> | KITGS4AA9C00 | S 903 SQ - GLASS KIT - (Square shape - S29)                  | 1 | pc | 225  |
| <b>65</b> | KITSW4AA5A00 | S 900 SQ - SCREW KIT FOR GLASS SET - (Square shape - S29)    | 1 | pc | 24   |
| <b>66</b> | KITGS4AB0A00 | S 903 CG - GLASS KIT - (Curve shape - S29)                   | 1 | pc | 0    |
| <b>67</b> | KITSW4AA6A00 | S 900 CG - SCREW KIT FOR GLASS SET - (Curve shape - S29)     | 1 | pc | 36   |
| <b>68</b> | S14AB51A0003 | PS 300 - TOP OPEN LID - (S29)                                | 1 | pc | 48   |
| <b>69</b> | S14AB51A0004 | PS 300 - FIX TOP WITH PANS HOLE - (S29)                      | 1 | pc | 216  |
| <b>70</b> | KITSR4AB2C00 | PS 903/PS 300 - SPACER KIT FOR PANS SUPPORT - (S29)          | 1 | pc | 15,6 |
| <b>71</b> | S14AB21A0001 | PS 903 - UPPER COVER FOR PANS - (S29)                        | 1 | pc | 132  |
| <b>72</b> | G14AB21A0002 | PS 903 - GRANITE TOP - (S29)                                 | 1 | pc | 164  |
| <b>73</b> | S14AB21A0003 | PS 903 - BOTTOM INSULATION LAYER - (Dim.???x335mm - S29)     | 1 | pc | 32   |
| <b>80</b> | G14AS91A0001 | CRZ 93A - GRANITE FLAT TOP - (S29)                           | 1 | pc | 0    |
| <b>81</b> | S14AS91A0002 | CRZ 93A/CRM 93A - INSULATING LAYER FOR GRANITE TOP - (S29)   | 1 | pc | 0    |
| <b>90</b> | G14AT21A0001 | CRM 93A - GRANITE SOLID TOP WITH SPLASH BACK - (S29)         | 1 | pc | 0    |




|                                                                                       |            |                              |             |                    |
|---------------------------------------------------------------------------------------|------------|------------------------------|-------------|--------------------|
| DATE:2020/01/13                                                                       | VERSION:A1 | Add bottom shelf as optional |             | DESIGN BY: Alberto |
| DATE:2019/08/21                                                                       | VERSION:A0 | DESCRIPTION                  |             | DESIGN BY: Alberto |
|  |            | SCALE                        | MODEL       | Q.TY               |
|                                                                                       |            | 1:1                          | S 903 RANGE |                    |
| MATERIAL: ST1/St2                                                                     |            | S 903 Range (STATIC)         |             |                    |
| DESIGN BY: Camilla                                                                    |            | EXPLODED VIEW                |             |                    |
| APPROVED BY: Alberto                                                                  |            | CATEGORY                     | TYPE        | GROUP              |
| DATE:2019/08/21                                                                       |            | EV                           | 4AA1        | A1                 |
|                                                                                       |            | PART N°                      |             | 2900               |


MODEL: WR-SAG1-T3





MODEL: SZ 903 (Granite flat TOP)



MODEL: S 903-6D




MODEL: WR-SAL6-S3




MODEL: WR-SRZ6-M3 (Granite TOP)

|                                                                                       |            |                              |             |       |                    |  |
|---------------------------------------------------------------------------------------|------------|------------------------------|-------------|-------|--------------------|--|
| DATE:2020/01/13                                                                       | VERSION:A1 | Add bottom shelf as optional |             |       | DESIGN BY: Alberto |  |
| DATE:2019/08/21                                                                       | VERSION:A0 | DESCRIPTION                  |             |       | DESIGN BY: Alberto |  |
|  |            | SCALE                        | MODEL       | Q.TY  | REMARKS            |  |
|                                                                                       |            | 1:1                          | S 903 RANGE |       |                    |  |
| MATERIAL: ST1/ST2                                                                     |            | S 903 Range (TOP SELECTION)  |             |       |                    |  |
| DESIGN BY: Camilla                                                                    |            |                              |             |       |                    |  |
| APPROVED BY: Alberto                                                                  |            | CATEGORY                     | TYPE        | GROUP | PART N°            |  |
| DATE:2019/08/21                                                                       |            | EV                           | 4AA1        | A1    | 2900               |  |


MODEL: WR-SAL6-L3




MODEL: S 903 CG



MODEL: WR-SAS2-P3



MODEL: WR-SRP6-Z3



|                                                                                       |            |                              |                |       |                    |
|---------------------------------------------------------------------------------------|------------|------------------------------|----------------|-------|--------------------|
| DATE:2020/01/13                                                                       | VERSION:A1 | Add bottom shelf as optional |                |       | DESIGN BY: Alberto |
| DATE:2019/08/21                                                                       | VERSION:A0 | DESCRIPTION                  |                |       | DESIGN BY: Alberto |
|  |            | SCALE                        | MODEL          | Q.TY  | REMARKS            |
|                                                                                       |            | 1:1                          | S 903<br>RANGE |       |                    |
| MATERIAL: ST1/ST2                                                                     |            | S 903 Range (TOP SELECTION)  |                |       |                    |
| DESIGN BY: Camilla                                                                    |            |                              |                |       |                    |
| APPROVED BY: Alberto                                                                  |            | CATEGORY                     | TYPE           | GROUP | PART N°            |
| DATE:2019/08/21                                                                       |            | EV                           | 4AA1           | A1    | 2900               |