

08/2012

Mod: AF2T/L2

Production code: AE073009-DM



Diamond
catering equipment

Modello - Model - Model - Gerätetyp		AF2T/L2	
Code Production		AE073009-DM	
		TN	
	Descrizione - Description Description - Beschreibung Tipo di teglie - Trays type Type de plateaux - Blechety - Tipo de fuentes	350VTN + 350SPE	
	Range	GN 2/1	
	Scheda Elettronica - Electronic card	EVCO EVX214	
	Funzionamento - Operating Mode Mode de fonctionnemen - Betriebsmodus	V	S
	Capacità lorda - Gross Capacity Capacité brute - Bruttovolumen	I	350
	Dimensioni esterne - External Dimension Dimensions externes - ußenabmessungen		
	Lunghezza - Width -Largeur - Breite	mm750	
	Profondità / con porte aperte Depth / with open doors Profondeur avec portes ouverte Tiefe/mit geöffneter Tu	mm820/1530	
	Altezza - Height - Hauteur - Höhe	mm2025	
	Dimensioni interne - Internal Dimension Dimensions internes - Innenabmessungen		
	Lunghezza - Width -Largeur - Breite	mm600	600
	Profondità - Depth Profondeur - Tiefe	mm670	670
	Altezza - Height - Hauteur - Höhe	mm645	645
	Porte - Doors - Portes - Türen	2x1/2 ,Full	
	Dotazione Standard - Standard Equipment Equipement standard - Standardausstattung	Plastic-Coated Grid 530x650	Polycarbonate Container GN
	Luce interna - Internal light Ecalirage intérieure - Innerbeleuchtung	2	4
	Serratura - Lock Serrure - Schloss		
	Sbrinamento - Defrost - Dégivrages - Abtauen		
	Type	Hot Gas	Manual
	N° Defrost in 24 hrs.	Automatic	-
	Evaporazione acqua sbrinamento - Evaporation of defrost water Evaporation eau de dégivrage - Tauwasserverdunstung	Automatic by Hot Gas	Manual
	Compressor	Embraco	
	Model	EMT6144GK	EMT6144GK
	Potenza - Power - Puissance - Leistung	HP1/5	1/5
	Potenza frigorifera - Refrigerant Power Puissance frigorifique - Kälteleistung	watt440	350
	Refrigerante - Refrigerant type Réfrigérant type - Kältemitteltyp	R404A	R404A
	Quantità di refrigerante - Refrigerant quantity Quantité de réfrigérant - Kältemittelmenge	gr270	230
	Classe Climatica - Climate Class - Classe Climatique - Klima Klasse	+43°C	
	Potenza assorbita - Total Power Puissance - Leistung	watt280 - 1,5	250 - 1,3
	Tensione alimentazione - Supply Voltage Tension d'alimentation - Anschlussspannung	V230V 50Hz 1+N	
	220V/60Hz Voltage		
	Peso Netto - Net weight Poids net - Netto Gewicht	kg145	
	Volume - Volume - Volume - Volumen	mc1,5	
	Versione Predisposta - Remote version Version sans groupe - Modele ohne Aggregat	③	
① S = Statico - Static - Statique - Stille Kühlung / V = Ventilato - Ventilated - Ventile - Umluftkühlung ② ● = Dotazione di serie - Standard equipment - Dotation standard - Serien Ausstattung □ =Optional ③ Sbrinamento elettrico - Electrical defrosting - Dégivrage électrique - Elektrische Abtaung			

