

02/2015

Mod: AI/MIV

Production code: FAFL



Diamond
catering equipment



MIXER A IMMERSIONE SERIE LIGHT velocità variabile

STICK BLENDERS
LIGHT DUTY LINE
variable speed



SRS Self-Regulating
Speed

La tecnologia SRS consente di ottenere
composti estremamente omogenei.
*SRS device grants high-quality
homogeneous mixtures.*




FAFL



FSFC
Supporto parete per Combi
Wall support for Combi



Innesto a sgancio rapido
che semplifica l'inserimento
degli accessori
Quick-and-Easy clutch




Pulsante in dimensioni ottimali
Display luminoso con regolatore a 9 velocità
Handy starter
Luminous display with 9 speeds regulator



Apparecchi per uso professionale / Ideali per pasticcerie, gelaterie, ristoranti, alberghi / Corpo realizzato in plastica con disegno innovativo /
Apparecchi dal peso contenuto e di facile utilizzo / Motore ventilato di produzione nazionale / Termica di protezione al motore / Variatore di velocità
/ Sistema elettronico di stabilizzazione di velocità e potenza SRS / Giunti di connessione in polimero ad alta resistenza / Mescolatore e frusta in acciaio
inox / Mescolatore disponibile in 3 misure 300-400-500 mm/ Innesto a baionetta / Lame forgiate in acciaio / Campana in acciaio inox / Norme CE /
Apparecchio certificato da ente di controllo / Fabbriato in Italia

Professional equipment / Particularly suited for ice cream shops, confectioner's, restaurants, hotels / Exclusive body design made from plastic / User friendly and
light tool for comfortable use / Italian make ventilated motor / Thermal overload protection included / Variable speed / Control board equipped with SRS device
for power and speed stabilization / High grade joints made from polymer / Fully detachable stainless steel shafts available in 3 lengths 300-400-500 mm / Full
stainless steel, high performance blade c/ All food contact parts in stainless steel / CE APPROVED / Patented stick blender / Proudly Made in Italy





	Codice Model code Kode	A	B	C	D	B+C	E	F	B+E	Peso netto Net weight Nettogewicht		Alimentazione Power supply Spannung	Potenza Motor power Leistung	Velocità Speed Geschwindigkeit	Dimensioni imballaggio Packing dimensions Verpackungsabmessung
MIXER 300 VV		mm	mm	mm	mm	mm	mm	mm	mm	kg	lt.	Volt/Hz	Watt	Giri/Rpm	mm
Corpo+Frusta+Mescolatore 300 mm./Body + Whip + Blender Tube 300 mm	FM300VVC300			340		650				3,45	30			●	350x470x140
Corpo+Frusta+Mescolatore 400 mm./Body + Whip + Blender Tube 400 mm	FM300VVC400	100	350	440	85	750	330	120	640	3,60	50	230 V - 50/60	300	2.000 9.000 MAX	350x470x140
Corpo+Frusta+Mescolatore 500 mm./Body + Whip + Blender Tube 500 mm	FM300VVC500			540		850				3,80	80			13.000	800x300x140
MIXER 400 VV															
Corpo+Frusta+Mescolatore 300 mm./Body + Whip + Blender Tube 300 mm	FM400VVC300			340		650				3,75	50			■	350x470x140
Corpo+Frusta+Mescolatore 400 mm./Body + Whip + Blender Tube 400 mm	FM400VVC400	100	350	440	85	750	330	120	640	3,90	80	230 V - 50/60	400	2.000 9.000 MAX	350x470x140
Corpo+Frusta+Mescolatore 500 mm./Body + Whip + Blender Tube 500 mm	FM400VVC500			540		850				4,10	100			15.000	800x300x140
COMPONENTI / Components															
Corpo Motore 300 VV/Body Motor Mixer 300VV	FM300VV	100	350							1,80		230 V - 50/60	300	●	440x190x160
Corpo Motore 400 VV/Body Motor Mixer 400VV	FM400VV									2,10			400	■	
Mescolatore 300 mm./Blender Tube 300 mm.	FM300L			340						0,85	30/50				
Mescolatore 400 mm./Blender Tube 400 mm.	FM400L			440	85					1,00	50/80				650x100x100
Mescolatore 500 mm./Blender Tube 500 mm.	FM500L			540						1,20	80/100				
Frusta/Whip	FAFL						330	120		0,80	40				390x120x115

	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg	lt.	Volt/Hz	Watt	Giri/Rpm	mm
Reference model Codice Modell	A	B	C	D	B+C	E	F	B+E	Peso netto Net weight Nettogewicht			Alimentazione Power supply Spannung	Potenza Motor power Leistung	Velocità Speed Geschwindigkeit	Dimensioni imballaggio Packing dimensions Verpackungsabmessung