

MOD : CCV5-MP

Production code : 30000033887

Technical data sheet



CCV5-MP

CHARACTERISTICS

Climate class		: CC3
Temperature range	(°C)	: 7°C / 3,5°C
Power	(W)	: 390W
Voltage/freq.	(V / Hz.)	: 220-240v / 50HZ

TECHNICAL SPECIFICATIONS

External dimensions	(WDXH)mm	: 1305*635*1255
Internal dimensions	(WDXH)mm	: 1180*510*560
Package dimensions	(WDXH)mm	: 1357*695*891,5
Gross volume	(L)	: 381
Net volume	(L)	: 337
Gross weight	(kg)	: 80
Net weight	(kg)	: 73
Outer body		: 0.45 mm CRS
Inner liner		: 0.45 mm Prepainted Steel
Insulation material		: Rigid P.U.
Insulation density		: 38~40 kg/m³
Internal light		: +
Canopy light		: -
Light Switch		: +
Door Switch		: -
Levelling leg (front)		: N/A
Levelling leg (back)		: N/A
Roller		: 4 castors
Comp. capacity		: Embraco, 449 W
Evaporator		: SKIN
Evap. ventilator		: -
Condenser		: AUXILIARY AND SKIN
Cond. ventilator		: AXIAL_220-240V_7/31W_PROPELLER_200MM_34°
Thermostat		: MECHANICAL
Refrigerant		: R290
Refrigerant charge	(g)	: 100 grams
Approvals		: CE,ROHS

* External depth is without back stopper.

