



MOD : CCV7-MG

Production code : 30000033912

04/2025

Technical data sheet



CCV7-MG

CHARACTERISTICS

Climate class		: CLASS 5
Temperature range	(°C)	: <-18
Edaily (kWh/day)		: 4,99
Power	(W)	: 450W
Voltage/freq.	(V / Hz.)	: 220-240v / 50HZ

TECHNICAL SPECIFICATIONS

<u>External dimensions</u>	(WXDXH)mm	: 1555*635*890
Internal dimensions	(WXDXH)mm	: 1430*510*560
Package dimensions	(WXDXH)mm	: 1607*695*989
Gross volume	(L)	: 467
Net volume	(L)	: 414
Gross weight	(kg)	: 92
Net weight	(kg)	: 84
Outer body		: 0.45 mm CRS
Inner liner		: 0.45 mm Gofrj
Insulation material		: Rigid P.U.
Insulation density		: 38~40 kg/m³
Internal light		: +
Canopy light		: -
Light Switch		: +
Door Switch		: -
Levelling leg (front)		: N/A
Levelling leg (back)		: N/A
Roller		: 4 castors
Comp. capacity		: EMBRACO 582W
Evaporator		: SKIN
Evap. ventilator		: -
Condenser		: AUXILLARY AND SKIN
Cond. ventilator		: AXIAL_FAN_220-240V_7/31W_PROPELLER_200MM_34
Thermostat		: MECHANICAL
Refrigerant		: R290
Refrigerant charge	(g)	: 120 gr
Approvals		: CE,ROHS

* External depth is without back stopper.

