


10/2021

Mod: DBS5/6-AC

Production code: 917468

MODEL: DBS5/6-AC

Overall Dimension (Width-Depth-Height) *open	mm	466x556(882*) x695
Packaging Dimension (WxDxH)	mm	660x560x870
Gross weight	Kg	45
Net weight	Kg	42
Volume	mc	0,35



Interface

	Rack size	mm	400x400
	Max door opening	mm	320
□	Max glasses height	mm	300
	General construction		double skin
	Door/hood Construction		double skin
	Tank construction		deep drawn
↘	Tank volume	liter	8
	Tank heating element	W	600
	Tank surface strainers		stainless steel
⚙️	Wash pump type		double flow
	Wash pump power	W	200
	Wash temperature	°C	60
	Boiler type		without pressure
↘	Boiler volume	liter	2,6
	Back-flow system		break tank
	Boiler heating element	W	2.600
	Rinse booster pump		yes
⚙️	Rinse booster pump power	W	200
	Rinse temperature	°C	65
	Rinse water consumption	Liter /rack	2,0
	Optimal external water pressure	bar	2
🚰	Drain system		deep drain
	Drain pump		standard built in
▶	Rinse aid dispenser	peristaltic	YES
	Detergent dispenser	peristaltic	YES
🧼	Wash cycle	sec	60 - 120 - 150
	Self cleaning cycle		YES
	Electric Power	W	3.400
⚡	Electric Connection	V - ph - Hz	230V 1N 50Hz
	Fuse	A	16
	Water softner		YES
	Plates racks		-
	Flat Rack		YES (x2)
	Cutterly Rack		YES
▶	Support for saucers		YES
	Electric cable		YES
	Drain hose		YES
	Fill hose		YES

