

06/2018

Mod: DBT101/TS-GX

Production code: ABV5001-DM (CER. SINISTRA)




Diamond
catering equipment

 Modello - Model - Model - Gerätetyp - Modelo		ABV5001	ABV5054	ABV5004
				
 Descrizione - Description Description - Beschreibung - Descripción		10T 1/1	10TR 1/1	14T 1/1
 Tipo di teglie - Trays type - Type de plateaux - Blechetyp - Tipo de fuentes		GN 1/1 - 600x400	GN 1/1 - 600x400	GN 1/1 - 600x400
Capacità Massima - Teglie H=65 - Max load capacity - Trays H=65 Capacité maximale - Plateaux H=65 Fassungsvermögen - Bleche H=65 - Número máximo de fuentes H=65	N°	10	10	14
Interasse griglie - Grids pitch Pas des grilles - Gitterabstax - Intereje fuentes	mm	75	75	67
 Ciclo Positivo - Positive cycle - Cycle positif - Positiver Zyklus (+90° ... +3°)	kg	40	40	55
Ciclo Negativo - Negative cycle - Cycle negatif - Negativer Zyklus (+90° ...-18°)	kg	25	25	35
	Dimensioni esterne - External Dimension Dimensions externes - ußenabmessungen - Dimensiones externas			
	Lunghezza - Width -Largeur - Breite - Anchura	mm	800	800
	Profondità / con porte aperte - Depth / with open doors Profondeur avec portes ouverte Tiefe/mit geöffneter Tü - Profundidad / con puerta abierta	mm	825/1585	900/1660
	Altezza - Height - Hauteur - Höhe - Altura	mm	1800	1800
	Dimensioni interne - Internal Dimension Dimensions internes - Innenabmessungen - Dimensiones internas			
	Lunghezza - Width -Largeur - Breite - Anchura	mm	664	435
	Profondità - Depth - Profondeur - Tiefe - Profundidad	mm	415	664
	Altezza - Height - Hauteur - Höhe	mm	870	870
	Sbrinamento - Defrost - Dégivrages - Abtauen - Descongelación Automatico a gas caldo - Automatic by hot gas - Automatique par gaz chaud			
	Evaporazione acqua sbrinamento - Evaporation of defrost water Evaporation eau de dégivrage Tauwasserverdunstung - Evaporación agua de condensación Manuale - Manual Manuelle - Handentleerung			
	Compressor			
	Model	H180CS	H180CS	H200CS
	Potenza - Power - Puissance - Leistung	HP	1,8	2
	T° Evaporation	°C	-25	-25
	Potenza frigorifera - Refrigerant Power Puissance frigorifique - Kälteleistung	watt	2080	2080
	Refrigerante - Refrigerant type - Réfrigérant type - Kältemitteltyp - Refriante R404A			
	Quantità di refrigerante - Refrigerant quantity Quantité de réfrigérant - Kältemittelmenge	gr	1800	2300
	Potenza assorbita - Total Power - Puissance - Leistung - Potencia 2500			
	Tensione alimentazione - Supply Voltage Tension d'alimentation - Anschlussspannung - Alimentación	V	400V 3N~ 50Hz	400V 3N~ 50Hz
	Peso Netto - Net weight - Poids net - Netto Gewicht - peso neto 190 (210)			

10 T

SCHEDA ALLACCIAMENTI - CONNECTION CARD – ANSCHLUSSSCHEMA
FICHE DES RACCORDEMENTS- FICHA DE ENLACES



	Scarico acqua
	Water Drain
	Vidage Eau
	Wasserabfluss
	Evacuacion Agua

	Allacciamento Elettrico
	Electric Connection
	Branchement Electrique
	Elektroanschluss
	Conexiòn elètrica

10T 14T

**SCHEMA ALLACCIAMENTI - CONNECTION CARD - ANSCHLUSSSCHEMA
FICHE DES RACCORDEMENTS- FICHA DE ENLACES**

