


06/2018

Mod: DBT102/TS

Production code: ABV5042-DM




Diamond
catering equipment

 Modello - Model - Model - Gerätetyp - Modelo		ABV5066	ABV5042
			
	Descrizione - Description Description - Beschreibung - Descripción	6T 2/1	10T 2/1
	Tipo di teglie - Trays type Type de plateaux - Blechetyp - Tipo de fuentes	GN 2/1 - 600x800	GN 2/1 - 600x800
	Capacità Massima - Teglie H=65 Max load capacity - Trays H=65 Capacité maximale - Plateaux H=65 Fassungvermögen - Bleche H=65 - Número máximo de fuentes H=65	N° 6	6 (H=65mm) 10 (H=40mm)
	Interasse griglie - Grids pitch Pas des grilles - Gitterabsatz - Intereje fuentes	mm 70	50/75
	Ciclo Positivo - Positive cycle Cycle positif - Positiver Zyklus (+90° ... +3°)	kg 50	75
	Ciclo Negativo - Negative cycle Cycle negatif - Negativer Zyklus (+90° ... -18°)	kg 30	50
	Dimensioni esterne - External Dimension Dimensions externes - ußenabmessungen - Dimensiones externas		
	Lunghezza - Width - Largeur - Breite - Anchura	mm 1050	1050
	Profondità / con porte aperte - Depth / with open doors Profondeur avec portes ouverte Tiefe/mit geöffneter Tü - Profundidad / con puerta abierta	mm 1080/1820	1080/1840
	Altezza - Height - Hauteur - Höhe - Altura	mm 1200	1900
	Dimensioni interne - Internal Dimension Dimensions internes - Innenabmessungen - Dimensiones internas		
	Lunghezza - Width - Largeur - Breite - Anchura	mm 644 / 910	664 / 910
	Profondità - Depth Profondeur - Tiefe - Profundidad	mm 905	905
	Altezza - Height - Hauteur - Höhe	mm 485	870
	Sbrinamento - Defrost - Dégivrages - Abtauen - Descongelación	Automatico a gas caldo - Automatic by hot gas - Automatique par gaz chaud	
	Evaporazione acqua sbrinamento - Evaporation of defrost water Evaporation eau de dégivrage Tauwasserverdunstung - Evaporación agua de condensación	Manuale - Manual Manuelle - Handentleerung	
	Compressor		
	Model	H200CS	H290CS
	Potenza - Power - Puissance - Leistung	HP 2	2,9
	T° Evaporation	°C -25	-25
	Potenza frigorifera - Refrigerant Power Puissance frigorifique - Kälteleistung	watt 2430	3380
	Refrigerante - Refrigerant type Réfrigérant type - Kältemitteltyp - Refriante	R404A	R404A
	Quantità di refrigerante - Refrigerant quantity Quantité de réfrigérant - Kältemittelmenge	gr 2300	2500
	Potenza assorbita - Total Power Puissance - Leistung - Potencia	watt 3000	3500
	Tensione alimentazione - Supply Voltage Tension d'alimentation - Anschlussspannung - Alimentación	V 400V 3N~ 50Hz	400V 3N~ 50Hz
	Peso Netto - Net weight Poids net - Netto Gewicht - peso neto	kg 165	240 (270)

10T 2/1

SCHEDA ALLACCIAMENTI - CONNECTION CARD - ANSCHLUSSSCHEMA
FICHE DES RACCORDEMENTS- FICHA DE ENLACES



Scarico acqua
 Water Drain
 Vidage Eau
 Wasserabfluss
 Evacuacion Agua



Allacciamento Elettrico
 Electric Connection
 Branchement Electrique
 Elektroanschluss
 Conexiòn elètrica

6T 2/1 10T 2/1

SCHEDA ALLACCIAMENTI - CONNECTION CARD - ANSCHLUSSSCHEMA
FICHE DES RACCORDEMENTS- FICHA DE ENLACES

