

10/2019

Mod: DC402/6-A

Production code: 917459

		Model	DC402/6-A	
		Code Production	917459	
Interface:				
				
				
	Overall Dimension (Width-Depth-Height) *open		mm	436 x 535 (870*)x670
	Packaging Dimension (WxDxH)		mm	520x610x840
	Gross weight		Kg	34
	Net weight		Kg	31
	Volume		mc	0,27
	Rack size		mm	385x385
	Max door /hood opening		mm	320
	Max glasses/plate Height		mm	300
	General construction		single skin	
	Door/hood Construction		double skin	
	Tank construction		welded	
	Tank volume		liter	8
	Tank heating element		W	600
	Tank surface strainers		Yes- composite	
	Wash pump type		double flow	
	Wash pump power		W	200
	Wash temperature		°C	60
	Boiler type		pressurized	
	Boiler volume		liter	2,6
	Back-flow system		valve	
	Boiler heating element		W	2.600
	Rinse booster pump		NO	
	Rinse booster pump power		W	-
	Rinse temperature		°C	65
	Rinse water consumption		Liter /rack	2,0
	Optimal external water pressure		bar	2 - 4
	Drain system		overflow	
	Drain pump		KIT (DPS-LB/4)	
	Rinse aid dispenser		peristaltic	YES
	Detergent dispenser		peristaltic	KIT (DD-LVB/3)
	Wash cycle		sec	120
	Electric Power		W	3.500
	Electric Connection		V - ph - Hz	230V 1N 50Hz
	Fuse		A	16
	Water softner		YES	
	Plates racks		NO	
	Flat Rack		YES (x2)	
	Cutterly Rack		YES	
	Support for plates		YES	
	Electric cable		n°1	YES
	Drain hose		n°1	YES
	Fill hose		n°1	YES

