

06/2018

Mod: SX120/DV-R6

Production code: GV33-120-I



Diamond
catering equipment



GN 5x1/4



VK33-120/R600

Vitrine Cooler GN1/4

Product features:

- Stainless steel 304
- Accepts GN1/4 pans (Not supplied)
- Static cooling
- Glass structure for protection of food
- Adjustable feet



Glass structure for protection of food



Stainless steel lid as option

Technical data

Climate Class	4
Temperature Range, °C	2 to 10
Gross Volume, l.	32
Capacity, GN1/4	5
External Dimensions, WxDxH (With glass top)	1200x335x225 (435)
Internal Dimensions, WxDxH	845x245x155
Packing Dimensions, WxDxH	1280x380x310
40'ft Container load, pcs.	250
Lid	SS304 lid as option
Dividers	4 long and 1 short
Exterior	SS304
Interior	SS304
Castors/Feet	4 adjustable feet
Lock	No
Voltage/Frequency, V/Hz.	220-240/50
Rated Input Power, W.	112
Energy Consumption. kWh/h. (Cold pans with lid)	0.16
Gross Weight, kg.	45
Net. Weight, kg.	40
Noise Level, db(A)	47
Type of Cooling	Static
Type of Defrost	Manual
Type of Control	Electronic
Thermometer	Yes
Refrigerant	R600a
Charge, g.	40

