


01/2020




Mod: TG2N/HA-R2+EV


Production code: TEMG2V2560-DM

	Modello - Model Model - Gerätetyp			TG2N/HA-R2+EV
				Code Production TEMG2V2520-DM
				
	Descrizione - Description - Description - Beschreibung			2 Doors
	Tipo di teglie - Trays type - Type de plateaux - Blechetyp - Tipo de fuentes			GN 1/1
	Range			-2°C...+8°C
	Scheda Elettronica - Electronic card			EVCO EVX214
	Funzionamento - Operating Mode - Mode de fonctionnemen - Betriebsmodus S = Statico-Static-Statique-Stille Kühlung V = Ventilato-Ventilated-Ventile-Umluftkühlung			V
	Capacità lorda - Gross Capacity - Capacité brute - Bruttovolumen	I		226
	Dimensioni esterne - External Dimension - Dimensions externes - ußenabmessungen			
	Lunghezza - Width -Largeur - Breite	mm		1355
	Profondità / con porte aperte - Depth / with open doors Profondeur avec portes ouverte - Tiefe/mit geöffneter Tü	mm		700/1090
	Altezza - Height - Hauteur - Höhe	mm		850
	Dimensioni interne - Internal Dimension - Dimensions internes - Innenabmessungen			
	Lunghezza - Width -Largeur - Breite	mm		791
	Profondità - Depth - Profondeur - Tiefe	mm		530
	Altezza - Height - Hauteur - Höhe	mm		540
	Porte - Doors - Portes - Türen			2
	Dotazione Standard - Standard Equipment - Equipement standard - Standardausstattung			GN 1/1 Griglia plastificata - Plastic-Coated Grid Grille Plastifiée - Kunststoff-Beschichtetes Gitter
	Serratura - Lock - Serrure - Schloss			2
	Fondo inox - Stainless Steel bottom - Fond inox - Edelstahlgrundboden			☐
	Sbrinamento - Defrost - Dégivrages - Abtauen			☐
	Type			Gas caldo - Hot gas - Gaz chaude - Heissem Gas
	N° Defrost in 24 hrs.			3
	Evaporazione acqua sbrinamento - Evaporation of defrost water Evaporation eau de dégivrage - Tauwasserverdunstung			Gas caldo - Hot gas - Gaz chaude - Heissem Gas
	Compressor 			
	Model			EMC3119U
	Potenza - Power - Puissance - Leistung	Hp		1/4
	Potenza frigorifera - Refrigerant Power - Puissance frigorifique - Kälteleistung	watt		425
	Refrigerante - Refrigerant type - Réfrigérant type - Kältemitteltyp	Type		R290
	Quantità di refrigerante - Refrigerant quantity - Quantité de réfrigérant - Kältemittelmenge	gr		80
	Potenza assorbita - Total Power - Puissance - Leistung	watt		250W - 1A
	Tensione alimentazione - Supply Voltage - Tension d'alimentation - Anschlussspannung	V		230V~ 50Hz
	Peso Netto - Net weight - Poids net - Netto Gewicht	kg		163
	Volume - Volume - Volume - Volumen	mc		1,07
	Efficienza Energetica - Energy Efficiency - Classe Énergie - Energieeffizienzklasse			A
	Energia - Energy - Énergie - Energie	kWh / annum		554
	Volume Netto - Net Volume - Volume Net - Nettoinhalt	I		204
	Classe Climatica - Climate Class - Classe Climatique - Klima Klasse			5 +40°C 40%


● = Dotazione di serie - Standard equipment - Dotation standard - Serien Ausstattung ☐ = Optional









	Modello - Model Model - Gerätetyp			TG3N/HA-R2+EV	
				Code Production	TEMG3V2520-DM
					
	Descrizione - Description - Description - Beschreibung			3 Doors	
	Tipo di teglie - Trays type - Type de plateaux - Blechetyp - Tipo de fuentes			GN 1/1	
	Range			-2°C...+8°C	
	Scheda Elettronica - Electronic card			EVCO EVX214	
	Funzionamento - Operating Mode - Mode de fonctionnemen - Betriebsmodus S = Statico-Static-Statique-Stille Kühlung V = Ventilato-Ventilated-Ventile-Umluftkühlung			V	
	Capacità lorda - Gross Capacity - Capacité brute - Bruttovolumen		I	355	
	Dimensioni esterne - External Dimension - Dimensions externes - ußenabmessungen				
	Lunghezza - Width -Largeur - Breite		mm	1805	
	Profondità / con porte aperte - Depth / with open doors Profondeur avec portes ouverte - Tiefe/mit geöffneter Tü		mm	700/1090	
	Altezza - Height - Hauteur - Höhe		mm	850	
	Dimensioni interne - Internal Dimension - Dimensions internes - Innenabmessungen				
	Lunghezza - Width -Largeur - Breite		mm	1239	
	Profondità - Depth - Profondeur - Tiefe		mm	530	
	Altezza - Height - Hauteur - Höhe		mm	540	
	Porte - Doors - Portes - Türen			3	
	Dotazione Standard - Standard Equipment - Equipement standard - Standardausstattung			GN 1/1 Griglia plastificata - Plastic-Coated Grid Grille Plastifiee - Kunststoff-Beschichtetes Gitter	
	Serratura - Lock - Serrure - Schloss				
	Fondo inox - Stainless Steel bottom - Fond inox - Edelstahlgrundboden				
	Sbrinamento - Defrost - Dégivrages - Abtauen				
	Type			Gas caldo - Hot gas - Gaz chaude - Heissem Gas	
	N° Defrost in 24 hrs.			3	
	Evaporazione acqua sbrinamento - Evaporation of defrost water Evaporation eau de dégivrage - Tauwasserverdunstung			Gas caldo - Hot gas - Gaz chaude - Heissem Gas	
	Compressor 				
	Model			EMC3119U	
	Potenza - Power - Puissance - Leistung		Hp	1/4	
	Potenza frigorifera - Refrigerant Power - Puissance frigorifique - Kälteleistung		watt	425	
	Refrigerante - Refrigerant type - Réfrigérant type - Kältemitteltyp		Type	R290	
	Quantità di refrigerante - Refrigerant quantity - Quantité de réfrigérant - Kältemittelmenge		gr	80	
	Potenza assorbita - Total Power - Puissance - Leistung		watt	250W - 1A	
	Tensione alimentazione - Supply Voltage - Tension d'alimentation - Anschlussspannung		V	230V~ 50Hz	
	Peso Netto - Net weight - Poids net - Netto Gewicht		kg	206	
	Volume - Volume - Volume - Volumen		mc	1,42	
	Efficienza Energetica - Energy Efficiency - Classe Énergie - Energieeffizienzklasse			A	
	Energia - Energy - Énergie - Energie		kWh / annum	621	
	Volume Netto - Net Volume - Volume Net - Nettoinhalt		I	319	
	Classe Climatica - Climate Class - Classe Climatique - Klima Classe			5 +40°C 40%	
				● = Dotazione di serie - Standard equipment - Dotation standard - Serien Ausstattung  =Optional	

● = Dotazione di serie - Standard equipment - Dotation standard - Serien Ausstattung  =Optional





	Modello - Model Model - Gerätetyp			TG4N/HA-R2+EV	
				Code Production	TEMG4V2520-DM
					
	Descrizione - Description - Description - Beschreibung		4 Doors		
	Tipo di teglie - Trays type - Type de plateaux - Blechetyp - Tipo de fuentes		GN 1/1		
	Range		-2°C...+8°C		
	Scheda Elettronica - Electronic card		EVCO EVX214		
	Funzionamento - Operating Mode - Mode de fonctionnemen - Betriebsmodus S = Statico-Static-Statique-Stille Kühlung V = Ventilato-Ventilated-Ventile-Umluftkühlung		V		
	Capacità lorda - Gross Capacity - Capacité brute - Bruttovolumen				483
	Dimensioni esterne - External Dimension - Dimensions externes - ußenabmessungen				
	Lunghezza - Width -Largeur - Breite		mm		2250
	Profondità / con porte aperte - Depth / with open doors Profondeur avec portes ouverte - Tiefe/mit geöffneter Tü		mm		700/1090
	Altezza - Height - Hauteur - Höhe		mm		850
	Dimensioni interne - Internal Dimension - Dimensions internes - Innenabmessungen				
	Lunghezza - Width -Largeur - Breite		mm		1687
	Profondità - Depth - Profondeur - Tiefe		mm		530
	Altezza - Height - Hauteur - Höhe		mm		540
	Porte - Doors - Portes - Türen		4		
	Dotazione Standard - Standard Equipment - Equipement standard - Standardausstattung		GN 1/1 Griglia plastificata - Plastic-Coated Grid Grille Plastifiee - Kunststoff-Beschichtetes Gitter		
	Serratura - Lock - Serrure - Schloss		4		
	Fondo inox - Stainless Steel bottom - Fond inox - Edelstahlgrundboden				
	Sbrinamento - Defrost - Dégivrage - Abtauen				
	Type		Gas caldo - Hot gas - Gaz chaude - Heissem Gas		
	N° Defrost in 24 hrs.		3		
	Evaporazione acqua sbrinamento - Evaporation of defrost water Evaporation eau de dégivrage - Tauwasserverdunstung		Gas caldo - Hot gas - Gaz chaude - Heissem Gas		
	Compressor				
	Model		EMC3119U		
	Potenza - Power - Puissance - Leistung		Hp		1/4
	Potenza frigorifera - Refrigerant Power - Puissance frigorifique - Kälteleistung		watt		425
	Refrigerante - Refrigerant type - Réfrigérant type - Kältemitteltyp		Type		R290
	Quantità di refrigerante - Refrigerant quantity - Quantité de réfrigérant - Kältemittelmenge		gr		80
	Potenza assorbita - Total Power - Puissance - Leistung		watt		250W - 1A
	Tensione alimentazione - Supply Voltage - Tension d'alimentation - Anschlussspannung		V		230V~ 50Hz
	Peso Netto - Net weight - Poids net - Netto Gewicht		kg		248
	Volume - Volume - Volume - Volumen		mc		1,76
	Efficienza Energetica - Energy Efficiency - Classe Énergie - Energieeffizienzklasse		A		
	Energia - Energy - Énergie - Energie		kWh / annum		687
	Volume Netto - Net Volume - Volume Net - Nettoinhalt		l		433
	Classe Climatica - Climate Class - Classe Climatique - Klima Classe		5 +40°C 40%		

● = Dotazione di serie - Standard equipment - Dotation standard - Serien Ausstattung

 =Optional

● = Dotazione di serie - Standard equipment - Dotation standard - Serien Ausstattung  =Optional

