


10/2021

Mod: TPS2B/HG

Production code: TEPP2V4530-DM + PGP0117

	Modello - Model - Model - Gerätetyp			TPS2B/HG
				TPS2B/HA
				TPS2B/H
				
	Descrizione - Description - Description - Beschreibung		2 Doors	
	Tipo di teglie - Trays type - Type de plateaux - Blechetyt - Tipo de fuentes		EN400x600	
	Range		-20°C...-10°C	
	Scheda Elettronica - Electronic card		CAREL PJEZ	
	Funzionamento - Operating Mode - Mode de fonctionnemen - Betriebsmodus S = Statico-Static-Statique-Stille Kühlung V = Ventilato-Ventilated-Ventile-Umluftkühlung		V	
	Capacità lorda - Gross Capacity - Capacité brute - Bruttovolumen	l	293	
	Dimensioni esterne - External Dimension - Dimensions externes - außenabmessungen			
	Lunghezza - Width -Largeur - Breite	mm	1295	
	Profondità / con porte aperte - Depth / with open doors Profondeur avec portes ouverte - Tiefe/mit geöffneter Tür	mm	800/1250	
	Altezza - Height - Hauteur - Höhe	mm	850	
	Dimensioni interne - Internal Dimension - Dimensions internes - Innenabmessungen			
	Lunghezza - Width -Largeur - Breite	mm	905	
	Profondità - Depth - Profondeur - Tiefe	mm	600	
	Altezza - Height - Hauteur - Höhe	mm	540	
	Porte - Doors - Portes - Türen		2	
	Dotazione Standard - Standard Equipment - Equipement standard - Standardausstattung		4 coppie guide per porta - 4 pairs of slides per door 4 couples des glissières chaque porte - 4 Paar Führungen pro Tür	
	Serratura - Lock - Serrure - Schloss		☐	
	Fondo inox - Stainless Steel bottom - Fond inox - Edelstahlgrundboden		☐	
	Sbrinamento - Defrost - Dégivrages - Abtauen			
	Type		Elettrico - Electric - Electrique - Elektrische	
	N° Defrost in 24 hrs.		3	
	Evaporazione acqua sbrinamento - Evaporation of defrost water Evaporation eau de dégivrage - Tauwasserverdunstung		Elettrico - Electric - Electrique - Elektrische	
	Compressor			
	Potenza frigorifera - Refrigerant Power - Puissance frigorifique - Kälteleistung	watt	520	
	Refrigerante - Refrigerant type - Réfrigérant type - Kältemitteltyp		R404A/R452A	
	Classe Climatica - Climate Class - Classe Climatique - Klima Classe		5 +40°C 40%	
	Tensione alimentazione - Supply Voltage - Tension d'alimentation - Anschlussspannung	V	220-240V~ 50/60Hz	
	Peso Netto - Net weight - Poids net - Netto Gewicht	kg	171	
	Volume - Volume - Volume - Volumen	mc	1,58	

● = Dotazione di serie - Standard equipment - Dotation standard - Serien Ausstattung

□ = Optional

