


10/2021

Mod: TPS4N/HG

Production code: TEPP4V1500-DM + PGP0119

	Modello - Model - Model - Gerätetyp			TPS4N/HG
				TPS4N/HA
				TPS4N/H
				
	Descrizione - Description - Description - Beschreibung			4 Doors
	Tipo di teglie - Trays type - Type de plateaux - Blechtyp - Tipo de fuentes			EN400x600
	Range			-2°C...+8°C
	Scheda Elettronica - Electronic card			CAREL PJEZ
	Funzionamento - Operating Mode - Mode de fonctionnemen - Betriebsmodus S = Statico-Static-Statique-Stille Kühlung V = Ventilato-Ventilated-Ventile-Umluftkühlung			V
	Capacità lorda - Gross Capacity - Capacité brute - Bruttovolumen	l		620
	Dimensioni esterne - External Dimension - Dimensions externes - ußenabmessungen			
	Lunghezza - Width -Largeur - Breite	mm		2340
	Profondità / con porte aperte - Depth / with open doors Profondeur avec portes ouverte - Tiefe/mit geöffneter Tür	mm		800/1250
	Altezza - Height - Hauteur - Höhe	mm		850
	Dimensioni interne - Internal Dimension - Dimensions internes - Innenabmessungen			
	Lunghezza - Width -Largeur - Breite	mm		1915
	Profondità - Depth - Profondeur - Tiefe	mm		600
	Altezza - Height - Hauteur - Höhe	mm		540
	Porte - Doors - Portes - Türen			4
	Dotazione Standard - Standard Equipment - Equipement standard - Standardausstattung			4 coppie guide per porta - 4 pairs of slides per door 4 couples des glissières chaque porte - 4 Paar Führungen pro Tür
	Serratura - Lock - Serrure - Schloss			☐
	Fondo inox - Stainless Steel bottom - Fond inox - Edelstahlgrundboden			☐
	Sbrinamento - Defrost - Dégivrages - Abtauen			
	Type			Elettrico - Electric - Electrique - Elektrische
	N° Defrost in 24 hrs.			3
	Evaporazione acqua sbrinamento - Evaporation of defrost water Evaporation eau de dégivrage - Tauwasserverdunstung			Elettrico - Electric - Electrique - Elektrische
	Compressor			
	Potenza frigorifera - Refrigerant Power - Puissance frigorifique - Kälteleistung	watt		550
	Refrigerante - Refrigerant type - Réfrigérant type - Kältemitteltyp			R404A/R452A
	Classe Climatica - Climate Class - Classe Climatique - Klima Classe			5 +40°C 40%
	Tensione alimentazione - Supply Voltage - Tension d'alimentation - Anschlussspannung	V		220-240V~ 50/60Hz
	Peso Netto - Net weight - Poids net - Netto Gewicht		kg	196
	Volume - Volume - Volume - Volumen		mc	2,55

● = Dotazione di serie - Standard equipment - Dotation standard - Serien Ausstattung

□ = Optional

