

09/2021

Mod: TS2B/H

Production code: TEPG2V4540-DM

↙ Modello - Model Model - Gerätetyp			TS2B/HA
			TS2B/H
▶	Descrizione - Description - Description - Beschreibung	2 Doors	
	Tipo di teglie - Trays type - Type de plateaux - Blechetyp - Tipo de fuentes	GN 1/1	
🔥	Range	-20°C...-10°C	
📄	Scheda Elettronica - Electronic card	CAREL PJEZ	
🌀	Funzionamento - Operating Mode - Mode de fonctionnemen - Betriebsmodus S = Statico-Static-Statique-Stille Kühlung V = Ventilato-Ventilated-Ventile-Umluftkühlung	V	
📏	Capacità lorda - Gross Capacity - Capacité brute - Bruttovolumen	I	226
↕	Dimensioni esterne - External Dimension - Dimensions externes - ußenabmessungen		
	Lunghezza - Width -Largeur - Breite	mm	1145
	Profondità / con porte aperte - Depth / with open doors Profondeur avec portes ouverte - Tiefe/mit geöffneter Tü	mm	700/1090
	Altezza - Height - Hauteur - Höhe	mm	850
↕	Dimensioni interne - Internal Dimension - Dimensions internes - Innenabmessungen		
	Lunghezza - Width -Largeur - Breite	mm	791
	Profondità - Depth - Profondeur - Tiefe	mm	530
	Altezza - Height - Hauteur - Höhe	mm	540
↘	Porte - Doors - Portes - Türen	2	
	Dotazione Standard - Standard Equipment - Equipement standard - Standardausstattung	GN 1/1 Griglia plastificata - Plastic-Coated Grid Grille Plastifiée - Kunststoff-Beschichtetes Gitter	
🔒	Serratura - Lock - Serrure - Schloss	❑	
	Fondo inox - Stainless Steel bottom - Fond inox - Edelstahlgrundboden	❑	
🧊	Sbrinamento - Defrost - Dégivrages - Abtauen		
	Type	Elettrico - Electric - Electrique - Elektrische	
	N° Defrost in 24 hrs.	3	
	Evaporazione acqua sbrinamento - Evaporation of defrost water Evaporation eau de dégivrage - Tauwasserverdunstung	Elettrico - Electric - Electrique - Elektrische	
🔧	Compressor		
	Potenza frigorifera - Refrigerant Power - Puissance frigorifique - Kälteleistung	watt	520 (@-30°C / +45°C)
↘	Refrigerante - Refrigerant type - Réfrigérant type - Kältemitteltyp	Type	R404A/R452A
↘	Classe Climatica - Climate Class - Classe Climatique - Klima Classe	5 +40°C 40%	
⚡	Tensione alimentazione - Supply Voltage - Tension d'alimentation - Anschlussspannung	V	220-240V~ 50/60Hz
⚖	Peso Netto - Net weight - Poids net - Netto Gewicht	kg	116
	Volume - Volume - Volume - Volumen	mc	0,91

● = Dotazione di serie - Standard equipment - Dotation standard - Serien Ausstattung

□ = Optional



