

09/2021

Mod: TS3B/HA

Production code: TEG3V4550-DM

Modello - Model Model - Gerätetyp		TS3B/HA
		TS3B/H
	Descrizione - Description - Description - Beschreibung	3 Doors
	Tipo di teglie - Trays type - Type de plateaux - Blechetyp - Tipo de fuentes	GN 1/1
	Range	-20°C....10°C
	Scheda Elettronica - Electronic card	CAREL PJEZ
	Funzionamento - Operating Mode - Mode de fonctionnemen - Betriebsmodus S = Statico-Static-Statique-Stille Kühlung V = Ventilato-Ventilated-Ventile-Umluftkühlung	V
	Capacità lorda - Gross Capacity - Capacité brute - Bruttovolumen	l355
	Dimensioni esterne - External Dimension - Dimensions externes - ußenabmessungen	
	Lunghezza - Width -Largeur - Breite	mm1595
	Profondità / con porte aperte - Depth / with open doors Profondeur avec portes ouverte - Tiefe/mit geöffneter Tü	mm700/1090
	Altezza - Height - Hauteur - Höhe	mm850
	Dimensioni interne - Internal Dimension - Dimensions internes - Innenabmessungen	
	Lunghezza - Width -Largeur - Breite	mm1239
	Profondità - Depth - Profondeur - Tiefe	mm530
	Altezza - Height - Hauteur - Höhe	mm540
	Porte - Doors - Portes - Türen	3
	Dotazione Standard - Standard Equipment - Equipement standard - Standardausstattung	GN 1/1 Griglia plastificata - Plastic-Coated Grid Grille Plastifiée - Kunststoff-Beschichtetes Gitter 3
	Serratura - Lock - Serrure - Schloss	
	Fondo inox - Stainless Steel bottom - Fond inox - Edelstahlgrundboden	
	Sbrinamento - Defrost - Dégivrages - Abtauen	
	Type	Elettrico - Electric - Electrique - Elektrische
	N° Defrost in 24 hrs.	3
	Evaporazione acqua sbrinamento - Evaporation of defrost water Evaporation eau de dégivrage - Tauwasserverdunstung	Elettrico - Electric - Electrique - Elektrische
	Compressor	
	Potenza frigorifera - Refrigerant Power - Puissance frigorifique - Kälteleistung	watt610 (@-30°C / +45°C)
	Refrigerante - Refrigerant type - Réfrigérant type - Kältemitteltyp	TypeR404A/R452A
	Classe Climatica - Climate Class - Classe Climatique - Klima Classe	5 +40°C 40%
	Tensione alimentazione - Supply Voltage - Tension d'alimentation - Anschlussspannung	V220-240V~ 50/60Hz
	Peso Netto - Net weight - Poids net - Netto Gewicht	kg154
	Volume - Volume - Volume - Volumen	mc1,26

● = Dotazione di serie - Standard equipment - Dotation standard - Serien Ausstattung

□ = Optional



