04/2018

Mod: DPA/SAC28


Production code: 19043372





Drop-In - Drop-in complementary accessories - Heated plate dispensers

Model IDPC-28





Drop-In - Drop-in complementary accessories - Heated plate dispensers

Model: IDPC-28 Reference: 19043372

General features


Model #


- Special system with steel springs, keeping the plates at a constant level for easy service.
- Elasticity can be adjusted according to the weight of the plates, turning on/off the springs.
- Adjustable diameter plate size system, with 3 flexible rods that work as a plate stacking guides.
- Made of stainless steel, with an injected CFC-free, ecological polyurethane, 40 Kg/m3 density isolation. With its highly insulated walls, heat losses are reduced thus obtaining energy savings
- Easy to place and remove.
- Approximate capacity (depending on plate thickness): 40/45 plates.
- Maximum load: 45 Kg.
- Control box with an adjustable thermostat, operating light pilot and plugwire.
- Electrical output: 480 W.
- Operating voltage and frequency: 230V/1/50Hz
- Covers for plate dispensers






Reference	19043372
External dimensions (mm)	420 x 730
Ø Dish	180 ÷ 280 mm
Description	Heated plate dispenser







Packaging dimensions: Height: 940,000 MM Depth: 500,000 MM Width: 540,000 MM Gross weight: 21,000 KG