

04/2018

Mod: DPA/SAC34

Production code: 19043373



Diamond
catering equipment

Model #

Name #

Proeject Name #

Project Area #

Project Item #

Drop-In - Drop-in complementary accessories - Heated plate dispensers
Model IDPC-34






Drop-In - Drop-in complementary accessories - Heated plate dispensers
Model: IDPC-34
Reference: 19043373

- General features

 - Special system with steel springs, keeping the plates at a constant level for easy service.
 - Elasticity can be adjusted according to the weight of the plates, turning on/off the springs.
 - Adjustable diameter plate size system, with 3 flexible rods that work as a plate stacking guides.
 - Made of stainless steel, with an injected CFC-free, ecological polyurethane, 40 Kg/m3 density isolation. With its highly insulated walls, heat losses are reduced thus obtaining energy savings
 - Easy to place and remove.
 - Approximate capacity (depending on plate thickness): 40/45 plates.
 - Maximum load: 45 Kg.
 - Control box with an adjustable thermostat, operating light pilot and plugwire.
 - Electrical output: 480 W.
 - Operating voltage and frequency: 230V/1/50Hz
 - Covers for plate dispensers



Reference	19043373
External dimensions (mm)	480 x 730
Ø Dish	240 ÷ 340 mm
Description	Heated plate dispenser



Packaging dimensions:
 Height: 940,000 MM
 Depth: 500,000 MM
 Width: 540,000 MM
 Gross weight: 27,000 KG