


**Mod: WR-LV50-MPSC**

**Production code: 919052**

|  Model |                                              | WR-LV50-MPSC |             |                    |
|-----------------------------------------------------------------------------------------|----------------------------------------------|--------------|-------------|--------------------|
|                                                                                         |                                              |              |             |                    |
| Interface:                                                                              |                                              |              |             |                    |
|        |                                              |              |             |                    |
|       |                                              |              |             |                    |
|        | Overall Dimension (Width-Depth-Height) *open |              | mm          | 575x605(1005*)x820 |
|                                                                                         | Packaging Dimension (WxDxH)                  |              | mm          | 690x670x980        |
|                                                                                         | Gross weight                                 |              | Kg          | 62                 |
|                                                                                         | Net weight                                   |              | Kg          | 56                 |
|                                                                                         | Volume                                       |              | mc          | 0,45               |
|        | Rack size                                    |              | mm          | 500x500            |
|                                                                                         | Max door /hood opening                       |              | mm          | 365                |
|                                                                                         | Max glasses/plate Height                     |              | mm          | 325                |
|                                                                                         | Flank construction                           |              |             | single wall        |
|                                                                                         | Door/hood Construction                       |              |             | double wall        |
|                                                                                         | Rack's drives/frame construction             |              |             | flat               |
|      | Tank construction                            |              |             | embossed bottom    |
|                                                                                         | Tank volume                                  |              | liter       | 20                 |
|                                                                                         | Tank heating element                         |              | W           | 2.100              |
|                                                                                         | Tank surface strainers                       |              |             | optional           |
|      | Wash pump type                               |              |             | double flow        |
|                                                                                         | Wash pump power                              |              | W           | 500                |
|                                                                                         | Wash temperature (NOT adjustable)            |              | °C          | 60                 |
|      | Boiler type                                  |              |             | pressurized        |
|                                                                                         | Boiler volume                                |              | liter       | 6                  |
|                                                                                         | Back-flow system                             |              |             | valve              |
|                                                                                         | Boiler heating element                       |              | W           | 3.000              |
|      | Rinse booster pump                           |              |             | no                 |
|                                                                                         | Rinse booster pump power                     |              | W           | -                  |
|                                                                                         | Rinse temperature (adjustable)               |              | °C          | 80                 |
|                                                                                         | Thermostop                                   |              |             | YES                |
|                                                                                         | Rinse water consumption                      |              | Liter /rack | 2,2                |
|                                                                                         | Optimal external water pressure              |              | bar         | 2 - 4              |
|      | Drain system                                 |              |             | overflow pipe      |
|                                                                                         | Drain pump                                   |              |             | standard built in  |
|      | Detergent dispenser (manually adjustable)    |              |             | YES                |
|                                                                                         | Detergent dispenser (manually adjustable)    |              |             | optional           |
|      | Wash cycle                                   |              | sec         | 120                |
|                                                                                         | Electric Power                               |              | W           | 3.500              |
|      | Electric Connection                          |              | V - ph - Hz | 230V 1N 50Hz       |
|                                                                                         | Fuse                                         |              | A           | 16                 |
|      | Water softner                                |              |             | NO                 |
|                                                                                         | Plates racks                                 |              |             | YES                |
|                                                                                         | Flat Rack                                    |              |             | YES                |
|                                                                                         | Cutterly Rack                                |              |             | YES                |
|                                                                                         | Electric cable                               |              |             | YES                |
|                                                                                         | Drain hose                                   |              |             | YES                |
|                                                                                         | Fill hose                                    |              |             | YES                |

