




MOD : AL4S/FGF

Production code : AT68V1511-DM+KAST0002

04/2025

	Modello - Model - Model - Gerätetyp		AL4S/FGF
	Code Production		AT68V1511-DM + KAST0002
STG			
☐	Descrizione - Description - Description - Beschreibung		53 x 80 PV
	Range		-3°C +35°C
☐	Funzionamento - Operating Mode - Mode de fonctionnement - Betriebsmodus S = Statico - Static - Statique - Stille Kühlung V = Ventilato - Ventilated - Ventile - Umluftkühlung		V
	Capacità lorda - Gross Capacity - Capacité brute - Bruttovolumen	l	750
	N° programmi - N° programs - N° programmes - N° Programme		20
	N° cicli - N° cycles - N° cycles - N° Zyklen		6
	Dimensioni esterne - External Dimension - Dimensions externes - außenabmessungen		
	Lunghezza - Width - Largeur - Breite	mm	790
	Profondità / con porte aperte - Depth / with open doors Profondeur avec portes ouverte - Tiefe/mit geöffneter Tür	mm	1095 / 1750
	Altezza - Height - Hauteur - Höhe	mm	2025
	Dimensioni interne - Internal Dimension - Dimensions internes - Innenabmessungen		
	Lunghezza - Width - Largeur - Breite	mm	640
	Profondità - Depth - Profondeur - Tiefe	mm	860
	Altezza - Height - Hauteur - Höhe	mm	1360
	Porte - Doors - Portes - Türen		1, Glass
	Dotazione Standard - Standard Equipment - Equipement standard - Standardausstattung		8 Coppie Guide + 8 Griglie plastificate 8 pairs of slides + 8 Plastic-Coated Grids 8 glissieres + 8 Grilles Plastifiée 8 paar führungen + 8 Kunststoff-Beschichtetes Gitter
	Interasse teglie - Pans pitch - Pas des bacs - Backblecheabsatz	mm	67
☐	Luce interna - Internal light - Eclairage intérieure - Innerbeleuchtung		●
	Serratura - Lock - Serrure - Schloss		●
	Sbrinamento - Defrost - Dégivrages - Abtauen		
	Type		Electric
	N° Defrost in 24 hrs.		6
	Evaporazione acqua sbrinamento - Evaporation of defrost water Evaporation eau de dégivrage - Tauwasserverdunstung		Automatic Hot Gas
	Compressor		
	Model		NEU6210Z
	Potenza - Power - Puissance - Leistung	HP	1/3+
	T° Evaporation	°C	-10
	Potenza frigorifera - Refrigerant Power - Puissance frigorifique - Kälteleistung	watt	680
	Refrigerante - Refrigerant type - Réfrigérant type - Kältemitteltyp		R134a / 1430
	Quantità di refrigerante - Refrigerant quantity - Quantité de réfrigérant - Kältemittelmenge	gr	370
	Classe Climatica - Climate Class - Classe Climatique - Klima Classe		4 30°C-55%
	Potenza Sistemi Riscaldanti - Heating Power	watt	700
	Potenza Generatore Vapore - Steam generator power	watt	40
	Potenza assorbita REFRIGERAZIONE - Power - Puissance - Leistung	watt	450 / 5,2 A max
	Tensione alimentazione - Supply Voltage - Tension d'alimentation - Anschlussspannung	V	230V~ 50Hz
	Noise Level	dbA	53
	Peso Netto - Net weight - Poids net - Netto Gewicht	kg	160

② ● = Dotazione di serie - Standard equipment - Dotation standard - Serien Ausstattung □ = Optional

**I**

Ingresso acqua
Water Inlet
D'entrée d'eau
Wasserzulauf
ø3/4"

U

Uscita acqua
Water Outlet
Sortie d'eau
Wasseraustritt
ø3/4"