



MOD : AP40M-1Z-R2

Production code : BYWS251MA05P11-DI

05/2025

Fiche technique / Technisches Datenblatt / Technical data sheet /
Scheda tecnica / Ficha técnica



AP40M-1Z-R2

	Form	kW	T° Out	T° In -5°C		T° In 0°C		T° In +5°C		V			kg
				W/f	m3/Vol	W/f	m3/Vol	W/f	m3/Vol			m3/pack	
0.5+0.5	AP40M-1Z-R2												
	1	0,36	25°C	590	4,7	689	7,3	797	11,7	230/1N	50 Hz	47	0,38
			32°C	548	3,3	682	6,1	744	7,8				
			43°C	481	1,8	564	2,6	655	4				
	AP50M-1A-R2												
	1	0,57	25°C	882	7,8	1011	11,7	1152	19,6	230/1N	50 Hz	61,5	0,38
			32°C	826	5,6	949	8,3	1081	12,8				
			43°C	737	3,2	849	4,6	967	6,7				
	AP75M-1B-R2												
	1	0,78	25°C	1166	11,1	1343	17,9	1533	27,9	230/1N	50 Hz	71	0,38
			32°C	1097	8,1	1265	11,9	1443	20,1				
			43°C	981	4,7	1131	6,7	1290	9,7				
	AP122M-2C-R2												
	2	1,20	25°C	1874	21,6	2149	32,2	2442	48,8	230/1N	50 Hz	100	0,82
			32°C	1744	15,6	2003	23,9	2279	36,2				
			43°C	1541	8,4	1778	12,2	2032	20,7				
	AP200T-3D-R2												
	3	1,9	25°C	3077	39,8	3540	58,4	4038	86,8	400/3N	50 Hz*	154	1,17
			32°C	2887	31	3325	45,6	3793	67,7				
			43°C	2564	19	2953	28,1	3366	41,7				

