



MOD : CLN53-SB

Production code : 30000034000

06/2025

Technical data sheet



CLN53-SB

CHARACTERISTICS

Climate class		: CLASS 4 EN23953
Temperature range	(°C)	: -15 / -18
Power	(W)	: 4A / 870W
Voltage/freq.	(V / Hz.)	: 220-240V/50Hz

TECHNICAL SPECIFICATIONS

External dimensions	(WXDXH)mm	: 670 X 718 X 2026
Internal dimensions	(WXDXH)mm	: 548 X 521 X 1361
Package dimensions	(WXDXH)mm	: 683 X 765 X 2145
Gross volume	(L)	: 496
Net volume	(L)	: 450
Gross weight	(kg)	: 139
Net weight	(kg)	: 128
Outer body		: 0.5 mm.DKP / sheet steel
Inner liner		: 0.5 mm. Boyalı Sac / Prepainted Sheet
Insulation material		: Sert P.U. / Rigid P.U.
Insulation density		: 38~40 kg/m ³
Internal light		: Yes 2 Pcs HD Vertical Led
Canopy light		: Yes
Light Switch		: Yes
Door Switch		: Yes
Levelling leg (front)		: 2 Adet / 2 Pcs.
Levelling leg (back)		: -
Roller		: 4 Adet / 4 Pcs.
Comp. capacity		: CUBIGEL NPT16LA 2.3097W
Evaporator		: CU FIN
Evap. ventilator		: FAN_AXIAL_7/31W
Condenser		: WOT
Cond. ventilator		: FAN_AXIAL_7/38 W
Thermostat		: ELECTRONIC
Refrigerant		: R290
Refrigerant charge	(g)	: 105
Approvals		: CE

* External depth is without back stopper.

