



MOD : CLP72-SB

Production code : 30000033922

06/2025

Technical data sheet



CLP72-SB

CHARACTERISTICS

Climate class		: CC2
Temperature range	(°C)	: 0 / +9 °C
Power	(W)	: 750W / 4,2A
Voltage/freq.	(V / Hz.)	: 220-240 V 50/60 Hz

TECHNICAL SPECIFICATIONS

External dimensions	(WXDXH)mm	: 800x740x2125
Internal dimensions	(WXDXH)mm	: 720x576x1520
Package dimensions	(WXDXH)mm	: 820*760*2250
Gross volume	(L)	: 715
Net volume	(L)	: 665
Gross weight	(kg)	: 138
Net weight	(kg)	: 130
Outer body		: 0.5 mm. DKP Sheet Metal
Inner liner		: 0.5 mm. Pre / Painted Sheet Metal
Insulation material		: Sert P.U. / Rigid P.U.
Insulation density		: 38~40 kg/m³
Internal light		: Yes
Canopy light		: Yes
Light Switch		: Yes
Door Switch		: Yes
Levelling leg (front)		: 2 Adet / 2 Pcs.
Levelling leg (back)		: No
Roller		: 4 Adet / 4 Pcs.
Comp. capacity		: GMCC PA90HHA 1260W
Evaporator		: FIN AL
Evap. ventilator		: 5/33W NON EC AXIAL
Condenser		: WOT Condenser
Cond. ventilator		: 7/38W NON EC AXIAL
Thermostat		: Mechanical
Refrigerant		: R290
Refrigerant charge	(g)	: 84
Approvals		: CE,SASO

* E ternal depth is without back stopper.

