



70 Electric Grill Top HP 800mm



Modular Cooking Range Line ECO 70 Electric Grill Top HP 800mm

ITEM #		
MODEL #		
NAME #		
SIS #		
AIA#		
MA II		



373267 (A7GREHGS0P)

* NOT TRANSLATED *

Main Features

- Incoloy armoured heating elements positioned under the cooking grid.
- Each bank of elements has an independent power regulation through a control knob.
- · Power indicator light.
- Fixed well with drain to collect residual cooking juices and grease.
- Large drain protected by overflow and filter.
- · Water must be added to well before operation.
- Led warning indicator to give an alarm when well is empty.
- · Water filling tap with knob control.
- Removable stainless steel deflectors to recuperate heat and reduce cooking time.
- Stainless steel splash guards on sides of cooking surface.
 Splash guards can be easily removed for cleaning.
- Top configuration allows installation on ambient base.
- · Heating elements tilt 90° for easy cleaning.
- Removable 2mm thick steel U-shaped grids for fast heating of cooking surface.
- Top configuration can be installed on refrigerated / freezer base with limited layout options.
- Suitable for countertop installation.

Construction

- Unit is 700mm deep to give a larger working surface area.
- Model has right-angled side edges to allow flush fitting joints between units, eliminating gaps and possible dirt traps.
- One piece pressed 1.5 mm work top in Stainless steel.
- All exterior panels in Stainless Steel with Scotch Brite finishing.

Included Accessories

 1 of SCRAPER FOR HP ELECTRIC PNC 206436 GRILL

Optional Accessories


•	JUNCTION SEALING KIT	PNC 206086	
•	SUPPORT FOR "BRIDGE" SYSTEM 800 MM	PNC 206137	
•	SUPPORT FOR "BRIDGE" SYSTEM 1000 MM	PNC 206138	
•	SUPPORT FOR "BRIDGE" SYSTEM 1200 MM	PNC 206139	
•	SUPPORT FOR "BRIDGE" SYSTEM 1600 MM	PNC 206141	
•	FRONTAL HANDRAIL 800 MM	PNC 206167	
•	FRONTAL HANDRAIL 1200 MM	PNC 206191	
•	FRONTAL HANDRAIL 1600 MM	PNC 206192	
•	SIDE HANDRAIL-RIGHT/LEFT SIDE-700 LINE	PNC 206240	
•	2 SIDE COVERING PANELS H=250- D=700	PNC 206320	
•	SCRAPER FOR HP ELECTRIC GRILL	PNC 206436	
	DRAIN EXTENTION FOR HP FLECTRIC	PNC 206437	


APPROVAL:

GRILL



Modular Cooking Range Line ECO 70 Electric Grill Top HP 800mm






D = Drain

El = Electrical inlet (power)

EQ = Equipotential screw

WI = Water inlet



Electric

Supply voltage:

373267 (A7GREHGSOP) 400-415 V/3N ph/50/60 Hz

Electrical power max.: 7.5 kW

400-415V 3N~ 50/60Hz 6.9-7.5kW

Predisposed for:

Key Information:

Cooking surface width:	705 mm
Cooking surface depth:	400 mm
External dimensions, Width:	800 mm
External dimensions, Depth:	700 mm
External dimensions, Height:	250 mm
Net weight:	75 kg
Shipping weight:	62 kg
Shipping height:	540 mm
Shipping width:	900 mm
Shipping depth:	820 mm
Shipping volume:	0.4 m ³

If appliance is set up either next to or against temperature sensitive furniture or similar, a safety gap of approximately 150 mm should be maintained or some form of heat insulation fitted.

Certification group:

Modular Cooking Range Line ECO 70 Electric Grill Top HP 800mm









