



MOD : GVL31-G3

Production code : 30000033913

08/2025

Technical data sheet



GVL31-G3

CHARACTERISTICS

Climate class		: C
Temperature range	(°C)	: -23 / -18
Power	(W)	: 230W
Voltage/freq.	(V / Hz.)	: 220-240v / 50HZ

TECHNICAL SPECIFICATIONS

External dimensions	(WXDXH)mm	: 1015*635*890
Internal dimensions	(WXDXH)mm	: 890*510*665
Package dimensions	(WXDXH)mm	: 1065*695*890
Gross volume	(L)	: 303
Net volume	(L)	: 261
Gross weight	(kg)	:
Net weight	(kg)	63 :
Outer body		58
Inner liner		: 0.5 mm CRS
Insulation material		: 0.45 mm embossed alu. :
Insulation density		Rigid P.U.
Internal light		: 38~40 kg/m³
		: N/A
Canopy light		: N/A :
Light Switch		N/A :
Door Switch		N/A :
Levelling leg (front)		N/A :
Levelling leg (back)		N/A
Roller		: 4 castors
Comp. capacity		: CUBIGEL 298 W
Evaporator		: SKIN
Evap. ventilator		: NA
Condenser		: AUXILLARY AND SKIN
Cond. ventilator		: AXIAL_220-240V_12/20W_PERV
Thermostat		: MECHANICAL :
Refrigerant		R290
Refrigerant charge		: 80 grams
Approvals	(g)	: CE,ROHS

* E ternal depth is without back stopper.

