



MOD : SL65-NC

Production code : 9998PELD65C-DDXXB

03/2025

SCHEDA TECNICA / DATASHEET / DATENBLATT /
FICHA TÉCNICA / FICHE TECHNIQUE / ТЕХНИЧЕСКИЙ ПАСПОРТ



Modello / Model / Schablone / Modelo / Modèle / Шаблон		SL65-NC
Volume cesto / Drum volume / Volume Warenkorb / Cesta Volumen / Volume Panier / Объем корзины	[lt]	117
Capacità (1:19,5) / Capacity (1:19,5) / Füllgewicht (1:19,5) / Capacidad (1:19,5) / Capacité (1:19,5) / Загрузка (1:19,5)	[kg]	6
Posizione cerniera oblò / door hinge position / Position der Türscharniere / posición de la bisagra de la puerta / position charnière de porte / положение дверной петли		Destra (reversibile) / Right (reversible)/ Rechts (umkehrbar) / Derecha (reversible) / Droite (réversible)/ правый (реверсивный)
Lunghezza cavo alimentazione / Supply cable length / Versorgung Kabel Länge / Largura cable alimentación / Longueur câble alimentation / Длина питающего провода	[mm]	2100
Riscaldamento / Hater type / Heizungstyp / tipo de calentador / Type de chauffage / тип нагревателя		Elettrico / Electric / elektrisch /eléctrico / électrique / электрический

Variante (codice) / Variant (code) / Variante (code) / variante (código) / Variante (code) / Вариант (код)	A	E _b	G _b	H _b	I
Connessione elettrica / Electrical connection / Elektrische Anschluss / Conexión electrica / Connexion électrique / Вид нагрева	1 ph 230V 50 Hz	2 ph 440V 60 Hz	2 ph 400V 50 Hz	2 ph 400V 60 Hz	1 ph 230V 60 Hz
Spina / Plug / Stecker / Enchufar / Prise de courant / затыкать	Schuko	N/A	N/A	N/A	Schuko
Potenza elettrica di installazione / Installation electrical power / Installationsleistung / Potencia electrica de instalación / Puissance électrique installation / Мощность [кВт]	2800 W	3300 W	3300W	3300 W	2800 W
Corrente / Current / Strom / Corriente / Courant / Tok	16 A	10 A	10 A	10 A	16 A
Scatola esterna trasformatore / External transformer's box / Box des externen Transformators / Caja de transformador externo / Boîtier du transformateur externe / Внешний трансформаторный ящик	N/A	☒	☒	☒	N/A

Larghezza / Widht / Länge / Longitud / Longueur / Длина	[mm]	595
Altezza / Height / Höhe / Altura / Hauteur / Высота	[mm]	min 850– max 865
Profondità / Lenght / Tiefe / Profundidad / Profondeur / Глубина	[mm]	654
Larghezza imballo / Packaging width / Verpackungsbreite / Ancho de embalaje / Largeur d'emballage / Ширина упаковки	[mm]	640
Altezza imballo / packaging height / Verpackungshöhe / Altura del embalaje / Hauteur d'emballage / высота упаковки	[mm]	920
Profondità imballo / Packaging depth / Verpackungstiefe / Profundidad de embalaje / Profondeur d'emballage / Глубина упаковки	[mm]	723
Piedini regolabili / Adjustable feet / Verstellbare Füße / Pies ajustables / Pieds réglables / Регулируемые ножки		Si
Altezza massima piedini / Rubber feet maximum height / Maximale Höhe Beine / Patas de altura maxima / Pieds de hauteur maximale / Максимум ноги высота	[mm]	150
Peso netto / Net weight / Nettogewicht / Peso neto / Poids net / Вес нетто	[kg]	42,8
Peso imballo / Packaging weight / Verpackungsgewicht / Peso del embalaje / Poids de l'emballage / Вес упаковки	[kg]	47,2

Scatola esterna trasformatore / External transformer's box / Box des externen Transformators / Caja de transformador externo / Boîtier du transformateur externe / Внешний трансформаторный ящик

Larghezza / Widht / Länge / Longitud / Longueur / Длина	[mm]	286
Altezza / Height / Höhe / Altura / Hauteur / Высота	[mm]	210
Profondità / Lenght / Tiefe / Profundidad / Profondeur / Глубина	[mm]	226



