



MOD : SSP32-SB

Production code : 30000033926

06/2025

Technical data sheet



SSP32-SB

CHARACTERISTICS

Climate class		: CC2
Temperature range	(°C)	: 0 / +9
Power	(W)	: 1A / 220W
Voltage/freq.	(V / Hz.)	: 220-240V/50Hz

TECHNICAL SPECIFICATIONS

External dimensions	(WXDXH)mm	: 450 X 497 X 1881
Internal dimensions	(WXDXH)mm	: 374 X 388 X 1441
Package dimensions	(WXDXH)mm	: 467 X 567 X 2020
Gross volume	(L)	: 221
Net volume	(L)	: 203
Gross weight	(kg)	: 78
Net weight	(kg)	: 72
Outer body		: 0.5 mm.DKP / sheet steel
Inner liner		: 0.5 mm. Boyalı Sac / Prepainted Sheet
Insulation material		: Sert P.U. / Rigid P.U.
Insulation density		: 38~40 kg/m ³
Internal light		: Yes
Canopy light		: No
Light Switch		: Yes
Door Switch		: Yes
Levelling leg (front)		: 2 Adet / 2 Pcs.
Levelling leg (back)		: -
Roller		: 4 Adet / 4 Pcs.
Comp. capacity		: JIAXIPERA_TB1112Y_L, 140W
Evaporator		: FIN AL
Evap. ventilator		: 21.5 Watt Axial Fan
Condenser		: WOT condenser
Cond. ventilator		: 7/38 W FAN Axial
Thermostat		: Mechanic
Refrigerant		: R600a
Refrigerant charge	(g)	: 40
Approvals		: CE

* External depth is without back stopper.

