

MOD : TAB3/D-N2

Production code : DB301H-3


TAB3/D-N2

Backbar Cooler



Product Features

- EU Energy Class B
- Approx. 56% more energy efficient than previous DB-range
- Double glazed tempered glass
- Energy saving variable speed compressor
- Hinged glass doors
- Ventilated cooling for fast pull-down and even temperature
- Easy access electronic thermostat
- Adjustable shelves
- Adjustable feet
- LED interior light
- Lock



380 266 218 218



Protective thermostat cover



Lock

Energy efficient back bar cooler

This new range of DB back bars is highly energy efficient and uses in average 56% less energy compared to the previous models from the same range. This backbar has ventilated cooling for a short pull-down time to ensure that you can keep up with customer demand for cold beverages. The temperature is easily adjusted on the electronic thermostat.

The back bar cooler has hinged doors with double glazed tempered glass, which gives a nice product presentation. The adjustable wire shelves have a white plastic coating for easy maintenance. The back bar is ideal for busy bar environments, and with its black exterior and stucco aluminium interior it has a contemporary look. A great choice for any bar.

The DB range is also available in a variant with self-closing sliding doors.

Design and Material		Measures and Content		Power and Consumption	
Door No & Type	3 hinged glass doors	Total Display Area	m ² 0.75	Energy Class	B
Door Reversible	No	Temperature Range	°C +2 to +10	Energy Consumption	kWh/24h 1.8
Tempered glass	Yes	Climate Class	4	Annual Energy Cons.	kWh/year 657
Shelves No & Type	6 wire shelves white	Gross / Net Weight	kg 95 / 88	Power	1
Shelf Color	White	Gross / Net Volume	l 300 / 278	Max Ambient	30°C at 55% RH
Shelf Dimensions	395x320 mm / 432x320mm	Cooling and Functions		Input Power	W 125
Feet / Legs	4 adjustable feet	Type of Controller	Electronic	Voltage / Frequency	V/Hz 220-240/50
Exterior Finish	Black	Type of Cooling	Ventilated	Noise Level	dB(A) 44
Interior Finish	Stucco aluminium	Type of Defrost	Automatic	Dimensions	
Interior Light	LED	Refrigerant	R600a	Internal Dimension	mm 1265 x 418 x 720 (WxDxH)
Lock	Yes	Refrigerant Charge	g 90	External Dimension	mm 1350 x 520 x 870 (WxDxH)
		Thermometer	Yes		

Power and Consumption

Packed Dimension (WxDxH)	mm	1435 x 575 x 940
--------------------------	----	------------------

40ft Container Load	pcs	64
---------------------	-----	----
