



MOD : WR-LB40-MPD4

Production code : 919555

01/2025

A detailed technical illustration of various interlocking gears and mechanical components, rendered in a light gray, sketch-like style. The gears are of different sizes and are arranged in a complex, overlapping pattern across the lower half of the page. Some gears have internal structures like spokes or smaller gears visible. The overall aesthetic is technical and industrial.

		Model	WR-LB40-MPD4	
		Code Production	919555	
Interface:				
				
	Overall Dimension (Width-Depth-Height) *open	mm	436 x 535 (870*)x670	
	Packaging Dimension (WxDxH)	mm	520x610x840	
	Gross weight	Kg	34	
	Net weight	Kg	31	
	Volume	mc	0,27	
	Rack size	mm	385x385	
	Max door /hood opening	mm	320	
	Max glasses/plate Height	mm	300	
	Flank construction		single wall	
	Door/hood Construction		double wall	
	Rack's drives/frame construction		flat	
	Tank construction		embossed bottom	
	Tank volume	liter	8	
	Tank heating element	W	600	
	Tank surface strainers		optional	
	Wash pump type		double flow	
	Wash pump power	W	200	
	Wash temperature (NOT adjustable)	°C	60	
	Boiler type		pressurized	
	Boiler volume	liter	2,6	
	Back-flow system		valve	
	Boiler heating element	W	2.600	
	Rinse booster pump		NO	
	Rinse booster pump power	W	-	
	Rinse temperature (adjustable)	°C	80	
	Thermostop		YES	
	Rinse water consumption	Liter /rack	1,6	
	Optimal external water pressure	bar	2 - 4	
	Drain system		overflow pipe	
	Drain pump		standard built in	
	Detergent dispenser (manually adjustable)		YES	
	Detergent dispenser (manually adjustable)		optional	
	Wash cycle	sec	120	
	Electric Power	W	3.400	
	Electric Connection	V - ph - Hz	230V 1N 50Hz	
	Fuse	A	16	
	Water softner		NO	
	Plates racks		NO	
	Flat Rack		YES x2	
	Cutterly Rack		YES	
	Electric cable		YES	
	Drain hose		YES	
	Fill hose		YES	

