

05/2018

Mod: TAVT/2G-R2

Production code: FGB 251/145 PV



Diamond
catering equipment

Frigobares Com Grupo | 2 Portas Vidro Skinplate | Inox



+1°C
+8°C
Temperatura
Funcionamento
Temperature Range

Características Técnicas

FGB PV | FGB APV


- Dimensões Interiores
FGB 240/125 | W920 x D460 x H737mm
FGB 251/145 | W1120 x D460 x H737mm
- Interior Chapa Plastificada (Sk Branco) | Inox AISI 304
- Exterior Chapa Plastificada (Sk Preto) | Inox AISI 430
- Isolamento Poliuretano Base Água
- Frio Ventilado
- Iluminação LED
- Termostato Digital
- Descongelação Automática
- 2 Prateleiras Amovíveis Aço Plastificado por Porta
- Capacidade para 3 Garrafas 33cl em Altura
- Pé Regulável
- Zona do Motor Extraível, para fácil Manutenção ou Serviço Técnico

Technical Features

FGB PV | FGB APV

- Internal Dimention
FGB 240/125 | W920 x D460 x H737mm
FGB 251/145 | W1120 x D460 x H737mm
- Inside Surface (White Skinplate) | Inox AISI 304
- Outside Surface (Black Skinplate) | Inox AISI 430
- Polyurethane Water Base Insulation
- Ventilated Cold
- LED Lighting
- Digital Thermostat
- Automatic Defrost
- 2 Removable Shelves in Plastified Steel for Door
- Capacity for 3 Bottles 33cl in High
- Adjustable Feet
- Extractable Motor Area for Easy Maintenance or Technical Service

Modelo Model	Largura Width	Profundidade Depth	Altura Height	Volume Volume	Peso Weight	Potência Power	Consumo Consumption	Portas Doors	Gás Gas
FGB 240/125 PV	1255mm	565mm	890/905mm	312 229	92 114	370W	1624 kwh/ano kwh/year	2 PV	R 290
FGB 251/145 PV	1455mm	565mm	890/905mm	379 283	97 120	350W	1634 kwh/ano kwh/year	2 PV	R 290
FGB 240/125 APV	1255mm	565mm	890/905mm	312 229	92 114	330W	1624 kwh/ano kwh/year	2 PV	R 290
FGB 251/145 APV	1455mm	565mm	890/905mm	379 283	97 120	350W	1634 kwh/ano kwh/year	2 PV	R 290



Capacidade Carga (unid)	TIR	20"	40"
Load capacity (unit)	82	28	58

Capacidade Carga (unid)	TIR	20"	40"
Load capacity (unit)	78	28	56

Frigobares Com Grupo | 2 Portas Vidro

Skinplate | Inox

Capacidade Garrafas (33cl)
Bottles Capacity (33cl)
Capacidade Latas (33cl)
Cans Capacity (33cl)



FGB 240	FGB 251
216 - 264	252 - 308
396 - 432	462 - 528

+1°C
+8°C
Temperatura
Funcionamento
Temperature Range

FGB 240/125 PV
FGB 251/145 PV



FGB 240/125 APV
FGB 251/145 APV



Modelo Model	Classe Climática Climate Class	Classe Energética Energy Class
FGB 240/125 PV	4	N.A.
FGB 251/145 PV	4	N.A.
FGB 240/125 APV	4	N.A.
FGB 251/145 APV	4	N.A.