

05/2018

Mod: TAVT/3G-R2

Production code: FGB 351/206 PV



Diamond
catering equipment

Frigobares Com Grupo | 3 Portas Vidro Skinplate | Inox



+1°C
+8°C
Temperatura
Funcionamento
Temperature Range

Características Técnicas

FGB PV | FGB APV



- Dimensões Interiores
FGB 340/177 | W1440 x D460 x H737mm
FGB 351/206 | W1730 x D460 x H737mm
- Interior Chapa Plastificada (Sk Branco) | Inox AISI 304
- Exterior Chapa Plastificada (Sk Preto) | Inox AISI 430
- Isolamento Poliuretano Base Água
- Frio Ventilado
- Iluminação LED
- Termostato Digital
- Descongelação Automática
- 2 Prateleiras Amovíveis Aço Plastificado por Porta
- Capacidade para 3 Garrafas 33cl em Altura
- Pé Regulável
- Zona do Motor Extraível, para fácil Manutenção ou Serviço Técnico

Technical Features


FGB PV | FGB APV

- Internal Dimention
FGB 240/177 | W1440 x D460 x H737mm
FGB 251/206 | W1730 x D460 x H737mm
- Inside Surface (White Skinplate) | Inox AISI 304
- Outside Surface (Black Skinplate) | Inox AISI 430
- Polyurethane Water Base Insulation
- Ventilated Cold
- LED Lighting
- Digital Thermostat
- Automatic Defrost
- 2 Removable Shelves in Plastified Steel for Door
- Capacity for 3 Bottles 33cl in High
- Adjustable Feet
- Extractable Motor Area for Easy Maintenance or Technical Service

Modelo Model	Largura Width	Profundidade Depth	Altura Height	Volume Volume	Peso Weight	Potência Power	Consumo Consumption	Portas Doors	Gás Gas
FGB 340/177 PV	1775mm	565mm	890/905mm	488 390	108 137	370W	1872 kwh/ano kwh/year	3 PV	R 290
FGB 351/206 PV	2065mm	565mm	890/905mm	586 466	126 160	390W	1973 kwh/ano kwh/year	3 PV	R 290
FGB 340/177 APV	1775mm	565mm	890/905mm	488 390	108 137	370W	1872 kwh/ano kwh/year	3 PV	R 290
FGB 351/206 APV	2065mm	565mm	890/905mm	586 466	126 160	390W	1973 kwh/ano kwh/year	3 PV	R 290



Capacidade Carga (unid)	TIR	20"	40"
Load capacity (unit)	60	20	40



Capacidade Carga (unid)	TIR	20"	40"
Load capacity (unit)	46	20	40

Frigobares Com Grupo | 3 Portas Vidro

Skinplate | Inox

Capacidade Garrafas (33cl)
Bottles Capacity (33cl)
Capacidade Latas (33cl)
Cans Capacity (33cl)



FGB 340	FGB 351
360 - 440	414 - 506
630 - 744	759 - 840

+1°C
+8°C
Temperatura
Funcionamento
Temperature Range

FGB 340/177 PV
FGB 351/206 PV



FGB 340/177 APV
FGB 351/206 APV



Modelo Model	Classe Climática Climate Class	Classe Energética Energy Class
FGB 340/177 PV	4	N.A.
FGB 351/206 PV	4	N.A.
FGB 340/177 APV	4	N.A.
FGB 351/206 APV	4	N.A.